

INFORMATIONS ÉPIDÉMIOLOGIQUES

EPIDEMIOLOGICAL NOTES

CHOLÉRA

CHOLERA

Asie

Asia

Inde (1965). — Le tableau suivant montre les résultats de tous les tests effectués en 1965 au laboratoire de l'Institut Indien de Médecine Expérimentale à Calcutta sur des cultures de vibrions prélevés dans divers endroits de l'Inde, afin de déterminer s'il s'agissait de *V. cholerae* (choléra classique) ou de *V. cholerae* type El Tor (choléra El Tor). Ils font ressortir une majorité de *V. cholerae* type El Tor, sauf en ce qui concerne l'Assam et le Bengal occidental.

India (1965). — The following table shows the results of all tests carried out in 1965 in the laboratory of the Indian Institute of Experimental Medicine, Calcutta, on cholera cultures obtained from various places in India, to determine whether the organism was *V. cholerae* (classical cholera) or *V. cholerae* type El Tor (cholera El Tor). A majority of *V. cholerae* type El Tor were found, except in Assam and West Bengal States.

Place	Total cultures choléra testées Total cholera cultures tested	<i>V. cholerae</i>	<i>V. cholerae</i> type El Tor
<i>Andhra Pradesh</i>			
Visakhapatnam	126	52	74
<i>Assam</i>	33	33	—
<i>Bihar</i>			
Patna	26	1	25
<i>Delhi</i>	17	—	17
<i>Gujarat</i>			
Ahmedabad	7	—	7
Baroda	40	—	40
<i>Kerala</i>			
Kottayam	249	—	249
Trivandrum	49	—	49
<i>Madras</i>			
Madras	441	14	427
Madurai	192	1	191
<i>Maharashtra</i>			
Bombay	25	4	21
Miraj	10	5	5
Nagpur	23	—	23
Poona	11	—	11
<i>Madhya Pradesh</i>			
Indore	4	—	4
<i>Mysore</i>			
Bangalore	130	9	121
<i>Punjab</i>			
Karnul & Panipat	5	—	5
<i>West Bengal</i>			
Calcutta	110	62	48
Howrah	56	28	28
Jalpaiguri	3	3	—
Jhargram	1	1	—
Gangasagar	9	5	4
Total	1567	218	1349