
2.2.1 Geographic Component of the Survey

Geographic Information refers to any information associated with a location on the Earth's surface. This location can be associated to a coordinate (latitude/longitude), a place's name, a postal address or any other geographic object.

Household Surveys represent an important source of information. If the geographic location of the surveyed clusters is collected at the same time that the interview is conducted users are then able to integrate the spatial dimension in their analysis

The geographic component of the WHO WHS is stored in two sections of the questionnaire:


- 0100 Sampling Information allowing the link between the location of each cluster and the sampling frame used for the survey. This section has also been used in order to collect the type of setting in which each household was located at the time of the survey. This section of the questionnaire has been used for all the countries part of the WHO WHS
- 0200 Geocoding Information for the collection of the latitude and longitude of each household. This section has only been used in 27 countries where GPS devices were available or have been provided. The choice of these countries has been done on the basis of the availability of digital maps delimiting the surveyed clusters, the field data collection planning and their distribution within the different WHO regions. Specific training and field material have been prepared and used by the interviewers or field supervisors in these countries in order to collect the latitude and longitude of each of the surveyed household.

As the sampling design may not always include the administrative structure of the country and as the codes entered in the data set for the sampling level needed to be labelled, a key correspondence table containing this information has been collected after the survey itself.

Once all the survey data and the key correspondence table available a specific protocol has been applied to the two sections mentioned earlier in order to clean eventual data collection or data entry mistakes as well as to fill the gaps in close collaboration with the survey institution.


The questionnaire as well as the training material and data cleaning protocols used can be downloaded from the WHO WHS web site (<http://www.who.int/healthinfo/survey/en/index.html>) in the "Survey Instrument and Related Documents" section.

2.3.1 Sample deviation index



SDI

2.3.2 HH Sample deviation index



HDI

2.3.3 Response rate

Household

Selected	1,383
----------	-------

Interviewed	991
-------------	-----

Percentages	72
-------------	----


Individual

Selected	992
----------	-----


Interviewed	990
-------------	-----

Percentages	100
-------------	-----

2.3.4 Missing data



2.3.5 Reliability



3.1 Household composition by residence and age groups according to income quintile

	Percent Rural	SE	Mean Number of									
			Household members	SE	Children < 2 years	SE	Children < 5years	SE	Children 5 -17 years	SE	Persons 18+ years	SE
Q1(poorest)	58.5	5.93	1.7	0.08	0.0	0.01	0.0	0.02	0.1	0.02	1.6	0.06
Q2	35.2	4.80	2.5	0.12	0.0	0.01	0.1	0.03	0.3	0.06	2.1	0.08
Q3	30.7	4.57	3.2	0.12	0.0	0.01	0.1	0.03	0.5	0.07	2.6	0.08
Q4	26.7	4.23	3.6	0.11	0.0	0.01	0.1	0.02	0.7	0.07	2.9	0.09
Q5(richest)	10.2	2.49	3.7	0.09	0.0	0.01	0.2	0.03	0.8	0.06	2.8	0.08
All	31.8	3.28	3.0	0.05	0.0	0.01	0.1	0.01	0.5	0.03	2.4	0.04

Note: table based on de jure members of household i.e. usual residents

3.2 Selected age distributions by income quintile

	Females Age 18–49	Persons Age 50+	Persons Age 60+
Q1 (poorest)	33	212	178
Q2	81	238	163
Q3	132	247	138
Q4	192	198	100
Q5 (richest)	202	161	69
All	640	1,057	647

Note: table based on de jure members of household i.e. usual residents

3.3 Characteristics of head of household by income quintile

	Mean Age of Head	SE	Median Education of Head	Percent Female Head	SE
Q1 (poorest)	64	1.18	2	49.1	4.00
Q2	59	1.23	4	33.9	3.65
Q3	54	1.06	4	31.6	3.45
Q4	49	1.04	4	25.3	3.26
Q5 (richest)	47	0.82	4	27.8	3.22
All	54	0.54	4	33.1	1.66

Education

1=no formal education

2=less than primary school

3=primary school completed

4=secondary school completed

5=high school (or equivalent) completed

6=college/pre-university/university completed

7=post graduate degree completed

Note: table based on de jure members of household i.e. usual residents

3.4 Household population: percent distribution of the de jure population by age, residence, marital status and education according to sex

	Male	SE	Female	SE	Missing	Total	SE
Age							
0-4	3.6	0.50	3.0	0.40		3.30	0.30
5-14	12.1	1.00	9.5	0.80		10.80	0.80
15-29	21.1	1.20	20.9	1.10		21.00	0.90
30-44	19.4	0.90	19.8	0.90		19.60	0.70
45-59	22.6	1.10	22.5	1.10		22.60	0.90
60-69	12.0	0.90	12.3	1.00		12.20	0.80
70-79	6.5	0.80	9.1	0.80		7.90	0.60
80+	2.6	0.40	2.8	0.50		2.70	0.30
Missing	0.0	0.00	0.0	0.00		0.00	0.00
Residence							
Urban	65.6	3.60	66.7	3.60		66.10	3.60
Rural	34.4	3.60	33.3	3.60		33.90	3.60
Missing	0.0	0.00	0.0	0.00		0.00	0.00
Marital_Status							
Never	39.4	1.20	32.5	1.20		35.80	0.90
Currently	50.7	1.10	46.9	1.00		48.70	0.80
Separated	0.4	0.20	1.2	0.30		0.80	0.20
Divorced	2.6	0.50	3.7	0.50		3.20	0.40
Widowed	4.0	0.60	13.6	1.00		9.00	0.60
CoHabiting	0.8	0.20	0.7	0.20		0.80	0.20
Missing	2.1	0.50	1.4	0.40		1.70	0.40
Education							
NoFormal	6.5	0.70	7.3	0.70		6.90	0.60
LessthanPrimary	14.9	1.10	18.9	1.20		16.90	0.90
Primary	17.3	1.30	21.0	1.20		19.20	1.00
Secondary	48.7	1.60	40.2	1.50		44.30	1.30
HighSchool	5.2	0.70	5.0	0.60		5.10	0.50
College	5.7	0.70	6.1	0.70		5.90	0.60
PostGraduate	1.0	0.30	0.7	0.20		0.90	0.20
Missing	0.9	0.30	0.7	0.20		0.80	0.20
Total	100.0		100.0			100.00	
Number	1,419.0		1,520.0			2,939.00	
Number of Households						991.00	

3.5 Background characteristics of respondents: percent distribution of men and women by age, residence, marital status and education

	Male	SE	Female	SE	Missing	Total	SE
Age							
18-29	16.1	2.50	13.7	1.90		14.70	1.50
30-44	21.7	2.30	22.3	1.80		22.10	1.40
45-59	30.9	2.60	35.7	2.20		33.70	1.60
60-69	18.5	2.30	15.0	1.70		16.40	1.50
70-79	9.9	1.70	10.9	1.40		10.50	1.10
80+	2.9	0.80	2.4	0.60		2.60	0.50
Missing	0.0	0.00	0.0	0.00		0.00	0.00
Residence							
Urban	67.6	3.90	66.8	3.80		67.20	3.40
Rural	32.4	3.90	33.2	3.80		32.80	3.40
Missing	0.0	0.00	0.0	0.00		0.00	0.00
Marital_Status							
Never	19.3	2.70	12.6	1.80		15.40	1.50
Currently	70.9	2.80	66.3	2.20		68.30	1.70
Separated	0.1	0.10	1.2	0.40		0.70	0.20
Divorced	3.3	0.80	4.5	0.80		4.00	0.60
Widowed	5.2	1.00	14.5	1.50		10.60	1.00
CoHabitng	1.2	0.40	0.9	0.40		1.00	0.30
Missing	0.0	0.00	0.0	0.00		0.00	0.00
Education							
NoFormal	0.4	0.30	3.0	0.80		1.90	0.50
LessthanPrimary	9.5	1.50	14.9	1.50		12.60	1.10
Primary	13.2	1.90	19.7	1.90		17.00	1.50
Secondary	61.4	3.00	46.6	2.60		52.80	2.00
HighSchool	7.0	1.50	7.6	1.20		7.40	1.00
College	7.1	1.50	7.4	1.30		7.30	1.00
PostGraduate	1.2	0.70	0.8	0.40		1.00	0.40
Missing	0.0	0.00	0.0	0.00		0.00	0.00
Total	100.0		100.0			100.00	
Number	414.0		576.0			990.00	

4.1 Prevalence of smoking and average daily tobacco consumption

	Current daily smoker	SE	Smoker, not daily	SE	Non-smoker	SE	Missing	Average daily tobacco consumption*	SE	Number of respondents
Sex										
Male	29.8	2.60	1.6	0.80	68.0	2.50	0.6	22.1	1.10	414
Female	17.6	2.00	5.1	1.00	76.5	2.10	0.8	14.6	1.00	576
Missing										0
Residence										
Urban	22.1	1.80	4.0	0.90	72.8	1.90	1.1	19.0	1.00	665
Rural	23.9	3.00	2.8	1.00	73.3	2.80	0.0	18.3	1.50	325
Missing										0
Income_Quintile										
Q1	19.7	3.50	1.6	0.80	76.7	3.90	2.1	21.6	2.60	116
Q2	24.5	3.40	3.5	1.50	72.0	3.50	0.0	22.3	1.70	166
Q3	17.6	2.70	3.2	1.40	78.7	3.10	0.4	16.8	1.30	205
Q4	26.2	3.40	3.1	1.50	70.2	3.40	0.5	15.6	1.40	242
Q5	22.6	3.50	6.2	1.90	69.8	3.70	1.3	20.2	1.90	228
Missing										32
Age										
18-29	33.6	5.30	4.5	2.30	60.3	5.60	1.6	17.1	1.60	146
30-44	27.6	3.40	6.0	1.90	66.1	3.50	0.4	18.5	1.30	218
45-59	23.5	2.80	2.8	1.10	73.4	2.80	0.4	18.6	1.40	333
60-69	15.8	3.20	1.5	1.20	82.7	3.60	0.0	22.9	2.70	163
70-79	9.8	3.70	4.0	2.40	83.1	4.60	3.1	20.4	2.60	104
80+	4.6	3.30	1.5	1.60	93.8	3.60	0.0	5.2	1.80	26
Missing										0
All	22.7	1.50	3.6	0.70	72.9	1.60	0.8	18.7	0.80	990

* Denominator used is current daily smoker

4.2 Prevalence of life time abstainers, non-heavy drinkers, infrequent heavy drinkers and frequent heavy drinkers

	Life time abstainers	SE	Non-heavy drinkers	SE	Infrequent Heavy Drinkers*	SE	Frequent Heavy drinkers**	SE	Missing	Number of respondents
Sex										
Male	11.6	1.90	77.6	2.80	6.8	2.00	3.3	1.10	0.6	414
Female	31.1	2.40	67.9	2.30	0.3	0.30	0.0	0.00	0.7	576
Missing										0
Residence										
Urban	20.0	2.10	74.4	2.20	3.8	1.20	0.7	0.30	1.0	665
Rural	28.9	3.10	66.9	3.60	1.5	0.70	2.7	1.20	0.0	325
Missing										0
Income_ Quintile										
Q1	31.3	3.60	63.8	4.10	0.9	0.60	2.0	1.10	2.1	116
Q2	24.8	3.60	69.3	4.00	5.3	2.30	0.6	0.50	0.0	166
Q3	19.4	3.40	76.9	3.40	1.9	0.90	1.4	1.00	0.4	205
Q4	21.7	3.70	72.4	4.30	3.9	3.00	1.5	1.10	0.5	242
Q5	22.2	3.40	73.1	3.20	3.0	1.20	0.7	0.50	1.0	228
Missing										32
Age										
18-29	14.2	3.20	75.0	5.50	7.6	4.80	1.6	1.60	1.6	146
30-44	25.5	3.00	69.2	3.20	3.1	1.30	2.2	1.20	0.0	218
45-59	22.1	2.80	74.1	2.90	2.1	1.10	1.3	0.70	0.4	333
60-69	22.4	3.40	75.3	3.50	2.3	1.30	0.0	0.00	0.0	163
70-79	31.4	5.10	61.9	5.20	1.4	1.00	2.2	1.30	3.1	104
80+	30.2	8.20	69.8	8.20	0.0	0.00	0.0	0.00	0.0	26
Missing										0
All	22.9	1.50	71.9	1.70	3.0	0.90	1.4	0.40	0.7	990

*Infrequent heavy drinkers: 1-2 days with 5 or more standard drinks per week(last 7 days)

**Frequent heavy drinkers: 3 or more days with 5 or more standard drinks per week(last 7 days)

4.3 Prevalence of insufficient intake of fruit and vegetables and insufficient physical activity

	Fruit and vegetable intake						Physical Activity					Number of respondents
	*Insufficient	SE	Sufficient	SE	Missing	**Insufficient	SE	Sufficient	SE	Missing		
Sex												
Male	88.9	2.00	11.1	2.00	0.0	6.3	1.10	92.8	1.30	0.9	414	
Female	92.0	1.20	8.0	1.20	0.0	8.0	1.30	91.3	1.30	0.7	576	
Missing											0	
Residence												
Urban	90.5	1.40	9.5	1.40	0.0	7.4	1.20	91.4	1.30	1.2	665	
Rural	91.1	2.30	8.9	2.30	0.0	7.1	1.60	92.9	1.60	0.0	325	
Missing											0	
Income_Quintile												
Q1	98.3	1.00	1.7	1.00	0.0	13.8	2.70	84.1	3.30	2.1	116	
Q2	92.2	2.10	7.8	2.10	0.0	11.9	2.60	87.4	2.70	0.7	166	
Q3	84.7	3.30	15.3	3.30	0.0	6.5	2.50	93.1	2.50	0.4	205	
Q4	87.4	2.70	12.6	2.70	0.0	1.4	0.70	98.1	0.90	0.5	242	
Q5	94.0	1.80	6.0	1.80	0.0	7.1	2.40	91.9	2.40	1.0	228	
Missing											32	
Age												
18-29	90.5	3.00	9.5	3.00	0.0	0.5	0.50	98.0	1.60	1.6	146	
30-44	91.0	2.00	9.0	2.00	0.0	4.8	1.60	95.2	1.60	0.0	218	
45-59	88.3	2.10	11.7	2.10	0.0	5.8	1.90	93.8	1.90	0.4	333	
60-69	94.6	1.90	5.4	1.90	0.0	8.5	2.30	91.5	2.30	0.0	163	
70-79	89.6	3.20	10.4	3.20	0.0	20.3	3.80	75.5	4.60	4.2	104	
80+	100.0	0.00	0.0	0.00	0.0	25.9	7.30	74.1	7.30	0.0	26	
Missing											0	
All	90.7	1.10	9.3	1.10	0.0	7.3	0.90	91.9	1.00	0.8	990	

*Insufficient intake of fruit/vegetables: less than 5 servings of fruit/vegetables per one typical day

**Insufficient physical activity: less than 150 minutes per week(last 7 days) spent on walking/moderate activity/vigorous activity

4.4 Access to improved drinking-water: percent distribution of households by type of access to drinking water

	Piped into households	SE	other improved sources	SE	Total improved sources	SE	No improved sources	SE	Missing	Number of households
Residence										
Urban	94.4	1.50	4.2	1.40	98.6	0.70	0.2	0.20	1.2	676
Rural	76.7	4.30	19.6	4.10	96.4	1.30	3.6	1.30	0.0	315
Missing	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0
Income_Quintile										
Q1(poorest)	55.9	5.40	35.9	5.40	91.8	2.70	6.5	2.20	1.7	173
Q2	91.4	2.20	8.1	2.10	99.6	0.40	0.4	0.40	0.0	190
Q3	95.1	1.80	3.9	1.50	99.0	1.00	0.0	0.00	1.0	192
Q4	97.5	1.10	1.7	0.90	99.3	0.70	0.0	0.00	0.7	202
Q5(richest)	99.1	0.90	0.0	0.00	99.1	0.90	0.0	0.00	0.9	197
Missing	92.4	4.40	5.7	4.00	98.1	1.90	1.9	1.90	0.0	37
Total	88.8	1.80	9.1	1.70	97.9	0.70	1.3	0.50	0.8	991

other improved sources: public standpipe/protected tube well/borehole/protected dug well/protected spring/rainwater collection

no improved sources: unprotected well/unprotected spring/water taken directly from a pond or stream/tanker truck water/vendor provided water

4.5 Access to improved sanitation: percent distribution of households by type of sanitation facility

	Flush toilet to sewage system	SE	Other improved toilet facilities	SE	Total improved sanitation	SE	No improved sanitation	SE	Missing	Number of households
Residence										
Urban	78.3	3.10	19.2	2.90	97.5	1.00	1.3	0.70	1.2	676
Rural	29.3	4.10	68.3	4.00	97.6	0.80	2.4	0.80	0.0	315
Missing	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0
Income_Quintile										
Q1(poorest)	32.8	4.70	57.6	5.00	90.4	3.10	7.9	2.80	1.7	173
Q2	60.1	4.30	39.2	4.30	99.3	0.70	0.7	0.70	0.0	190
Q3	63.4	4.20	35.6	4.30	99.0	1.00	0.0	0.00	1.0	192
Q4	69.8	3.70	29.5	3.70	99.3	0.70	0.0	0.00	0.7	202
Q5(richest)	85.0	3.30	14.1	3.30	99.1	0.90	0.0	0.00	0.9	197
Missing	53.9	7.80	41.7	8.00	95.6	3.00	4.4	3.00	0.0	37
Total	62.7	2.70	34.8	2.60	97.5	0.70	1.7	0.50	0.8	991

other improved sanitation facilities: connection to septic system/pour-flush latrine/covered dry latrine(with privacy) [provided facilities not shared]
no improved sanitation: uncovered dry latrine(without privacy)/bucket latrine/no facilities(open defecation)

4.6 Solid Fuel use for cooking: percent distribution of households by type of cooking fuel used

	Electricity, Gas	SE	Kerosene	SE	Solid fuels on improved stove	SE	Solid fuels on traditional stove	SE	Total solid fuel use	SE	Missing	Number of households
Residence												
Urban	91.8	1.60	0.0	0.00	6.9	1.40	0.0	0.00	6.9	1.40	1.3	676
Rural	76.3	3.50	0.0	0.00	19.2	3.20	4.4	1.60	23.7	3.50	0.0	315
Missing	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0
Income_ Quintile												
Q1(poorest)	47.8	4.70	0.0	0.00	44.2	4.60	6.3	2.40	50.6	4.70	1.7	173
Q2	89.6	2.50	0.0	0.00	8.8	2.30	1.6	1.10	10.4	2.50	0.0	190
Q3	95.6	1.70	0.0	0.00	3.4	1.30	0.0	0.00	3.4	1.30	1.0	192
Q4	97.6	1.30	0.0	0.00	1.4	1.00	0.0	0.00	1.4	1.00	1.0	202
Q5(richest)	99.1	0.90	0.0	0.00	0.0	0.00	0.0	0.00	0.0	0.00	0.9	197
Missing	87.5	5.20	0.0	0.00	12.5	5.20	0.0	0.00	12.5	5.20	0.0	37
Total	86.9	1.60	0.0	0.00	10.8	1.40	1.4	0.50	12.2	1.50	0.9	991

5.01 Tuberculosis

		Tuberculosis			
	Total	Need	Coverage	SE	M
Sex					
Female	576	13.3	13.6	4.0	0.0
Male	414	12.3	5.2	3.0	3.1
Missing	0				
Residence					
Urban	665	14.2	9.0	3.3	1.7
Rural	325	10.4	13.7	5.1	0.0
Missing	0				
Income_Quintile					
Q1(poorest)	116	18.6	11.9	6.1	0.0
Q2	166	14.3	18.8	8.8	0.0
Q3	205	14.3	7.1	5.0	0.0
Q4	242	8.2	5.2	5.1	0.0
Q5(richest)	228	13.8	9.3	5.7	5.0
Missing	32				
Age					
18-29	146	17.7	9.6	6.9	0.0
30-44	218	7.2	11.1	7.7	0.0
45-59	333	10.9	4.6	3.5	4.3
60-69	163	18.2	19.4	7.3	0.0
70-79	104	16.3	8.4	5.5	0.0
80+	26	13.6	0.0	0.0	0.0
Missing	0				
Total	990	12.9	10.2	2.8	1.2

M = % Missing of Covered SE= Standard Error of % Covered

Tuberculosis Indicators:

"Need" = % of all respondents with self-reported continuous cough lasting 3 weeks, OR had blood in phlegm, OR had coughed blood in the last 12 months

"Coverage" = % of respondents with self reported symptoms who indicated receiving a TB screening test in the last 12 months.

5.02 HIV Prevention and Screening

	Total (persons of reproductive age 18-49)	Voluntary Counselling and Testing for HIV/AIDS				Condom Usage			
		Need	Coverage	SE	M	Need	Coverage	SE	M
Sex									
Females	280	83.5	1.0	0.9	1.4	14.2	33.8	8.5	0.0
Males	200	81.5	0.6	0.5	44.3	28.3	34.2	8.2	0.0
Missing									
Residence									
Urban	305	84.3	1.3	0.9	20.5	21.7	24.9	6.7	0.0
Rural	175	79.8	0.0	0.0	16.4	17.3	53.9	9.7	0.0
Missing									
Income_Quintile									
Q1(poorest)	29	66.0	1.9	2.0	27.3	17.7	56.6	18.8	0.0
Q2	61	71.3	0.0	0.0	10.2	19.9	41.8	15.3	0.0
Q3	84	86.5	0.9	0.9	17.6	15.6	38.8	15.6	0.0
Q4	140	90.2	0.0	0.0	16.4	29.6	28.6	9.8	0.0
Q5(richest)	148	81.2	1.9	1.9	22.2	12.6	24.1	10.6	0.0
Missing	18								
Total	480	82.7	0.8	0.6	19.1	20.1	34.0	6.1	0.0

M = % Missing of Covered SE= Standard Error of % Covered

HIV Prevention and Screening Indicators:

"Total" = number of respondents of reproductive age.

"Voluntary Counselling and Testing for HIV/AIDS Need" = % of respondents of reproductive age who are sexually active, i.e. have had sexual intercourse in the last 12 months.

"Voluntary Counselling and Testing for HIV/AIDS Coverage" = % of respondents of reproductive age who are sexually active who indicated having taken an HIV test and receiving the results of test.

"Condom Usage Need" = % of respondents of reproductive age whose last sexual encounter during the last 12 months is classified as risky sexual behavior, i.e. having had sexual intercourse with a non-cohabitating partner .

"Condom Usage Coverage" = % of respondents of reproductive age who used a condom last time had risky sex during the last 12 months (with non-cohabitating partner).

5.03 Antenatal Care and Mother to Child Transmission of HIV

	Antenatal Care											Maternal to Child HIV Trans.			
	Women 18-49	Birth in last 5 years	Cov	SE	Visit 1x	Visit 2x	Visit 3x	Blood pressure checked	Blood sample taken	Told Signs of Pregnancy Complications	M	Birth in last 2 years	Cov	SE	M
Residence															
Urban	172	12.4	72.5	10.1	0.0	0.0	0.0	0.0	0.0	72.5	6.2	10.6	0.0	0.0	0.0
Rural	108	12.4	68.5	10.0	3.2	3.2	3.2	0.0	0.0	71.7	3.2	17.5	0.0	0.0	0.0
Missing															
Income_Quintile															
Q1(poorest)	12	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	0.0	0.0
Q2	37	17.9	56.0	23.1	0.0	0.0	0.0	0.0	0.0	56.0	0.0	12.4	0.0	0.0	0.0
Q3	50	19.6	48.8	17.1	0.0	0.0	0.0	0.0	0.0	48.8	0.0	13.5	0.0	0.0	0.0
Q4	80	17.7	84.6	10.6	0.0	0.0	0.0	0.0	0.0	84.6	9.4	15.5	0.0	0.0	0.0
Q5(richest)	90	15.1	89.2	7.6	6.2	6.2	6.2	0.0	0.0	95.4	6.2	13.1	0.0	0.0	0.0
Missing	10														
Total	280	16.9	70.3	7.0	1.8	1.8	1.8	0.0	0.0	72.1	4.6	13.3	0.0	0.0	0.0

M = % Missing of Covered SE= Standard Error of %Covered

Antenatal Care Indicators:

Total = Number of female respondents of reproductive age (18-49 years old)

"Birth in Last 5 Years" = % of female respondents of reproductive age indicating having had a live birth in the last 5 years.

"Cov" = % of female respondents of reproductive age with live birth in the last 5 years who indicated having been seen at least 3 times or more by health care professional, received blood pressure, blood sample taken, and told signs about complications for their last pregnancy (aggregate antenatal care indicator).

"Visit 1x" "Visit 2x" "Visit 3x" = % of female respondents of reproductive age with live birth in the last 5 years who indicated having been seen at least once, twice or three times or more respectively by a health care professional during their last pregnancy.

"Blood pressure checked" = % of female respondents of reproductive age with live birth in the last 5 years who had blood pressure taken when they saw health care professional during their last pregnancy.

"Blood sample taken" = % of female respondents of reproductive age with live birth in the last 5 years who had a blood sample taken when they saw health care professional during their last pregnancy.

"Told Signs of Pregnancy Complications" = % of female respondents of reproductive age with live birth in the last 5 years who had been told signs of pregnancy complications when they saw health care professional during their last pregnancy.

Maternal to Child HIV Transmission Indicators:

"Birth in last 2 years" = % of female respondents of reproductive age indicating having had a live birth in the last 2 years.

"Cov" = % of female respondents of reproductive age with live birth in the last 2 years who indicated having been counseled and tested and given results for HIV during their last pregnancy.

5.04 Birth Delivery Care

	Women 18-49	Delivery Care				Place of Delivery						
		Need	Coverage	SE	M	Public Health Facility	SE	Private Health Facility	SE	Home	SE	M
Residence												
Urban	172	12.4	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Rural	108	12.4	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Missing												
Income Quintile												
Q1(poorest)	12	17.4	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Q2	37	17.9	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Q3	50	19.6	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Q4	80	17.7	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Q5(richest)	90	15.1	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Missing	10											
Total	280	16.9	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0

M = % Missing of Covered SE= Standard Error of % Covered Birth Delivery Care Indicators:

Total = Number of female respondents of reproductive age (18-49 years old)

"Birth in Last 5 Years" = % of female respondents of reproductive age indicating having had a live birth in the last 5 years.

"Coverage" = % of female respondents of reproductive age with live birth in the last 5 years who indicated having received assistance with birth delivery from a health care professional (doctor, nurse or midwife) during their last birth.

"Public Health Facility" = % of female respondents of reproductive age with live birth in the last 5 years who indicated having their last birth delivered in a public health facility.

"Private Health Facility" = % of female respondents of reproductive age with live birth in the last 5 years who indicated having their last birth delivered in a private health facility.

"Home" = % of female respondents of reproductive age with live birth in the last 5 years who indicated having their last birth delivered home or in the field (etc.)

5.05 Child's Health - Common Illness

	Total Children under Age of 5	Fever	More liquid	SE	Same or more food	SE	M	Cough	More liquid	SE	Same or more food	SE	M	Diarrhea	More liquid	SE	Same or more food	SE	M
Sex																			
Females	53	26.0	43.8	14.1	65.7	12.6	0.0	13.3	45.0	17.9	49.7	26.0	0.0	5.3	52.1	30.8	0.0	0.0	0.0
Males	50	39.3	59.1	12.4	48.9	12.1	0.0	23.0	61.1	17.1	26.5	39.3	0.0	13.1	34.3	20.0	87.1	12.7	0.0
Missing	0																		
Residence																			
Urban	54	27.5	66.5	11.1	52.8	11.8	0.0	13.6	69.5	15.4	23.9	27.5	0.0	6.8	53.2	23.0	61.2	22.2	0.0
Rural	49	37.9	41.9	14.2	58.1	13.8	0.0	22.9	45.7	18.9	42.7	37.9	0.0	11.6	30.9	21.9	61.0	25.4	0.0
Missing																			
Income_Quintile																			
Q1(poorest)	3	0.0	0.0	0.0	0.0	0.0		29.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Q2	12	24.1	68.7	23.3	10.8	11.7	0.0	21.5	77.0	22.3	0.0	24.1	0.0	6.0	0.0	0.0	100.0	0.0	0.0
Q3	32	32.2	34.4	15.5	58.6	16.4	0.0	9.1	53.5	25.4	0.0	32.2	0.0	15.2	18.2	18.5	72.2	25.6	0.0
Q4	26	47.6	48.3	15.5	67.9	13.8	0.0	27.0	33.7	21.4	66.3	47.6	0.0	10.5	64.2	28.2	35.8	28.2	0.0
Q5(richest)	28	27.6	76.7	14.5	48.5	17.6	0.0	18.0	64.4	21.3	32.7	27.6	0.0	4.0	100.0	0.0	48.0	35.3	0.0
Missing	3																		
Total	103	32.5	52.8	9.5	55.8	9.2	0.0	18.0	55.0	13.4	35.3	32.5	0.0	9.1	39.6	17.2	61.1	17.9	0.0

M = % Missing of Covered SE= Standard Error of % Covered

Child's Common Illness Indicators:

Total = Number of children under the age of 5 years at the time of the interview.

"Fever"/"Cough"/"Diarrhea" = % of children under the age of 5 with reported episode of (cough, fever, or diarrhea) in the last 3 months.

"More Liquid" = % of children under 5 with either fever, cough, or diarrhea in the last 3 months, that were given more liquids to drink during their illness.

"Same or More Food" = % of children under 5 with either fever, cough, or diarrhea in the last 3 months, that were given the same amount or more food to eat during their illness.

5.06 Child's Health - Danger Signs

	Children under 5	Fast Breath	Seeking Treatment						Vomit	Seeking Treatment						No Drink or Eat	Seeking Treatment					
			Yes	SE	Public	Private	Trad	M		Yes	SE	Public	Private	Trad	M		Yes	SE	Public	Private	Trad	M
Sex																						
Females	53	0.1	100.0	0.0	75.4	24.6	0.0	0.0	4.3	0.0	0.0	0.0	100.0	0.0	0.0	7.8	0.0	0.0	68.2	17.8	14.0	0.0
Males	50	0.1	56.0	24.0	100.0	0.0	0.0	0.0	9.1	0.0	0.0	100.0	0.0	0.0	0.0	10.3	0.0	0.0	100.0	0.0	0.0	0.0
Missing	0																					
Residence																						
Urban	54	0.1	55.0	29.0	100.0	0.0	0.0	0.0	2.7	0.0	0.0	100.0	0.0	0.0	0.0	5.2	0.0	0.0	79.4	0.0	20.6	0.0
Rural	49	0.2	83.4	13.7	81.9	18.1	0.0	0.0	11.0	0.0	0.0	58.1	41.9	0.0	0.0	13.2	0.0	0.0	88.7	11.3	0.0	0.0
Missing																						
Income_Quintile																						
Q1(poorest)	3	0.0	0.0	0.0		0.0	0.0		29.0	0.0	0.0	0.0	100.0	0.0	0.0	29.0	0.0	0.0	0.0	100.0	0.0	0.0
Q2	12	0.1	0.0	0.0		0.0	0.0	0.0	0.0		0.0		0.0	0.0	0.0	0.0		0.0		0.0	0.0	
Q3	32	0.1	100.0	0.0	32.7	67.3	0.0	0.0	7.3	0.0	0.0	100.0	0.0	0.0	0.0	7.0	0.0	0.0	100.0	0.0	0.0	0.0
Q4	26	0.2	100.0	0.0	100.0	0.0	0.0	0.0	14.8	0.0	0.0	59.6	40.4	0.0	0.0	22.3	0.0	0.0	100.0	0.0	0.0	0.0
Q5(richest)	28	0.1	40.9	34.2	100.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0		0.0	2.1	0.0	0.0	0.0	0.0	100.0	0.0
Missing	3																					
Total	103	0.1	75.9	13.6	85.4	14.6	0.0	0.0	6.7	0.0	0.0	66.9	33.1	0.0	0.0	9.0	0.0	0.0	85.9	7.9	6.2	0.0

M = % Missing of those Seeking Treatment SE= Standard Error of % Seeking Treatment

Child Danger Signs Indicators:

Total = Number of children under the age of 5 years at the time of the interview.

"Fast Breathing"/"Vomiting"/"No Drink or Eat" = % of children under the age of 5 with reported episodes of (fast breathing, vomiting, or no eating or drinking) in the last 3 months.

"Seeking Treatment" = % of children under 5 with episodes of fast breathing, vomiting, or no eating or drinking in the last 3 months that were taken for care/treatment at either a private health facility, public health facility, or traditional healer (other).

Note: large number of missings are usually due to not having information type of facility (either a no answer or a don't know answer).

5.07 Vaccinations Meeting WHO Timeline Recommendations for Children 12 to 23 months of Age with Vaccination Card

	Children 12-23 months with card	DPT 3 Immunization			Measles		
		%Cov	SE	M	%Cov	SE	M
Sex							
Females	2	66.7	27.4	0.0	0.0	0.0	0.0
Males	13	89.8	7.3	0.0	29.5	13.3	0.0
Missing	0						
Residence							
Urban	9	100.0	0.0	0.0	38.6	18.2	0.0
Rural	6	66.2	18.6	0.0	5.4	4.4	0.0
Missing	0						
Income Quintile							
Q1(poorest)	1	0.0	0.0	0.0	0.0	0.0	0.0
Q2	2	100.0	0.0	0.0	0.0	0.0	0.0
Q3	0		0.0			0.0	
Q4	3	80.4	18.2	0.0	27.0	22.8	0.0
Q5(richest)	8	100.0	0.0	0.0	36.4	20.1	0.0
Missing	1						
Total	16	86.5	7.7	0.0	25.4	11.6	0.0

M = % Missing of Covered SE= Standard Error of % Covered

Vaccinations Meeting WHO Timeline for Children 12 - 23 months Indicators:

Total = Children 12 - 23 months with a vaccination card seen by the interviewer (does not include children less than 12 months to account for censored observations).

"DPT 3" = % of children 12 - 23 months with a vaccination card seen by the interviewer who received 3 inoculations of DTP not sooner than 6, 10 and 14 weeks respectively and before 12 months of age, and that was verified by the interviewer as being recorded on the card.

"Measles" = % of children 12 - 23 months with a vaccination card seen by the interviewer who received who received 1 inoculation of measles not sooner than 8 months of age and before 12 months of age.

5.08 Vaccination Status of Children 12-23 Months

	Children 12-23 months	Card seen			DPT 3 Immunization							Measles						
		Seen	SE	M	Total		Card		No Card		M	Total		Card		No Card		M
					%Cov	SE	%Cov	SE	%Cov	SE		%Cov	SE	%Cov	SE	%Cov	SE	
Sex																		
Females	6	38.7	19.7	0.0	25.8	17.0	100.0	0.0	0.0	0.0	74.2	15.6	14.6	100.0	0.0	0.0	0.0	71.5
Males	17	77.6	14.1	0.0	88.2	8.3	83.0	14.9	17.0	14.9	7.4	59.5	14.1	74.7	20.3	25.3	20.3	7.4
Missing	0																	
Residence																		
Urban	10	90.2	9.9	0.0	90.2	9.9	100.0	0.0	0.0	0.0	9.8	55.8	17.3	100.0	0.0	0.0	0.0	15.4
Rural	13	49.6	17.1	0.0	58.5	16.0	64.6	25.9	35.4	25.9	35.5	42.8	16.8	51.6	29.9	48.4	29.9	29.7
Missing	0																	
Income_Quintile																		
Q1(poorest)	3	59.3	29.6	0.0	0.0	0.0		0.0		0.0	69.7	0.0	0.0		0.0	0.0	0.0	40.7
Q2	2	100.0	0.0	0.0	100.0	0.0	100.0	0.0	0.0	0.0	0.0	100.0	0.0	100.0	0.0	0.0	0.0	0.0
Q3	5	0.0	0.0	0.0	48.8	30.6	0.0	0.0	100.0	0.0	51.2	48.8	30.6	0.0	0.0	100.0	0.0	51.2
Q4	3	100.0	0.0	0.0	100.0	0.0	100.0	0.0	0.0	0.0	0.0	55.2	24.8	100.0	0.0	0.0	0.0	0.0
Q5(richest)	9	88.5	11.1	0.0	88.5	11.1	100.0	0.0	0.0	0.0	11.5	48.9	19.4	100.0	0.0	0.0	0.0	18.2
Missing	1																	
Total	23	68.0	12.2	0.0	72.8	10.1	84.5	13.7	15.5	13.7	23.9	48.7	11.9	76.7	19.1	23.3	19.1	23.2

M = % Missing (% without adequate information to estimate Total DPT3 or Measles Coverage)

SE= Standard Error of % Total, DPT3 or Measles Coverage

Explanation of Indicators for Vaccination Status of Children 12 - 23 Months:

"Card Seen" = % of children 12 - 23 months of age who had a vaccination card seen by the interviewer.

"DPT 3 Immunization": does not account for WHO timeline recommendations.

"Total" = % of all children 12 - 23 months of age with DPT3 vaccination either verified by card or by recall of respondent.

"Card" = % of all DPT3 vaccinations among children 12-23 months that were verified by card only.

"No Card" = % of all DPT3 vaccinations among children 12-23 months that were based on recall of the respondent only.

"Measles": does not account for WHO timeline recommendations.

"Total" = % of all children 12 - 23 months of age with measles vaccination either verified by card or by recall of respondent.

"Card" = % of all Measles vaccinations among children 12-23 months that were verified by card only.

"No Card" = % of all Measles vaccinations among children 12-23 months that were based on recall of the respondent only.

5.09 Women's Cancer Screening

	Total Females	Percent Females 18+	PAP Smear	SE	M	Percent Females 40+	Mammography / Breast Exam	SE	M
Residence									
Urban	385	86.3	65.8	2.8	3.2	59.6	43.7	3.8	1.6
Rural	191	87.5	49.5	4.4	2.8	57.6	26.6	5.0	3.5
Missing	0								
Income_Quintile									
Q1(poorest)	72	65.4	28.8	6.8	3.7	60.5	12.6	5.0	0.0
Q2	97	77.7	49.3	6.3	3.4	54.5	27.3	5.7	4.8
Q3	119	90.0	62.0	5.6	0.9	62.5	32.4	6.7	2.6
Q4	132	91.5	64.6	5.5	4.9	62.1	47.7	7.6	3.8
Q5(richest)	135	96.9	71.9	5.1	3.2	56.4	53.6	7.3	0.0
Missing	20								
Age									
18-29	79	13.7	50.2	7.5	5.3				
30-39	81	14.0	82.7	4.3	2.1				
40-49	120	20.9	64.8	5.4	1.4	20.9	36.1	5.3	0.5
50-59	133	23.1	62.0	5.0	3.0	23.1	50.3	5.4	3.1
60-69	86	15.0	39.8	5.7	4.5	15.0	22.3	4.7	3.3
70+	77	13.3	0.0	0.0		13.3	0.0	0.0	
Missing	0								
Total	576	86.7	60.3	2.4	3.1	58.9	38.1	3.0	2.2

M = % Missing of those with Pap Smear/Mammography SE= Standard Error of % with Pap Smear/Mammography

***Note: Values in the age row under the "Females 18 plus" and "Females 40 plus" columns are column percent values.

Women's Cancer Screening Indicators:

"Papsmear need"= % of all female respondents aged 18-69

"Papsmear" coverage = % of those female respondents aged 18-69 who self-reported receiving a pap smear test during pelvic examination in the last 3 years.

"Mammography need" = % of all female respondents aged 40-69

"Mammography" coverage = % of those female respondents aged 40-69 who self-reported receiving a mammography test or breast examination in the last 3 years.

****In several countries women above age 69 were asked the cancer screening questions, and for this reason they are included in the table. For countries that did not ask this questions of women above age 69, these values are expected to be missing.

5.10 Oral Health and Injuries

	Oral Health Problems					Road Traffic Accidents				Injury			
	Total	Need	Coverage	SE	M	Need	Coverage	SE	M	Need	Coverage	SE	M
Sex													
Female	576	41.8	84.2	2.6	0.0	1.2	13.7	13.6	0.0	6.4	50.7	11.2	0.0
Male	414	36.7	74.7	4.1	0.0	2.5	0.0	0.0	0.0	5.2	37.1	10.9	0.0
Missing	0												
Residence													
Urban	665	39.5	85.0	2.3	0.0	1.8	7.6	7.5	0.0	5.1	39.9	10.5	0.0
Rural	325	40.2	71.5	4.8	0.0	1.5	0.0	0.0	0.0	7.6	53.5	11.8	0.0
Missing	0												
Income_Quintile													
Q1(poorest)	116	38.7	70.3	7.6	0.0	0.6	0.0	0.0	0.0	6.3	18.1	11.8	0.0
Q2	166	32.9	57.6	7.2	0.0	1.7	33.5	27.4	0.0	9.0	80.9	10.3	0.0
Q3	205	41.8	81.0	5.0	0.0	0.7	0.0	0.0	0.0	3.9	49.1	19.1	0.0
Q4	242	36.5	88.4	5.0	0.0	2.9	0.0	0.0	0.0	5.5	29.5	15.4	0.0
Q5(richest)	228	46.0	89.4	3.0	0.0	2.2	0.0	0.0	0.0	6.0	39.3	19.2	0.0
Missing	32												
Age													
18-29	146	45.3	86.7	5.0	0.0	5.7	0.0	0.0	0.0	8.7	41.8	20.6	0.0
30-44	218	43.6	89.1	3.1	0.0	1.9	0.0	0.0	0.0	4.8	33.1	16.5	0.0
45-59	333	36.9	76.1	4.6	0.0	0.5	0.0	0.0	0.0	5.1	57.3	14.8	0.0
60-69	163	43.0	72.8	6.0	0.0	1.1	0.0	0.0	0.0	3.5	70.5	16.8	0.0
70-79	104	31.4	77.0	7.5	0.0	0.9	100.0	0.0	0.0	10.1	37.1	16.2	0.0
80+	26	23.8	75.2	14.8	0.0	0.0	0.0	0.0	0.0	8.7	13.8	14.0	0.0
Missing	0												
Total	990	39.7	80.5	2.2	0.0	1.7	5.5	5.4		5.9	45.6	8.2	

M = % Missing of % Covered SE= Standard Error of % Covered

Indicators:

Oral Health:

"Need" = % of all respondents indicating any problems in the last 12 months with their mouth and/or teeth.

"Coverage" = % of respondents reporting problems with their mouth and teeth who indicated receiving dental or medical care in last 12 months.

Road Traffic Accident:

"Need" = % of all respondents indicating having suffered bodily injury from a road traffic accident in last 12 months.

"Coverage" = % of respondents reporting having suffered bodily injury from a road traffic accident in last 12 months who indicating having received treatment for their injuries on-site or at health facility within 1 hour of accident .

Injuries from Non-traffic Accidents:

"Need" = % of all respondents indicating having suffered bodily injury due to non-traffic accidents in last 12 months.

"Coverage" = % of respondents reporting having suffered bodily injury due to non-traffic accidents in last 12 months who indicating having received treatment for injuries on-site or at health facility within 1 hour of accident

5.11 Self Reported Non-Communicable Conditions

	Angina					Osteo-Arthritis				Asthma				Diabetes			
	Total	Need	Coverage	SE	M	Need	Coverage	SE	M	Need	Coverage	SE	M	Need	Coverage	SE	M
Sex																	
Female	576	8.3	87.7	4.9	0.0	14.4	60.4	6.3	0.0	5.5	64.7	9.8	0.0	7.8	76.1	7.5	4.2
Male	414	7.2	90.1	5.4	0.0	9.2	16.9	6.1	0.0	6.5	63.3	10.7	1.4	6.9	73.9	8.7	4.9
Missing	0																
Residence																	
Urban	665	7.3	89.8	3.3	0.0	11.8	40.1	6.1	0.0	5.6	63.3	9.0	0.0	8.7	70.4	6.9	5.7
Rural	325	9.0	86.6	7.7	0.0	13.1	58.9	9.4	0.0	6.6	65.4	12.0	1.7	4.8	93.2	4.9	0.0
Missing	0																
Income_Quintile																	
Q1(poorest)	116	13.0	91.2	5.4	0.0	14.5	45.5	9.8	0.0	7.2	74.1	13.1	4.4	12.0	87.9	6.0	0.0
Q2	166	12.5	90.9	4.9	0.0	19.9	63.9	9.1	0.0	6.3	66.0	16.1	0.0	10.3	78.7	8.3	8.2
Q3	205	6.9	90.1	9.3	0.0	10.9	54.8	12.0	0.0	8.6	58.1	13.0	0.0	10.1	86.1	9.5	0.0
Q4	242	4.4	83.6	11.4	0.0	10.2	40.5	12.8	0.0	2.4	73.3	24.0	0.0	3.2	59.3	22.1	23.9
Q5(richest)	228	6.7	87.9	11.3	0.0	8.8	24.7	12.1	0.0	6.1	67.6	12.8	0.0	5.2	55.2	19.0	0.0
Missing	32																
Age																	
18-29	146	0.0	75.6	10.7	0.0	0.6	0.0	0.0	0.0	3.3	66.7	23.8	0.0	0.0	65.3	14.4	2.1
30-44	218	0.5	98.1	2.0	0.0	5.7	70.2	13.0	0.0	5.5	66.5	14.3	0.0	0.8	79.4	7.3	4.3
45-59	333	6.2	87.7	4.9	0.0	13.5	35.2	8.9	0.0	4.6	68.9	15.0	0.0	5.8	83.8	7.3	0.0
60-69	163	12.2	100.0	0.0		16.9	40.7	9.3	0.0	10.1	48.5	13.2	0.0	21.8	100.0	0.0	
70-79	104	27.1	0.0	0.0		28.6	60.9	10.5	0.0	7.6	87.3	7.9	4.7	14.5	0.0	0.0	
80+	26	31.8	0.0	0.0		22.7	48.8	18.6	0.0	8.2	44.2	30.6	0.0	7.2	9.7	9.4	
Missing	0																
Total	990	7.9	88.6	3.6	0.0	12.3	46.7	5.5	0.0	5.9	64.1	7.2	0.6	7.4	75.2	5.5	4.5

M = % Missing for Covered

SE= Standard Error of %Covered

Self Reported Non-Communicable Conditions Indicators:

"Need" = % of total respondents indicating having received a diagnosis of the condition (angina, arthritis, asthma, diabetes) in last 12 months.

"Coverage" = % of respondents with a self-reported condition (angina, arthritis, asthma, diabetes) indicating they have received treatment or screening for the condition in the last 2 weeks.

5.12 Mental Health Conditions

	Total	Depression				Schizophrenia			
		Need	Coverage	SE	M	Need	Coverage	SE	M
Sex									
Female	576	4.9	63.3	10.4	0.0	1.3	78.7	12.3	0.0
Male	414	5.6	78.8	9.3	0.0	2.9	81.1	10.9	0.0
Missing	0								
Residence									
Urban	665	5.8	63.3	8.8	0.0	1.9	80.2	10.3	0.0
Rural	325	4.0	90.9	8.8	0.0	2.2	80.1	14.4	0.0
Missing	0								
Income_Quintile									
Q1(poorest)	116	8.0	92.6	5.4	0.0	4.3	91.9	8.3	0.0
Q2	166	6.6	72.3	13.3	0.0	2.7	89.8	10.6	0.0
Q3	205	1.9	81.3	12.7	0.0	0.7	34.3	31.9	0.0
Q4	242	6.4	52.8	15.4	0.0	1.3	36.7	22.8	0.0
Q5(richest)	228	5.0	68.0	17.5	0.0	2.0	100.0	0.0	0.0
Missing	32								
Age									
18-29	146	0.6	0.0	0.0	0.0	0.0	0.0	0.0	
30-44	218	3.2	74.7	15.5	0.0	3.4	74.5	15.7	0.0
45-59	333	6.0	76.9	11.0	0.0	3.0	89.2	8.2	0.0
60-69	163	9.0	61.9	15.2	0.0	0.3	0.0	0.0	0.0
70-79	104	8.9	72.7	13.6	0.0	1.7	77.5	21.6	0.0
80+	26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Missing	0								
Total	990	5.2	70.3	7.1	0.0	2.0	80.2		0.0

M = % Missing for Covered

SE= Standard Error of %Covered

Mental Health Conditions Indicators:

"Need" = % of total respondents indicating having received a diagnosis of the condition (depression, schizophrenia) in last 12 months.

"Coverage" = % of respondents with a self-reported condition (depression, schizophrenia) indicating they have received treatment or screening for the condition in the last 2 weeks.

5.13 Cataracts

	Total 60+	Cataracts			
		Need	Coverage	SE	M
Sex					
Female	163	17.9	22.6	6.1	0.0
Male	130	9.4	19.9	9.9	0.0
Missing	0				
Residence					
Urban	199	12.4	22.7	6.3	0.0
Rural	94	17.9	20.5	8.4	0.0
Missing	0				
Income_Quintile					
Q1(poorest)	74	20.4	31.2	9.6	0.0
Q2	65	13.9	11.6	8.4	0.0
Q3	62	12.3	24.2	13.7	0.0
Q4	56	9.1	21.8	16.3	0.0
Q5(richest)	29	14.6	0.0	0.0	0.0
Missing	7				
Age					
60-69	163	8.3	12.6	7.5	0.0
70-79	104	22.1	26.8	6.9	0.0
80+	26	18.9	23.6	14.2	0.0
Missing	0				
Total	292	14.1	21.8	5.1	0.0

M = % Missing of Covered SE= Standard Error of %Covered

Cataracts Indicators:

Total = Number of respondents 60 years of age or more.

"Need" = % in need (respondents 60 years of age or more with self-reported diagnosis of cataracts in the last 5 years).

"Coverage" = % respondents 60 years of age or more with self-reported diagnosis of cataracts having indicated receiving eye surgery to remove cataracts in the last 5 years)

6.01 In general, rate your health today - q2000

	Very Good	SE	Good	SE	Moderate	SE	Bad	SE	Very Bad	SE	Missing	SE	N
Gender													
Male	26.3	2.6	32.6	2.7	27.2	2.4	10.0	1.8	3.8	1.1	0.0	0.0	414
Female	17.4	1.8	32.0	2.5	33.9	2.4	12.7	1.6	3.9	1.0	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	22.3	2.0	33.0	2.1	30.7	2.2	9.8	1.4	3.9	0.8	0.2	0.2	665
Rural	18.6	2.4	30.6	3.0	31.9	3.1	15.2	2.0	3.7	1.3	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	7.2	1.9	24.0	3.6	31.3	3.6	27.8	3.4	9.7	2.6	0.0	0.0	116
Q2	14.3	2.6	31.4	4.4	33.5	3.6	15.5	3.1	5.2	1.9	0.0	0.0	166
Q3	16.9	2.8	28.0	3.5	40.3	4.1	12.8	2.9	2.0	1.0	0.0	0.0	205
Q4	24.0	4.0	32.3	3.9	36.0	4.2	5.6	2.3	1.7	1.3	0.5	0.5	242
Q5(richest)	33.2	3.9	39.2	4.2	18.6	3.3	6.0	1.8	2.9	1.4	0.0	0.0	228
M	26.2	9.4	43.6	10.1	11.8	4.8	8.4	4.2	10.0	5.4	0.0	0.0	32
Age													
18-29	55.2	5.8	34.0	5.8	9.7	3.2	1.1	0.9	0.0	0.0	0.0	0.0	146
30-44	28.5	3.2	34.0	3.5	28.2	3.4	8.3	2.2	1.0	0.6	0.0	0.0	218
45-59	13.8	2.2	39.1	3.4	33.5	3.3	10.7	1.8	2.5	0.9	0.4	0.4	333
60-69	10.3	2.7	24.2	3.1	44.8	4.5	14.7	3.2	6.0	2.1	0.0	0.0	163
70-79	2.9	1.2	19.3	4.3	37.3	4.5	26.8	4.6	13.8	3.9	0.0	0.0	104
80+	1.8	1.8	21.7	7.2	34.4	8.0	28.5	6.6	13.6	5.4	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	21.1	1.5	32.2	1.8	31.1	1.8	11.6	1.2	3.8	0.7	0.1	0.1	990

6.02 Difficulty with 'work and household activities' in last 30 days - q2001

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	50.6	3.0	17.6	2.0	19.0	2.5	6.9	1.4	5.5	1.3	0.3	0.3	414
Female	35.0	2.4	24.1	2.1	26.2	2.0	11.1	1.5	3.3	0.8	0.3	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	43.8	2.4	21.2	1.8	22.2	2.1	7.9	1.2	4.6	1.0	0.2	0.2	665
Rural	36.9	3.4	21.8	2.5	25.3	2.3	12.3	2.0	3.4	0.9	0.4	0.4	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	20.3	3.0	13.4	2.5	31.8	3.4	22.0	3.7	12.5	3.2	0.0	0.0	116
Q2	38.2	3.8	16.4	2.6	28.3	3.4	11.7	2.8	5.4	1.7	0.0	0.0	166
Q3	34.7	3.7	27.5	3.6	26.6	3.8	7.1	1.9	3.6	1.5	0.6	0.6	205
Q4	47.0	4.0	18.9	3.0	24.9	3.7	8.2	2.2	0.4	0.4	0.6	0.5	242
Q5(richest)	55.0	4.0	24.1	3.4	13.0	2.8	4.5	1.7	3.4	1.5	0.0	0.0	228
M	43.9	9.8	35.9	8.4	4.5	2.8	8.2	3.7	7.5	3.8	0.0	0.0	32
Age													
18-29	71.3	5.0	13.4	4.0	11.5	3.5	3.9	2.2	0.0	0.0	0.0	0.0	146
30-44	46.5	4.0	26.2	3.5	17.8	2.8	7.1	2.0	2.3	1.3	0.1	0.2	218
45-59	39.4	3.2	25.5	2.8	24.2	2.9	8.6	1.8	1.9	0.9	0.4	0.4	333
60-69	30.9	4.0	19.5	3.4	34.3	4.6	9.4	2.4	6.0	1.8	0.0	0.0	163
70-79	21.8	4.4	15.5	3.6	27.9	4.8	21.2	4.2	13.6	3.9	0.0	0.0	104
80+	6.6	3.3	7.2	4.7	34.1	8.9	21.8	7.4	25.9	9.4	4.4	4.3	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	41.6	2.0	21.4	1.4	23.2	1.6	9.3	1.0	4.2	0.7	0.3	0.2	990

6.03 Difficulty with 'moving around' in last 30 days - q2010

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	55.2	3.2	17.7	2.2	17.1	2.2	7.5	1.3	2.6	1.0	0.0	0.0	414
Female	49.5	2.4	19.4	2.0	16.9	1.8	11.0	1.4	2.9	0.7	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	53.4	2.6	17.5	1.6	17.0	1.8	9.2	1.3	2.7	0.7	0.2	0.2	665
Rural	48.9	3.4	21.1	3.2	16.9	2.1	10.2	1.6	2.9	0.8	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	30.8	4.2	19.2	3.5	21.7	2.9	20.5	3.4	7.8	2.2	0.0	0.0	116
Q2	46.4	3.8	19.4	3.2	16.0	3.0	14.2	3.0	4.1	1.6	0.0	0.0	166
Q3	38.7	3.6	21.6	3.4	24.0	3.2	13.0	2.9	2.7	1.1	0.0	0.0	205
Q4	57.8	4.2	18.5	3.2	17.6	3.4	5.0	1.8	0.6	0.6	0.5	0.5	242
Q5(richest)	71.4	3.7	16.7	2.9	8.3	2.2	2.5	1.4	1.1	0.8	0.0	0.0	228
M	58.9	9.5	9.6	4.5	16.9	7.1	8.7	3.9	5.9	3.3	0.0	0.0	32
Age													
18-29	86.5	3.7	6.6	2.4	6.9	3.4	0.0	0.0	0.0	0.0	0.0	0.0	146
30-44	62.6	3.7	19.7	2.9	13.1	2.7	3.6	1.8	1.0	0.8	0.0	0.0	218
45-59	52.1	3.4	24.0	2.9	16.1	2.4	6.0	1.7	1.5	0.6	0.4	0.4	333
60-69	31.7	3.7	19.9	3.6	27.8	4.1	15.7	2.7	5.0	1.9	0.0	0.0	163
70-79	23.4	4.4	14.7	3.5	21.5	4.2	30.1	4.6	10.2	3.4	0.0	0.0	104
80+	5.7	3.3	17.7	6.4	31.5	9.0	38.5	9.6	6.6	3.4	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	51.9	2.1	18.7	1.6	17.0	1.4	9.6	1.0	2.8	0.6	0.1	0.1	990

6.04 Difficulty with 'vigorous activities' in last 30 days - q2011

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	46.5	3.0	11.9	1.9	10.7	1.8	8.2	1.5	21.7	2.5	0.8	0.6	414
Female	37.4	2.4	18.2	2.0	8.9	1.4	7.9	1.2	27.1	2.3	0.6	0.3	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	42.6	2.5	14.1	1.5	9.1	1.3	7.4	1.2	25.7	2.0	1.0	0.5	665
Rural	38.3	3.3	18.5	2.5	10.7	1.9	9.4	1.6	23.1	2.7	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	19.3	3.2	12.9	3.1	13.3	2.4	10.6	2.6	43.5	3.9	0.3	0.3	116
Q2	36.8	4.0	14.0	2.9	7.7	2.6	8.3	2.3	31.6	4.2	1.7	1.4	166
Q3	35.3	3.5	13.0	2.6	10.9	2.5	10.2	2.4	30.0	3.7	0.5	0.5	205
Q4	41.9	4.3	18.9	3.1	11.4	2.5	6.5	1.9	20.4	3.3	1.0	0.7	242
Q5(richest)	60.5	4.1	15.2	3.1	6.0	2.0	6.3	2.0	12.1	2.4	0.0	0.0	228
M	38.6	9.8	27.7	7.9	11.0	5.0	9.0	4.6	13.7	5.0	0.0	0.0	32
Age													
18-29	77.8	4.8	19.7	4.7	0.8	0.8	0.5	0.5	1.2	1.2	0.0	0.0	146
30-44	51.5	3.6	21.2	3.3	8.8	2.1	6.8	1.9	11.6	2.7	0.0	0.0	218
45-59	39.3	3.3	14.4	2.2	14.7	2.3	10.9	2.0	19.8	2.5	1.0	0.6	333
60-69	22.2	3.4	14.3	2.9	9.9	2.4	12.0	2.9	40.2	4.4	1.4	1.4	163
70-79	12.6	3.6	7.2	2.8	6.8	2.6	6.0	2.0	67.1	5.0	0.4	0.4	104
80+	6.4	4.7	2.0	2.0	11.7	7.0	8.3	4.2	69.8	8.1	1.8	1.8	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	41.2	2.0	15.6	1.3	9.6	1.1	8.1	0.9	24.8	1.6	0.7	0.3	990

6.05 Difficulty with 'self-care' in last 30 days - q2020

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	81.7	2.3	8.2	1.5	6.3	1.5	2.5	0.8	1.3	0.8	0.0	0.0	414
Female	74.9	1.9	11.7	1.5	9.3	1.4	2.6	0.7	1.3	0.5	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	79.8	1.8	8.1	1.2	7.8	1.3	2.9	0.8	1.1	0.5	0.2	0.2	665
Rural	73.5	2.8	14.5	2.1	8.7	1.9	1.7	0.5	1.7	0.8	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	57.3	4.7	15.6	2.7	14.6	3.0	8.3	2.4	4.1	2.1	0.0	0.0	116
Q2	70.3	3.5	9.6	2.4	13.3	3.0	3.7	1.7	3.1	1.6	0.0	0.0	166
Q3	77.1	3.4	11.5	2.5	8.2	2.3	2.8	1.5	0.5	0.4	0.0	0.0	205
Q4	84.4	3.0	9.1	2.2	5.4	2.1	0.6	0.5	0.0	0.0	0.5	0.5	242
Q5(richest)	88.0	2.6	8.6	2.2	3.0	1.5	0.4	0.4	0.0	0.0	0.0	0.0	228
M	71.7	8.8	6.1	5.2	12.9	6.0	3.0	2.2	6.4	3.6	0.0	0.0	32
Age													
18-29	92.7	2.8	4.9	2.3	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	146
30-44	87.9	2.4	7.3	1.8	2.5	1.2	2.3	1.3	0.0	0.0	0.0	0.0	218
45-59	80.8	2.6	10.6	1.9	6.9	1.7	0.6	0.4	0.7	0.4	0.4	0.4	333
60-69	69.5	3.9	15.7	3.1	9.7	2.5	4.1	1.7	1.0	1.0	0.0	0.0	163
70-79	53.5	5.5	10.9	3.1	23.3	4.7	6.5	2.3	5.9	3.4	0.0	0.0	104
80+	17.9	6.1	24.0	8.5	29.5	8.9	17.7	8.5	10.8	4.2	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	77.7	1.4	10.2	1.0	8.1	1.0	2.5	0.6	1.3	0.4	0.1	0.1	990

6.06 Difficulty with 'taking care of and maintaining general appearance' in last 30 days - q2021

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	84.2	2.0	7.3	1.3	5.1	1.3	2.2	0.7	1.1	0.8	0.0	0.0	414
Female	76.9	1.9	9.7	1.3	10.8	1.5	1.5	0.5	0.8	0.4	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	82.2	1.7	7.3	1.1	7.7	1.2	1.5	0.6	1.0	0.5	0.2	0.2	665
Rural	75.4	2.8	11.5	1.8	9.9	2.1	2.4	0.9	0.8	0.4	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	58.3	4.5	11.8	2.0	19.1	3.4	7.4	2.6	3.5	1.8	0.0	0.0	116
Q2	73.1	3.5	7.5	2.0	14.6	3.2	2.9	1.5	1.9	1.1	0.0	0.0	166
Q3	80.9	3.5	9.3	2.3	8.9	2.4	0.4	0.4	0.5	0.4	0.0	0.0	205
Q4	86.8	2.8	7.6	2.2	4.5	1.7	0.5	0.5	0.0	0.0	0.5	0.5	242
Q5(richest)	88.3	2.4	8.7	2.1	2.3	1.4	0.7	0.5	0.0	0.0	0.0	0.0	228
M	77.1	7.7	7.9	5.4	8.0	3.9	3.0	2.2	4.1	2.8	0.0	0.0	32
Age													
18-29	95.2	2.6	0.0	0.0	4.8	2.6	0.0	0.0	0.0	0.0	0.0	0.0	146
30-44	88.3	2.4	7.5	2.0	3.8	1.6	0.4	0.4	0.0	0.0	0.0	0.0	218
45-59	82.2	2.6	8.7	1.8	7.2	1.8	0.8	0.5	0.7	0.4	0.4	0.4	333
60-69	73.8	3.5	13.7	2.8	9.9	2.4	1.7	0.9	1.0	1.0	0.0	0.0	163
70-79	59.8	5.4	11.4	3.1	17.7	3.8	7.9	2.8	3.2	2.8	0.0	0.0	104
80+	14.8	5.2	25.8	8.4	37.6	9.7	13.9	8.4	8.0	3.6	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	80.0	1.4	8.7	1.0	8.4	1.0	1.8	0.5	1.0	0.4	0.1	0.1	990

6.07 Amount of 'bodily aches or pains' in last 30 days - q2030

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	47.5	2.9	23.7	2.5	16.3	2.2	10.1	1.7	2.4	0.8	0.0	0.0	414
Female	36.7	2.5	26.4	2.1	21.6	2.0	11.4	1.5	3.7	0.9	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	42.9	2.4	24.2	2.1	19.5	1.8	9.8	1.2	3.4	0.7	0.2	0.2	665
Rural	37.8	3.4	27.4	2.8	19.2	2.4	13.0	2.1	2.6	0.9	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	25.5	3.6	19.9	3.6	24.6	3.8	22.8	3.8	7.3	2.2	0.0	0.0	116
Q2	39.6	3.9	19.9	3.2	19.4	3.4	15.9	3.0	5.2	1.9	0.0	0.0	166
Q3	34.6	3.7	25.4	3.6	24.2	3.4	13.1	2.8	2.8	1.4	0.0	0.0	205
Q4	44.4	4.2	30.1	4.1	17.2	3.1	6.2	1.8	1.7	1.1	0.5	0.5	242
Q5(richest)	52.3	4.2	25.5	3.8	16.8	3.2	4.6	1.7	0.8	0.6	0.0	0.0	228
M	47.2	9.6	32.6	8.0	5.6	4.0	7.7	3.8	6.9	3.5	0.0	0.0	32
Age													
18-29	63.2	5.5	23.6	4.7	9.1	4.0	4.1	2.1	0.0	0.0	0.0	0.0	146
30-44	47.1	3.7	26.9	3.2	17.9	3.0	6.3	1.9	1.9	1.2	0.0	0.0	218
45-59	41.0	3.3	28.0	3.0	19.0	2.7	10.1	1.9	1.5	0.6	0.4	0.4	333
60-69	30.0	3.8	24.3	3.9	26.1	3.9	13.8	2.6	5.8	2.0	0.0	0.0	163
70-79	22.8	4.2	15.6	4.0	28.0	4.7	24.5	4.2	9.1	3.1	0.0	0.0	104
80+	15.6	5.7	28.7	9.2	19.0	5.7	25.2	7.6	11.6	4.5	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	41.2	1.9	25.2	1.6	19.4	1.4	10.9	1.1	3.1	0.6	0.1	0.1	990

6.08 Amount of 'bodily discomfort' in last 30 days - q2031

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	51.2	3.0	23.8	2.5	14.2	2.1	9.0	1.6	1.8	0.7	0.0	0.0	414
Female	35.8	2.6	29.2	2.3	21.1	1.8	9.8	1.4	3.4	0.9	0.6	0.4	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	43.9	2.4	26.3	2.2	18.0	1.7	8.7	1.2	2.6	0.6	0.5	0.3	665
Rural	39.0	3.7	28.3	3.0	18.7	2.4	10.9	2.0	3.0	1.0	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	28.1	3.6	22.0	3.4	22.8	3.8	19.6	3.4	7.5	2.2	0.0	0.0	116
Q2	38.7	4.0	24.2	3.8	21.6	3.6	11.6	2.4	3.9	1.9	0.0	0.0	166
Q3	35.3	3.3	24.7	3.1	24.6	3.6	12.1	2.7	2.8	1.4	0.6	0.6	205
Q4	44.5	4.4	31.5	4.2	15.9	2.9	6.3	2.0	1.3	1.0	0.5	0.5	242
Q5(richest)	55.6	4.0	28.0	4.0	11.7	2.4	3.8	1.6	0.3	0.4	0.5	0.5	228
M	45.4	9.9	31.9	9.1	8.1	4.7	7.7	3.8	6.9	3.5	0.0	0.0	32
Age													
18-29	70.4	5.5	21.5	5.1	4.7	2.9	3.4	2.0	0.0	0.0	0.0	0.0	146
30-44	49.1	3.7	27.6	3.4	16.7	2.8	5.5	1.9	1.1	1.1	0.0	0.0	218
45-59	38.5	3.3	31.6	3.2	20.6	2.7	7.4	1.6	1.2	0.6	0.7	0.5	333
60-69	32.2	4.6	25.3	4.2	22.5	3.8	15.0	2.9	5.0	1.9	0.0	0.0	163
70-79	22.7	4.8	20.9	4.3	26.1	4.3	20.8	3.6	9.4	3.4	0.0	0.0	104
80+	16.8	6.2	26.1	9.5	18.6	5.7	22.4	6.5	11.6	4.5	4.6	4.4	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	42.3	2.0	26.9	1.7	18.2	1.4	9.4	1.0	2.7	0.6	0.4	0.2	990

6.09 Difficulty with 'concentrating or remembering things' in last 30 days - q2050

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	66.9	3.0	17.1	2.2	11.4	1.7	3.8	0.9	0.8	0.5	0.0	0.0	414
Female	56.6	2.6	25.2	2.1	12.6	1.7	5.0	1.2	0.4	0.2	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	60.5	2.5	22.1	2.1	12.6	1.5	3.9	1.0	0.6	0.3	0.2	0.2	665
Rural	61.7	3.5	21.0	2.3	11.0	2.0	5.8	1.5	0.4	0.3	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	46.8	4.1	21.6	3.1	17.7	3.0	11.2	2.4	2.6	1.7	0.0	0.0	116
Q2	57.5	4.1	22.3	3.4	16.7	3.1	3.0	1.2	0.6	0.6	0.0	0.0	166
Q3	61.6	4.2	22.5	3.6	11.3	2.6	4.5	1.6	0.0	0.0	0.0	0.0	205
Q4	63.9	4.1	20.7	3.2	10.5	2.4	4.5	1.9	0.0	0.0	0.5	0.5	242
Q5(richest)	67.1	4.1	22.1	3.6	8.3	2.2	2.1	1.3	0.4	0.4	0.0	0.0	228
M	59.2	9.7	20.3	6.6	13.0	8.0	5.7	3.4	1.8	1.8	0.0	0.0	32
Age													
18-29	73.2	5.2	22.8	4.8	3.4	2.3	0.6	0.6	0.0	0.0	0.0	0.0	146
30-44	69.6	3.6	16.3	2.8	8.6	2.2	5.5	2.0	0.0	0.0	0.0	0.0	218
45-59	60.7	3.4	24.1	3.0	11.9	2.2	2.6	1.0	0.3	0.3	0.4	0.4	333
60-69	62.0	3.7	19.4	3.2	14.4	2.9	3.3	1.2	1.0	0.7	0.0	0.0	163
70-79	35.1	4.8	25.5	4.9	25.0	4.6	12.1	3.3	2.3	1.8	0.0	0.0	104
80+	17.7	7.2	32.6	8.8	28.0	7.2	19.6	6.0	2.2	2.2	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	60.9	2.0	21.8	1.6	12.1	1.2	4.5	0.8	0.6	0.2	0.1	0.1	990

6.10 Difficulty with 'learning a new task' in last 30 days - q2051

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	75.4	2.4	12.2	1.7	5.6	1.3	3.9	1.1	1.9	0.8	0.9	0.5	414
Female	65.8	2.5	20.4	2.0	7.7	1.2	4.1	0.9	1.5	0.6	0.4	0.3	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	72.8	2.0	15.3	1.7	6.7	1.1	3.0	0.8	1.9	0.6	0.4	0.2	665
Rural	63.8	3.2	20.5	2.6	7.1	1.6	6.2	1.3	1.2	0.5	1.1	0.8	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	42.6	4.0	22.7	3.7	12.5	2.7	15.3	2.6	6.3	2.2	0.6	0.6	116
Q2	66.5	3.6	19.8	3.1	8.3	2.3	3.5	1.4	1.1	0.7	0.7	0.7	166
Q3	71.0	4.1	16.9	3.6	8.0	2.3	2.2	1.0	1.2	1.0	0.7	0.5	205
Q4	71.7	3.7	16.7	3.2	5.4	2.0	3.4	1.8	1.6	0.9	1.2	0.9	242
Q5(richest)	82.3	3.3	12.7	3.0	3.8	1.5	1.2	0.9	0.0	0.0	0.0	0.0	228
M	76.6	7.1	15.4	6.5	4.0	2.4	2.3	2.2	1.8	1.8	0.0	0.0	32
Age													
18-29	87.8	3.5	9.9	3.4	2.3	1.5	0.0	0.0	0.0	0.0	0.0	0.0	146
30-44	80.0	3.3	13.0	2.5	5.2	2.0	1.9	1.1	0.0	0.0	0.0	0.0	218
45-59	70.7	3.2	20.9	3.0	5.1	1.4	3.0	0.9	0.0	0.0	0.4	0.4	333
60-69	64.9	3.9	18.9	3.6	7.4	2.3	5.4	1.7	2.5	1.2	0.9	0.6	163
70-79	40.0	4.8	20.0	3.9	17.4	3.9	12.4	3.8	8.5	2.9	1.7	1.2	104
80+	22.4	6.8	17.3	7.5	23.1	7.9	17.1	6.0	13.5	5.4	6.6	6.3	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	69.9	1.8	17.0	1.4	6.8	0.9	4.0	0.7	1.7	0.5	0.6	0.3	990

6.11 Difficulty with 'personal relationships or participation in the community' in last 30 days - q2060

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	84.9	2.0	10.7	1.8	2.8	0.8	0.7	0.5	0.4	0.3	0.4	0.4	414
Female	87.3	1.6	7.8	1.2	3.8	1.1	0.8	0.4	0.0	0.0	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	86.8	1.6	8.3	1.3	4.2	1.0	0.4	0.3	0.1	0.1	0.2	0.2	665
Rural	85.3	2.4	10.4	2.2	1.8	0.8	1.6	0.7	0.3	0.3	0.5	0.5	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	83.7	3.2	8.5	2.4	4.3	1.7	3.4	1.8	0.0	0.0	0.0	0.0	116
Q2	85.0	3.0	11.2	2.8	2.4	1.0	1.4	1.2	0.0	0.0	0.0	0.0	166
Q3	91.1	2.3	6.0	2.0	2.2	1.2	0.2	0.2	0.5	0.5	0.0	0.0	205
Q4	85.4	3.0	9.0	2.4	4.4	1.9	0.0	0.0	0.0	0.0	1.2	0.9	242
Q5(richest)	87.2	2.7	10.4	2.4	1.9	1.1	0.4	0.4	0.0	0.0	0.0	0.0	228
M	71.6	9.5	9.6	5.0	16.4	9.1	0.0	0.0	2.3	2.3	0.0	0.0	32
Age													
18-29	89.1	3.1	9.7	2.9	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	146
30-44	84.4	2.6	10.1	2.0	4.6	1.8	0.5	0.5	0.5	0.4	0.0	0.0	218
45-59	87.9	2.2	9.2	1.9	2.2	1.1	0.3	0.2	0.0	0.0	0.4	0.4	333
60-69	86.7	2.9	6.3	2.0	7.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	163
70-79	85.7	4.2	8.1	3.6	1.5	0.9	4.6	2.6	0.0	0.0	0.0	0.0	104
80+	66.1	7.7	14.6	5.9	7.0	4.5	2.9	2.0	2.9	2.7	6.6	6.3	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	86.3	1.3	9.0	1.1	3.4	0.7	0.8	0.3	0.2	0.1	0.3	0.2	990

6.12 Difficulty with 'dealing with conflicts and tensions' in last 30 days - q2061

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	83.6	2.1	10.7	1.8	3.8	1.2	0.5	0.4	0.4	0.3	1.0	0.6	414
Female	81.2	2.0	13.1	1.8	4.8	1.1	0.5	0.2	0.1	0.2	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	80.7	2.1	13.4	1.9	4.8	1.1	0.5	0.3	0.1	0.1	0.5	0.3	665
Rural	85.4	2.4	9.5	1.9	3.5	1.2	0.5	0.4	0.6	0.4	0.5	0.5	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	89.1	2.7	5.1	1.7	3.3	1.7	2.5	1.6	0.0	0.0	0.0	0.0	116
Q2	84.7	3.2	11.8	2.8	3.3	1.7	0.2	0.2	0.0	0.0	0.0	0.0	166
Q3	85.2	3.0	10.9	2.8	2.5	1.1	0.4	0.3	0.5	0.5	0.5	0.5	205
Q4	82.0	3.2	10.3	2.5	6.1	2.1	0.0	0.0	0.4	0.4	1.2	0.9	242
Q5(richest)	76.1	4.0	18.4	3.7	4.2	1.6	0.4	0.4	0.4	0.4	0.5	0.5	228
M	70.2	9.5	15.0	5.8	14.9	8.9	0.0	0.0	0.0	0.0	0.0	0.0	32
Age													
18-29	74.4	5.0	22.4	4.9	2.7	1.5	0.0	0.0	0.6	0.6	0.0	0.0	146
30-44	78.4	3.1	14.3	2.6	4.9	1.8	0.5	0.5	0.8	0.6	1.1	0.7	218
45-59	85.5	2.4	9.0	2.0	4.8	1.6	0.2	0.2	0.0	0.0	0.4	0.4	333
60-69	86.5	2.9	7.4	2.1	5.9	2.4	0.2	0.2	0.0	0.0	0.0	0.0	163
70-79	86.1	4.3	10.6	4.0	1.3	0.9	2.1	1.7	0.0	0.0	0.0	0.0	104
80+	74.1	7.4	9.5	4.6	7.0	4.5	2.9	2.0	0.0	0.0	6.6	6.3	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	82.2	1.6	12.1	1.4	4.4	0.8	0.5	0.2	0.3	0.2	0.5	0.3	990

6.13 Difficulty with 'seeing and recognizing a person you know across the road (20m)' in last 30 days - q2071

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	84.0	2.1	7.4	1.4	4.9	1.3	3.1	1.0	0.6	0.3	0.0	0.0	414
Female	80.6	2.0	9.5	1.4	5.6	1.2	2.7	0.6	1.4	0.5	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	81.8	1.8	8.9	1.3	5.5	1.1	2.7	0.8	1.0	0.5	0.2	0.2	665
Rural	82.5	2.3	8.1	1.5	5.0	1.3	3.3	0.8	1.1	0.5	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	63.2	4.5	14.7	3.1	11.1	2.4	7.6	2.0	3.4	1.5	0.0	0.0	116
Q2	79.9	3.4	6.2	1.7	5.8	2.0	5.4	2.0	2.8	1.5	0.0	0.0	166
Q3	84.8	2.7	10.0	2.2	2.3	1.3	2.1	1.0	0.7	0.5	0.0	0.0	205
Q4	83.0	3.1	9.1	2.1	6.9	2.4	0.3	0.3	0.1	0.1	0.5	0.5	242
Q5(richest)	88.5	2.6	6.5	2.0	3.2	1.3	1.9	1.3	0.0	0.0	0.0	0.0	228
M	90.4	4.5	1.0	1.1	4.8	3.5	3.7	2.7	0.0	0.0	0.0	0.0	32
Age													
18-29	94.2	2.8	4.3	2.6	0.0	0.0	1.5	0.9	0.0	0.0	0.0	0.0	146
30-44	88.6	2.5	5.4	1.7	5.4	2.0	0.2	0.2	0.5	0.4	0.0	0.0	218
45-59	84.8	2.3	8.7	1.6	3.3	1.2	2.6	1.2	0.2	0.2	0.4	0.4	333
60-69	69.7	4.2	12.2	3.2	9.7	2.3	5.6	2.0	2.8	1.6	0.0	0.0	163
70-79	68.3	4.8	12.4	2.6	9.9	3.7	5.5	1.6	3.9	1.6	0.0	0.0	104
80+	55.1	10.1	20.5	8.1	16.1	7.2	8.3	3.9	0.0	0.0	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	82.0	1.4	8.6	1.0	5.3	0.8	2.9	0.6	1.1	0.4	0.1	0.1	990

6.14 Difficulty with 'seeing an object at arm's length or in reading' in last 30 days - q2072

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	81.6	2.3	11.8	1.9	4.2	1.2	1.7	0.6	0.2	0.2	0.5	0.5	414
Female	79.5	2.1	10.9	1.6	6.0	1.3	2.7	0.8	0.7	0.4	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	81.6	2.0	11.1	1.7	5.1	1.2	1.2	0.4	0.5	0.3	0.5	0.4	665
Rural	77.7	2.5	11.7	1.9	5.6	1.4	4.6	1.3	0.5	0.3	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	59.7	4.7	19.0	3.3	11.6	2.7	8.4	2.5	1.4	0.9	0.0	0.0	116
Q2	80.6	2.9	11.6	2.5	4.6	1.9	1.8	0.8	1.4	1.0	0.0	0.0	166
Q3	80.2	3.3	11.3	2.6	5.5	2.0	2.6	1.3	0.4	0.4	0.0	0.0	205
Q4	81.7	3.4	13.7	2.8	2.5	1.5	1.6	1.2	0.0	0.0	0.5	0.5	242
Q5(richest)	88.2	3.1	5.5	2.2	5.4	2.2	0.0	0.0	0.0	0.0	1.0	1.0	228
M	89.2	4.8	4.1	2.9	4.8	3.5	1.9	1.9	0.0	0.0	0.0	0.0	32
Age													
18-29	95.7	2.7	2.0	1.5	2.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	146
30-44	88.8	2.8	6.1	2.0	2.7	1.3	2.1	1.5	0.3	0.3	0.0	0.0	218
45-59	79.4	2.7	13.0	2.4	5.0	1.5	1.4	0.6	0.2	0.2	1.0	0.8	333
60-69	69.3	3.8	16.6	3.2	8.9	2.3	4.2	1.5	1.0	1.0	0.0	0.0	163
70-79	67.7	5.3	18.7	3.8	7.9	3.7	4.1	1.6	1.6	1.0	0.0	0.0	104
80+	55.1	9.1	22.1	6.3	13.5	6.8	9.4	6.6	0.0	0.0	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	80.3	1.5	11.3	1.3	5.3	0.9	2.3	0.5	0.5	0.2	0.3	0.2	990

6.15 Problem with 'sleeping' in last 30 days - q2080

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	57.8	2.7	18.2	2.2	14.1	2.0	6.1	1.3	3.3	0.9	0.5	0.5	414
Female	45.4	2.4	21.7	2.2	17.2	1.9	12.3	1.7	3.0	0.9	0.3	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	49.7	2.5	21.4	2.2	15.3	1.5	9.9	1.4	3.1	0.7	0.5	0.4	665
Rural	52.5	3.4	17.8	2.4	17.0	2.6	9.4	2.0	3.2	1.2	0.1	0.1	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	34.1	3.3	22.7	3.4	17.8	2.9	18.2	3.3	6.8	2.2	0.3	0.3	116
Q2	48.2	4.6	12.6	2.4	20.2	3.6	10.4	2.5	8.7	2.6	0.0	0.0	166
Q3	53.8	4.1	16.9	2.9	16.4	3.0	12.1	3.2	0.8	0.4	0.0	0.0	205
Q4	52.8	4.4	21.9	3.5	14.2	2.8	9.0	2.4	1.5	1.0	0.5	0.5	242
Q5(richest)	55.5	4.0	24.2	3.8	13.7	2.9	4.1	1.6	1.5	0.9	1.0	1.0	228
M	51.0	9.8	31.2	9.4	12.0	4.4	5.8	4.1	0.0	0.0	0.0	0.0	32
Age													
18-29	67.5	6.0	27.2	5.5	2.9	1.6	1.0	1.0	1.4	1.4	0.0	0.0	146
30-44	60.0	4.0	19.1	3.0	11.7	2.6	6.7	2.1	2.6	1.2	0.0	0.0	218
45-59	49.1	3.4	17.7	2.8	19.9	2.8	10.2	2.1	2.0	0.8	1.1	0.8	333
60-69	39.0	4.2	22.7	3.6	23.8	3.8	10.1	2.5	4.5	1.8	0.0	0.0	163
70-79	34.9	5.1	14.4	3.6	18.3	3.4	23.7	4.4	8.8	3.0	0.0	0.0	104
80+	32.4	7.6	31.2	8.6	14.2	5.2	21.0	6.2	1.3	1.3	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	50.6	2.0	20.2	1.6	15.9	1.3	9.7	1.2	3.1	0.6	0.4	0.3	990

6.16 Problem with 'feeling rested and refreshed' in last 30 days - q2081

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	51.9	2.9	26.3	2.6	13.2	2.1	5.8	1.1	1.9	0.8	0.8	0.6	414
Female	38.5	2.5	27.5	2.1	21.9	2.0	10.4	1.5	1.6	0.6	0.2	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	44.0	2.5	27.3	2.0	18.6	1.8	7.6	1.2	1.8	0.6	0.7	0.4	665
Rural	44.4	4.2	26.5	2.9	17.5	2.3	10.1	1.8	1.5	0.8	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	27.6	3.9	29.5	3.8	19.3	2.6	17.7	3.0	5.9	2.2	0.0	0.0	116
Q2	43.1	4.8	20.8	3.3	17.7	3.4	15.3	3.0	2.5	1.4	0.6	0.5	166
Q3	44.9	3.9	27.2	3.4	19.6	3.1	6.7	2.5	1.6	1.2	0.0	0.0	205
Q4	45.9	4.7	27.0	3.7	21.2	3.8	5.4	1.8	0.0	0.0	0.5	0.5	242
Q5(richest)	50.6	4.1	28.6	4.1	15.3	2.7	3.4	1.4	1.1	0.8	1.0	1.0	228
M	46.1	9.2	37.1	9.7	7.3	3.5	9.5	4.8	0.0	0.0	0.0	0.0	32
Age													
18-29	61.4	6.0	27.8	5.3	9.4	3.6	1.4	1.4	0.0	0.0	0.0	0.0	146
30-44	49.9	3.8	27.3	3.3	14.6	2.6	7.1	2.2	1.1	1.1	0.0	0.0	218
45-59	38.9	3.1	30.4	3.2	19.8	2.7	8.3	1.9	1.3	0.6	1.2	0.8	333
60-69	39.5	4.0	26.5	3.9	23.4	3.8	7.9	2.1	2.7	1.3	0.0	0.0	163
70-79	34.6	5.2	17.6	3.9	22.8	4.0	20.3	3.8	4.5	2.2	0.3	0.3	104
80+	33.7	9.5	16.1	6.9	28.4	8.2	17.7	5.9	4.1	3.0	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	44.2	2.1	27.0	1.6	18.2	1.4	8.5	1.0	1.7	0.5	0.4	0.3	990

6.17 Problem with 'feeling sad, low, or depressed' in last 30 days - q2090

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	52.2	3.4	26.5	2.5	12.6	1.9	6.5	1.4	1.6	0.7	0.6	0.5	414
Female	38.2	2.4	30.9	2.2	20.5	1.9	7.9	1.2	2.2	0.7	0.3	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	47.4	2.5	26.5	1.8	17.7	1.6	5.9	1.1	2.0	0.6	0.6	0.4	665
Rural	37.3	3.3	34.3	3.1	16.0	2.2	10.4	2.1	1.8	0.9	0.1	0.1	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	25.5	3.7	28.4	3.7	21.5	3.2	20.2	4.3	4.1	2.1	0.3	0.3	116
Q2	39.5	4.0	30.4	3.8	19.2	3.4	8.0	2.1	2.7	1.6	0.2	0.2	166
Q3	42.1	3.8	38.4	3.8	12.2	2.2	5.9	2.0	1.3	1.2	0.0	0.0	205
Q4	46.9	4.6	25.3	3.5	20.2	3.4	5.8	2.0	1.2	0.6	0.5	0.5	242
Q5(richest)	57.0	4.3	23.0	3.4	13.6	2.7	3.6	1.5	1.8	1.1	1.0	1.0	228
M	34.2	8.8	35.2	8.5	25.1	8.2	4.4	2.9	1.0	1.1	0.0	0.0	32
Age													
18-29	61.7	5.2	29.0	4.4	6.9	2.9	2.4	1.8	0.0	0.0	0.0	0.0	146
30-44	51.3	3.6	29.2	3.2	11.9	2.6	5.9	1.8	1.7	1.2	0.0	0.0	218
45-59	39.1	3.4	32.9	3.2	19.2	2.6	6.5	1.5	1.2	0.7	1.0	0.8	333
60-69	43.1	4.3	25.6	3.6	21.2	3.8	8.2	2.3	1.7	0.9	0.2	0.2	163
70-79	27.1	4.6	22.2	4.3	25.5	4.7	17.6	4.0	7.3	2.9	0.3	0.3	104
80+	21.9	8.9	26.9	9.6	34.5	8.7	11.4	5.4	5.3	2.6	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	44.1	2.0	29.0	1.6	17.2	1.3	7.3	1.0	2.0	0.5	0.4	0.3	990

6.18 Problem with 'worry or anxiety' in last 30 days - q2091

	None	SE	Mild	SE	Moderate	SE	Sever	SE	Extreme/ Cannot do	SE	Missing	SE	N
Gender													
Male	52.8	3.3	25.4	2.6	11.8	1.8	7.7	1.6	1.8	0.7	0.5	0.5	414
Female	36.2	2.5	31.2	2.5	20.7	2.1	9.1	1.3	2.5	0.8	0.3	0.2	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	46.0	2.6	27.1	2.0	16.9	1.9	7.6	1.3	1.9	0.5	0.5	0.4	665
Rural	37.3	3.1	32.2	3.1	17.1	2.2	10.5	1.9	2.8	1.1	0.1	0.1	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	27.7	3.4	25.9	3.8	20.7	3.1	18.6	3.7	6.7	2.3	0.3	0.3	116
Q2	41.8	4.0	23.9	3.6	20.5	3.2	11.2	2.7	2.6	1.4	0.0	0.0	166
Q3	41.2	4.0	36.8	4.2	17.1	3.3	4.6	1.6	0.2	0.2	0.0	0.0	205
Q4	42.8	4.6	29.3	3.8	18.6	3.7	6.9	2.4	1.9	1.1	0.5	0.5	242
Q5(richest)	55.4	4.2	25.9	3.7	8.9	2.2	7.0	2.1	1.8	1.1	1.0	1.0	228
M	33.8	7.8	29.4	8.8	29.6	8.9	6.2	3.5	1.0	1.1	0.0	0.0	32
Age													
18-29	57.8	5.4	26.2	5.0	11.6	3.5	4.4	2.4	0.0	0.0	0.0	0.0	146
30-44	47.2	3.6	33.0	3.5	12.1	2.6	7.1	2.0	0.6	0.6	0.0	0.0	218
45-59	38.8	3.4	30.7	3.1	19.7	2.6	7.6	1.6	2.2	1.0	1.0	0.8	333
60-69	44.7	4.4	25.4	3.8	20.5	3.8	6.8	1.9	2.4	1.1	0.2	0.2	163
70-79	31.5	4.7	21.9	4.2	18.0	3.6	20.8	4.8	7.7	2.8	0.0	0.0	104
80+	19.6	6.7	31.7	9.5	27.6	7.6	17.2	6.2	3.9	2.3	0.0	0.0	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	43.2	2.0	28.8	1.7	17.0	1.5	8.5	1.0	2.2	0.5	0.4	0.3	990

7.1 Self-reported utilization of health services and perceived unmet need

	<u>Ambulatory Adult</u>		<u>Ambulatory Child</u>		<u>Inpatient Adult</u>		<u>Inpatient Child</u>		<u>Informal Care</u>		<u>Unmet Care</u>		<u>Non use</u>	
	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE
Sex														
Female	70.1	2.4	7.7	1.2	5.3	1.3	0.3	0.3	0.4	0.2	0.6	0.4	15.6	1.9
Male	59.5	2.8	5.3	1.1	2.5	0.7	0.5	0.3	0.1	0.1	0.0	0.0	32.1	2.8
Area of Residence														
Urban	68.6	2.3	6.2	1.0	4.3	0.8	0.6	0.4	0.4	0.2	0.1	0.1	19.8	2.1
Rural	59.5	3.3	7.8	1.8	3.8	1.8	0.0	0.0	0.0	0.0	0.7	0.7	28.2	3.0
Age Group														
18-29y	57.0	5.7	8.0	2.4	4.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	30.6	6.0
30-44y	53.4	3.6	21.9	3.2	3.0	1.2	0.3	0.3	0.4	0.4	0.5	0.5	20.5	3.1
45-59y	67.8	3.4	1.9	0.8	4.1	1.2	1.0	0.7	0.2	0.2	0.7	0.5	24.3	2.9
60-69y	76.4	4.0	0.0	0.0	4.6	1.8	0.0	0.0	0.2	0.2	0.0	0.0	18.9	3.8
70+y	77.4	3.8	0.0	0.0	5.0	2.2	0.0	0.0	0.7	0.5	0.0	0.0	16.9	3.3
Education Years														
0	67.7	13.0	0.0	0.0	5.7	5.5	0.0	0.0	0.0	0.0	0.0	0.0	26.6	11.2
1-5	72.4	4.2	0.0	0.0	3.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	24.4	4.1
6-11	68.0	3.3	4.3	1.2	4.6	2.0	0.0	0.0	0.3	0.2	0.8	0.8	22.0	2.8
12+	62.8	2.5	9.6	1.4	4.0	0.9	0.7	0.4	0.3	0.2	0.2	0.2	22.3	2.4
Income Quintiles														
Q1	68.4	3.8	1.9	1.2	4.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	25.4	3.3
Q2	66.8	4.1	4.7	1.7	4.4	1.9	0.0	0.0	0.7	0.5	0.0	0.0	23.4	3.6
Q3	72.1	3.6	4.7	1.5	3.3	1.3	0.0	0.0	0.2	0.2	1.2	1.2	18.5	3.0
Q4	63.6	4.0	7.7	1.8	4.3	1.4	0.0	0.0	0.1	0.1	0.3	0.3	23.8	3.9
Q5	62.5	4.1	10.9	2.3	3.8	1.6	1.8	1.0	0.4	0.4	0.0	0.0	20.6	3.8
Ownership														
Government	72.1	2.4	9.5	1.4	7.1	1.4	0.6	0.4	0.4	0.2	0.2	0.2	10.0	1.6
Private	89.9	2.4	4.2	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	5.1	1.8
NGO														
Other														
TOTAL	65.6	1.9	6.7	0.9	4.1	0.8	0.4	0.2	0.3	0.1	0.3	0.3	22.5	1.7

This table presents the percent of people reporting utilization of health services when they last needed care. It combines information from Q7000, Q7001 and Q7016. Utilization was recorded in the WHS in three separate categories: ambulatory care, hospital inpatient care, and informal care. Time cut-offs for utilization recall used here are 1 year for ambulatory care and informal care, and 3 years for hospital inpatient care. Utilization of ambulatory and inpatient care services

have been further sub-divided into "adult" and "child" categories. In addition to utilization, two other related aspects are being reported here - unmet need and non-use (regardless of expressed need) of health services. Unmet need was estimated on the basis of responses to Q7000 and Q7004. Non-use of health services is simply the percent of respondents who reported no need in Q7000 or did not utilize services in the time cut-offs mentioned above.

Results are reported for the total WHS sample (category: "TOTAL"), and by the following sample sub-groups: sex, area of residence, age group, years of education, income quintiles, and ownership (of health facility). Mean values and standard errors (SE) are reported for each category.

Sub-groups common to other tables were constructed in the same manner. Common sub-groups include sex (Q1001), area of residence (Q0104), age group (regrouping of reported age in Q1002), years of education (Q1010) and income quintiles. To determine income and subsequently income quintiles, an asset index was constructed for each household using responses to section 0700 on "Permanent Income Indicators" from the WHS household questionnaire.

Ownership was constructed uniquely for the responsiveness section's tables. There are four categories of ownership: "Operated by the government" (Government), "Privately operated" (Private), "NGO" and "Other". To construct the ownership sub-group, information was combined from (a) Q7204, Q7205 and Q7301 for those utilizing ambulatory services, and (b) Q7200, Q7201 and Q7401 for those utilizing hospital inpatient services.

7.2 Patient assessed characteristics of ambulatory health services

	Patients visiting a medical doctor, of those visiting any health care provider		Patients rating characteristics of health care provider as adequate/more than adequate						Mean time taken to reach health facility (in minutes)		Patients using private car or motorcycle to reach facility		Mean cost for an ambulatory care visit (local currency)		Percent of population perceiving discrimination	
	%	SE	%	SE	%	SE	%	SE	Minutes	SE	%	SE	mean cost	SE	%	SE
Sex																
Female	90.7	2.0	94.0	1.8	92.8	1.8	95.2	1.4	19.3	1.9	45.4	3.5	61.7	9.8	2.7	1.3
Male	88.8	3.0	95.9	1.7	93.8	2.0	92.3	2.6	17.8	2.0	62.6	4.2	89.6	22.8	2.2	1.1
Area of Residence																
Urban	90.6	2.0	94.4	1.7	93.3	1.5	92.9	1.7	16.7	1.4	49.0	3.3	83.1	13.4	3.0	1.2
Rural	88.6	4.0	95.6	2.0	92.8	2.7	97.0	1.3	23.5	3.1	59.0	5.0	38.4	5.9	1.3	0.9
Age Group																
18-29y	81.3	6.2	92.6	4.7	95.9	2.4	98.8	1.2	16.2	1.9	57.9	8.0	40.4	8.6	1.2	1.2
30-44y	88.2	3.2	93.3	2.9	90.5	3.2	92.7	3.3	19.9	3.4	72.6	4.7	106.6	27.8	7.9	3.7
45-59y	93.5	2.1	97.0	1.4	94.1	2.1	92.4	2.5	18.7	2.5	47.8	4.6	68.8	20.9	1.0	0.7
60-69y	90.9	4.0	92.6	3.7	89.7	4.5	98.3	1.3	19.4	2.2	40.6	6.5	71.2	15.9	0.0	0.0
70+y	93.2	3.4	96.3	2.6	95.9	2.5	90.4	4.3	19.7	2.3	32.7	6.0	81.8	30.7	2.3	1.8
Education Years																
0	100.0	0.0	100.0	0.0	100.0	0.0	100.0	0.0	30.3	9.1	41.2	18.1	41.3	3.6	0.0	0.0
1-5	93.3	4.4	94.6	3.1	96.3	2.6	88.0	4.6	19.0	2.3	35.9	6.6	40.3	13.2	2.3	1.8
6-11	94.0	1.8	94.7	2.3	90.8	2.8	92.1	2.8	21.0	2.9	53.6	4.8	74.3	23.1	3.2	1.9
12+	86.4	2.9	94.6	1.9	93.8	1.6	96.6	1.1	17.0	1.7	54.4	4.0	76.3	11.6	2.1	1.1
Income Quintiles																
Q1	87.0	5.8	95.4	2.8	96.9	2.2	93.3	3.4	29.1	5.5	44.4	6.8	62.3	17.1	1.8	1.8
Q2	92.6	3.2	97.7	1.4	95.2	2.0	93.3	2.7	21.6	3.5	47.7	5.6	53.7	17.8	1.6	1.3
Q3	93.5	2.5	93.7	2.8	95.1	2.5	95.9	2.4	16.9	2.1	56.8	6.2	60.9	14.3	1.8	1.3
Q4	89.9	4.2	97.8	2.2	91.1	4.0	92.5	3.7	17.7	2.0	51.0	6.7	54.1	11.8	4.3	3.0
Q5	85.7	4.4	91.5	3.9	90.1	3.2	95.3	2.1	14.6	2.2	54.1	6.2	115.3	34.8	1.6	1.6
Condition																
Child-Visit	100.0	0.0	100.0	0.0	87.6	11.8	100.0	0.0	32.7	17.8	78.8	12.1	56.4	17.8	0.0	0.0
Preventive	100.0	0.0	90.7	9.5	100.0	0.0	90.7	9.5	32.6	17.4	81.8	13.3	108.9	78.0	15.5	14.8
Childbirth	96.8	2.3	98.3	1.2	98.1	1.3	94.8	2.6	15.8	3.6	70.9	7.4	41.6	9.0	0.7	0.7
Acute	96.8	3.3	93.5	6.6	93.2	6.9	80.5	12.5	15.0	2.8	96.1	4.1	105.7	59.1	0.0	0.0
Injury	100.0	0.0	95.3	4.6	94.5	3.4	97.9	2.1	16.9	2.8	36.7	7.7	45.8	13.9	0.8	0.8
Chronic	86.3	2.6	93.5	1.8	91.6	1.9	93.4	1.7	19.7	1.8	47.3	3.4	78.6	13.3	3.3	1.3

	Patients visiting a medical doctor, of those visiting any health care provider		Patients rating characteristics of health care provider as adequate/more than adequate						Mean time taken to reach health facility (in minutes)		Patients using private car or motorcycle to reach facility		Mean cost for an ambulatory care visit (local currency)		Percent of population perceiving discrimination	
	%	SE	%	SE	%	SE	%	SE	Minutes	SE	%	SE	mean cost	SE	%	SE
Other																
Ownership																
Government	91.9	1.9	94.4	1.7	93.3	1.7	93.5	1.6	19.8	1.9	52.8	3.1	46.2	6.0	2.8	1.1
Private	86.2	3.4	95.4	2.0	92.9	2.3	95.1	2.0	16.8	1.8	50.9	5.1	110.8	23.6	1.9	1.5
NGO																
Other																
Self-Assessed Health																
Very-Good	85.5	4.4	95.2	2.7	95.1	2.1	95.6	2.0	14.8	1.7	54.9	5.6	69.4	16.4	1.1	1.1
Good	87.5	3.2	95.4	2.3	92.3	2.4	93.9	2.0	19.4	2.4	50.0	4.8	67.8	14.9	0.8	0.6
Moderate	92.9	2.4	93.9	2.4	93.6	2.2	93.0	3.1	18.2	2.2	52.9	5.0	85.3	25.1	4.6	2.1
Bad	96.5	2.8	92.4	4.3	88.5	7.0	95.3	3.2	25.9	6.3	49.7	8.1	56.8	15.0	5.3	5.0
Very-Bad	100.0	0.0	100.0	0.0	100.0	0.0	93.6	6.3	22.5	5.8	52.0	13.6	34.6	15.4	2.4	2.4
TOTAL	90.0	1.9	94.7	1.3	93.2	1.3	94.1	1.3	18.8	1.6	52.0	2.8	71.9	10.2	2.5	0.9

This table looks at various characteristics of a visit to an ambulatory care facility, for those who utilized such services in the previous 12 months (Q7204 and Q7205). Characteristics of a visit reported here include:

- (1) The percent of patients visiting a medical doctor (of those visiting any ambulatory provider) (Q7302).
- (2) Patients' rating of *skills*, *equipment*, and *drug supplies* of the provider as "adequate": percent of patients who reported "Yes" to questions Q7304, Q7305 and Q7306, respectively.
- (3) Barriers or facilitators to care access have been reported here for those who utilized ambulatory care services in the last 12 months. They include:
 - (a) *Mean time taken to reach facility*: patient reported times from Q7307 were used to calculate averages across sample sub-groups.
 - (b) *Patients using private motor vehicles*: percent of patients who reported using a "private car or motorcycle" to get to the facility in Q7308.
 - (c) *Mean cost of visit*: patient reported costs in Q7309-Q7313 were summed up for an individual and then averaged across sample sub-groups.
 - (d) *Perceived discrimination*: percent of patients who reported "Yes" to any form of discrimination listed in Q7328-Q7334.

Results are reported for the total WHS sample (category: "TOTAL"), and by the following sample sub-groups: sex, area of residence, age group, years of education, income quintiles, reason for seeking care (condition), ownership (of health facility), and self-assessed health. Mean values and standard errors (SE) are reported for each category.

Sub-groups common to other tables were constructed in the same manner. Common sub-groups include: sex (Q1001), area of residence (Q0104), age group (regrouping of reported age in Q1002), years of education (Q1010) and income quintiles. To determine income and subsequently income quintiles, an asset index was constructed for each household using responses to section 0700 on "Permanent Income Indicators" from the WHS household questionnaire.

Ownership, condition and self-assessed health sub-groups were constructed uniquely for the responsiveness section's tables. There are four categories of ownership: "Operated by the government" (Government), "Privately operated" (Private), "NGO" and "Other". To construct the ownership sub-group, information was combined from (a) Q7204, Q7205 and Q7301 for those utilizing ambulatory services, and (b) Q7200, Q7201 and Q7401 for those utilizing hospital inpatient services. The sub-group "Condition" used and regrouped information from Q7003 ("Which reason best describes why you [your child] last needed health care?") into 6 categories. The six categories include preventive care (immunization, antenatal consultation and family planning); childbirth; acute conditions (high fever, severe diarrhoea, or cough); injury; chronic conditions (arthritis, asthma and heart disease); and other (dental care, minor surgery and other). Self-assessed health was constructed using information from Q2000 ("In general, how would you rate your health today as?") in the WHS. Respondents could select one of the

following five categories: "Very good", "Good", "Moderate", "Bad" and "Very bad".

7.3.1 Patient assessment of responsiveness domains for ambulatory services: percent reporting "Moderate", "Bad" or "Very bad" - 1

	Prompt Attention				Dignity				Communication			
	Travel Time		Wait Time		Talked Respectfully		Privacy		Clear Explanation		Time for Questions	
	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE
Sex												
Female	37.4	3.1	43.6	3.4	19.8	3.4	17.3	2.8	20.7	3.1	17.7	3.0
Male	23.9	4.1	39.1	4.2	20.3	3.5	15.2	3.4	18.3	3.6	15.8	3.0
Area of Residence												
Urban	30.9	2.9	40.6	3.5	17.7	2.8	14.8	2.5	18.7	2.8	17.2	2.7
Rural	35.6	4.4	45.0	4.3	25.3	4.5	20.6	4.6	22.3	4.6	16.6	3.3
Age Group												
18-29y	21.7	7.5	38.6	7.9	30.0	8.0	27.8	8.1	28.8	8.0	27.3	8.0
30-44y	20.4	4.3	38.8	5.5	15.8	3.7	15.4	3.9	19.7	4.3	14.7	3.9
45-59y	39.9	4.9	41.6	4.7	15.6	3.7	9.8	2.8	11.3	2.7	11.3	2.7
60-69y	33.0	6.1	44.9	6.5	17.4	4.6	13.1	3.9	20.8	5.6	19.1	5.5
70+y	44.7	6.6	49.5	6.5	31.3	5.8	27.8	5.6	32.3	5.6	21.8	5.0
Education Years												
0	73.1	16.6	56.9	15.7	27.1	16.7	38.2	18.2	30.1	16.2	38.2	18.2
1-5	44.0	7.5	54.6	7.4	28.4	6.1	22.0	5.2	33.5	6.9	27.4	6.6
6-11	34.0	4.6	44.6	4.9	22.0	4.0	17.1	3.8	19.7	3.8	13.4	3.1
12+	28.0	3.7	37.2	3.6	16.8	3.2	14.6	3.1	16.8	3.2	16.7	3.0
Income Quintiles												
Q1	48.5	6.9	51.0	7.1	28.7	6.0	23.9	5.5	25.3	5.6	22.0	5.6
Q2	36.5	5.9	45.3	6.1	21.6	5.3	12.8	4.0	17.5	4.6	15.4	4.1
Q3	30.3	5.3	37.1	5.8	28.7	5.7	21.0	5.0	26.4	5.4	17.3	4.3
Q4	36.5	5.6	37.9	6.5	11.2	3.5	13.6	4.2	15.1	4.3	13.1	4.1
Q5	18.0	5.3	44.1	6.2	13.9	5.3	13.2	5.3	15.9	5.3	18.4	5.4
Condition												
Child-Visit	23.4	15.5	29.8	15.6	5.5	5.7	17.9	12.2	12.4	11.8	5.5	5.7
Preventive	33.7	19.3	16.2	15.4	9.3	9.5	0.0	0.0	9.3	9.5	9.3	9.5
Childbirth	15.5	5.0	32.5	7.2	14.4	4.9	12.5	4.9	14.4	4.8	10.3	3.8
Acute	23.8	11.5	58.0	14.7	48.4	18.4	37.4	18.2	39.0	18.6	44.5	18.5
Injury	30.5	7.4	63.0	7.2	23.4	7.9	23.0	8.1	39.1	8.0	41.9	7.9
Chronic	36.1	3.0	41.2	3.2	19.3	2.6	15.0	2.6	16.6	2.6	13.7	2.1
Other												
Ownership												
Government	31.2	3.0	42.5	3.6	21.8	3.2	16.9	2.8	20.5	3.0	18.1	2.9
Private	34.6	4.6	41.1	4.3	16.8	3.7	16.0	3.9	18.7	4.1	15.1	3.1
NGO												
Other												
Self-Assessed Health												
Very-Good	15.2	4.3	26.0	4.9	6.6	2.4	4.0	2.2	9.2	2.8	5.3	2.4
Good	32.5	4.6	44.3	4.7	22.7	4.6	16.5	4.1	18.6	4.2	15.9	4.0
Moderate	36.5	4.4	42.9	4.9	23.4	3.9	21.1	4.1	22.1	4.3	20.6	3.8
Bad	47.3	8.1	65.5	7.5	28.6	6.5	24.1	6.3	38.9	7.8	32.7	7.3
Very-Bad	60.8	14.6	42.4	15.7	21.0	10.3	35.1	16.0	26.9	11.8	26.9	11.8
TOTAL	32.3	2.5	41.9	2.7	20.0	2.4	16.5	2.2	19.8	2.4	17.0	2.1

The following table reports the percent of people perceiving poor responsiveness in ambulatory care facilities, where "poor" is defined as a rating of "Moderate", "Bad" or "Very bad" in Q7315-Q7327 which have 5 response options (including "Good" and "Very good"). Ratings for each of the seven domains of ambulatory care responsiveness (including 13 questions) by patients have been presented here. There are two questions each for six of the seven domains; the domain choice has only one question. The following questions from the survey have been used to determine patient assessment of each responsiveness domain:

- (1) *Prompt attention*: travel time (Q7315) and wait time (Q7316).
- (2) *Dignity*: talked respectfully (Q7317) and privacy (Q7318).
- (3) *Communication*: clear explanation (Q7319) and time for questions (Q7320).
- (4) *Autonomy*: treatment information (Q7321) and involvement (Q7322).
- (5) *Confidentiality*: talk privately (Q7323) and confidentiality of records (Q7324).
- (6) *Choice of health care provider*: Q7325.
- (7) *Basic amenities*: cleanliness (Q7326) and space (Q7327).

Results are reported for the total WHS sample (category: "TOTAL"), and by the following sample sub-groups: sex, area of residence, age group, years of education, income quintiles, reason for visit, ownership (of health facility), and self-assessed health. Mean values and standard errors (SE) are reported for each category.

Sub-groups common to other tables were constructed in the same manner. Common sub-groups include sex (Q1001), area of residence (Q0104), age group (regrouping of reported age in Q1002), years of education (Q1010) and income quintiles. To determine income and subsequently income quintiles, an asset index was constructed for each household using responses to section 0700 on "Permanent Income Indicators" from the WHS household questionnaire.

Ownership, condition and self-assessed health sub-groups were constructed uniquely for the responsiveness section's tables. There are four categories of ownership: "Operated by the government" (Government), "Privately operated" (Private), "NGO" and "Other". To construct the ownership sub-group, information was combined from (a) Q7204, Q7205 and Q7301 for those utilizing ambulatory services, and (b) Q7200, Q7201 and Q7401 for those utilizing hospital inpatient services. The sub-group "Condition" used and regrouped information from Q7003 ("Which reason best describes why you [your child] last needed health care?") into 6 categories. The six categories include preventive care (immunization, antenatal consultation and family planning); childbirth; acute conditions (high fever, severe diarrhoea, or cough); injury; chronic conditions (arthritis, asthma and heart disease); and other (dental care, minor surgery and other). Self-assessed health was constructed using information from Q2000 ("In general, how would you rate your health today as?") in the WHS. Respondents were asked to select one of the following five categories: "Very good", "Good", "Moderate", "Bad" and "Very bad".

7.3.2 Patient assessment of responsiveness domains for ambulatory services: percent reporting "Moderate", "Bad" or "Very bad" - 2

	Autonomy				Confidentiality				Choice of		Basic Amenities			
	Treatment Information		Involvement		Talk Privately		Confidentiality of Records		Healthcare Provider		Cleanliness		Space	
	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE
Sex														
Female	48.1	3.8	44.0	3.3	24.5	3.0	19.2	3.2	35.3	3.5	30.8	3.4	37.4	3.3
Male	36.8	4.4	36.5	4.9	23.8	3.9	23.6	3.6	37.6	4.5	26.5	4.0	36.6	4.4
Area of Residence														
Urban	42.9	3.7	40.4	3.4	24.0	2.6	18.2	2.6	32.2	2.8	28.6	3.1	35.3	3.4
Rural	46.1	4.8	43.1	5.1	24.7	4.3	27.0	5.0	45.5	6.4	30.6	4.5	41.4	4.4
Age Group														
18-29y	44.3	8.6	38.8	8.3	31.9	8.1	21.8	7.6	30.9	8.2	37.0	8.4	34.1	8.2
30-44y	38.1	4.7	35.2	5.3	25.3	4.9	25.2	5.4	33.8	5.5	28.3	5.5	41.9	6.1
45-59y	45.1	4.6	42.7	4.8	19.5	4.0	16.4	3.9	38.8	4.9	25.7	4.0	35.6	4.3
60-69y	45.9	7.6	44.3	7.1	21.2	5.8	22.4	5.4	35.1	5.7	34.7	6.4	36.9	6.4
70+y	47.3	6.5	47.1	6.8	30.4	6.2	22.7	5.4	41.4	6.4	23.7	5.0	37.5	6.2
Education Years														
0	59.1	19.2	59.6	19.2	38.2	18.2	25.4	16.0	49.2	19.8	34.7	17.4	34.7	17.4
1-5	57.4	7.3	53.8	7.2	38.5	7.7	30.9	7.8	48.7	7.5	37.4	7.6	42.8	7.5
6-11	51.2	4.9	48.5	4.7	22.3	4.0	21.9	4.1	38.5	4.8	27.9	4.1	39.2	4.6
12+	35.9	3.6	33.5	3.6	22.3	3.3	18.0	3.3	31.9	3.9	28.3	3.4	34.8	3.7
Income Quintiles														
Q1	48.0	7.2	50.1	7.3	24.1	5.6	19.2	4.5	33.7	6.3	24.3	5.1	35.4	6.8
Q2	42.1	5.8	34.6	5.4	23.2	4.8	18.3	4.4	41.7	6.4	27.1	5.2	30.5	5.2
Q3	52.1	5.6	48.6	5.9	27.9	5.7	29.8	5.8	45.9	6.2	32.6	6.1	47.3	6.2
Q4	40.1	5.7	40.7	6.5	26.3	5.4	20.3	5.5	29.7	5.7	27.6	5.5	31.4	6.6
Q5	38.6	6.1	35.0	5.8	19.7	5.4	15.3	5.2	30.0	6.1	32.3	5.7	35.8	5.8
Condition														
Child-Visit	49.1	17.2	37.6	17.4	24.4	12.5	47.8	21.0	58.9	17.7	49.1	17.2	46.8	18.0
Preventive	45.2	24.0	45.2	24.0	9.3	9.5	45.2	24.0	60.7	21.4	65.6	19.9	74.5	17.8
Childbirth	27.9	6.9	31.8	6.7	18.9	6.0	17.6	7.0	28.9	7.2	24.4	6.8	26.1	6.8
Acute	70.8	11.5	70.8	11.5	48.4	18.4	44.8	19.4	51.7	18.4	41.7	17.3	52.7	17.3
Injury	58.0	7.2	53.3	9.0	34.9	8.0	25.1	8.5	39.4	9.0	48.2	7.8	41.6	8.8
Chronic	43.0	3.6	39.9	3.1	21.8	2.5	17.8	2.5	33.8	3.2	24.8	2.8	36.6	3.3
Other														
Ownership														
Government	47.0	3.5	44.5	3.8	25.5	2.9	23.9	3.0	40.9	3.4	36.5	3.3	45.1	3.6
Private	38.2	5.2	35.5	4.2	22.1	3.8	14.5	3.4	27.7	4.6	15.3	3.4	22.1	4.2
NGO														
Other														
Self-Assessed Health														
Very-Good	25.7	5.6	27.0	5.3	8.4	2.8	8.2	3.0	15.9	3.9	21.5	5.0	22.8	4.6
Good	46.0	5.0	38.8	4.4	27.1	4.7	24.5	4.6	37.5	4.9	26.9	4.9	38.6	4.9
Moderate	50.5	4.8	50.8	5.4	29.5	4.5	25.3	4.6	42.9	5.0	31.7	4.5	43.8	5.2
Bad	58.9	7.5	51.1	8.1	27.8	6.3	24.0	6.5	49.7	8.0	43.7	7.5	45.0	7.7
Very-Bad	27.7	12.2	39.0	18.2	35.8	15.1	15.3	8.6	54.7	15.7	42.2	16.8	25.6	15.6
TOTAL	43.8	2.9	41.2	2.8	24.2	2.2	20.8	2.4	36.2	2.8	29.2	2.5	37.1	2.7

The following table reports the percent of people perceiving poor responsiveness in ambulatory care facilities, where "poor" is defined as a rating of "Moderate", "Bad" or "Very bad" in Q7315-Q7327 which have 5 response options (including "Good" and "Very good"). Ratings for each of the seven domains of ambulatory care responsiveness (including 13 questions) by patients have been presented here. There are two questions each for six of the seven domains; the domain choice has only one question. The following questions from the survey have been used to determine patient assessment of each responsiveness domain:

- (1) *Prompt attention*: travel time (Q7315) and wait time (Q7316).
- (2) *Dignity*: talked respectfully (Q7317) and privacy (Q7318).
- (3) *Communication*: clear explanation (Q7319) and time for questions (Q7320).
- (4) *Autonomy*: treatment information (Q7321) and involvement (Q7322).
- (5) *Confidentiality*: talk privately (Q7323) and confidentiality of records (Q7324).
- (6) *Choice of health care provider*: Q7325.
- (7) *Basic amenities*: cleanliness (Q7326) and space (Q7327).

Results are reported for the total WHS sample (category: "TOTAL"), and by the following sample sub-groups: sex, area of residence, age group, years of education, income quintiles, reason for visit, ownership (of health facility), and self-assessed health. Mean values and standard errors (SE) are reported for each category.

Sub-groups common to other tables were constructed in the same manner. Common sub-groups include sex (Q1001), area of residence (Q0104), age group (regrouping of reported age in Q1002), years of education (Q1010) and income quintiles. To determine income and subsequently income quintiles, an asset index was constructed for each household using responses to section 0700 on "Permanent Income Indicators" from the WHS household questionnaire.

Ownership, condition and self-assessed health sub-groups were constructed uniquely for the responsiveness section's tables. There are four categories of ownership: "Operated by the government" (Government), "Privately operated" (Private), "NGO" and "Other". To construct the ownership sub-group, information was combined from (a) Q7204, Q7205 and Q7301 for those utilizing ambulatory services, and (b) Q7200, Q7201 and Q7401 for those utilizing hospital inpatient services. The sub-group "Condition" used and regrouped information from Q7003 ("Which reason best describes why you [your child] last needed health care?") into 6 categories. The six categories include preventive care (immunization, antenatal consultation and family planning); childbirth; acute conditions (high fever, severe diarrhoea, or cough); injury; chronic conditions (arthritis, asthma and heart disease); and other (dental care, minor surgery and other). Self-assessed health was constructed using information from Q2000 ("In general, how would you rate your health today as?") in the WHS. Respondents were asked to select one of the following five categories: "Very good", "Good", "Moderate", "Bad" and "Very bad".

7.4 Patient assessed characteristics of hospital inpatient health services

	Patients staying for more than 6 days on last hospital visit		Patients rating characteristics of health care provider as adequate / more than adequate				Mean time taken to reach health facility (in minutes)		Patients using private car or motorcycle to reach facility		Patients waiting more than a month to be admitted		Mean number of patients sleeping in the same room		Mean cost for a hospital visit		Percent of population perceiving discrimination			
	%	SE	%	SE	%	SE	%	SE	Minutes	SE	%	SE	%	SE	No	SE	mean cost	SE	%	SE
Sex																				
Female	59.4	4.5	94.6	1.8	83.5	3.7	89.5	2.6	39.0	4.4	84.4	3.0	4.6	1.9	4.0	0.6	131.3	48.2	8.1	2.5
Male	67.4	5.5	93.0	2.7	92.1	2.9	93.0	2.9	47.1	7.7	70.3	4.8	5.6	2.4	4.3	0.8	223.7	127.1	1.5	1.1
Area of Residence																				
Urban	58.9	3.9	95.9	1.6	86.0	3.4	92.5	1.9	37.5	4.7	80.8	3.1	6.1	2.3	4.3	0.7	117.4	45.7	5.2	2.0
Rural	67.6	5.4	90.8	3.1	86.9	4.0	87.8	3.8	49.1	7.4	77.8	4.9	2.7	1.9	3.8	0.6	243.8	120.0	7.2	3.4
Age Group																				
18-29y	37.6	10.8	85.3	7.7	79.9	9.5	88.1	7.4	28.8	4.4	81.8	8.2	8.6	6.0	4.0	1.0	23.0	4.0	4.8	3.8
30-44y	48.9	6.3	91.2	3.1	78.3	5.2	85.0	5.1	37.4	8.3	94.5	2.6	3.6	2.5	4.0	0.7	265.0	137.4	12.4	5.0
45-59y	62.3	7.6	98.8	1.2	87.0	6.4	93.2	3.4	47.6	7.2	76.3	6.3	5.8	3.0	3.9	0.7	66.8	18.1	4.7	2.8
60-69y	79.0	6.2	92.6	3.6	90.6	4.0	93.0	3.9	47.6	10.0	72.2	6.4	4.6	4.3	4.4	0.7	135.9	54.8	4.4	3.2
70+y	77.1	8.3	98.1	1.9	97.1	2.8	94.4	3.3	40.1	5.6	68.8	7.3	3.7	2.4	4.4	0.8	158.7	64.2	0.0	0.0
Education Years																				
0	73.1	21.9	100.0	0.0	100.0	0.0	82.6	11.8	69.3	16.1	75.5	18.3	26.9	21.9	4.4	0.9	13.4	3.3	0.0	0.0
1-5	79.5	7.2	94.9	3.6	94.6	3.8	100.0	0.0	53.2	14.4	73.8	6.9	1.3	1.3	4.0	0.8	255.2	80.4	0.0	0.0
6-11	70.4	6.0	96.0	2.3	93.9	2.9	98.4	1.2	44.6	5.8	70.7	5.2	2.2	2.1	4.2	0.7	192.0	146.4	3.5	2.2
12+	53.2	4.7	92.5	2.4	79.7	4.0	84.5	3.4	36.0	4.8	85.9	3.0	5.7	2.2	4.1	0.7	136.6	51.6	8.8	2.7
Income Quintiles																				
Q1	87.3	4.7	93.0	3.6	97.9	2.1	93.2	3.6	63.8	9.6	59.1	8.4	2.4	2.4	4.2	0.7	324.5	222.7	4.1	2.8
Q2	55.2	8.8	90.8	5.2	84.2	6.6	92.9	4.3	61.2	13.2	63.2	9.1	5.5	3.1	4.1	0.8	37.2	8.4	7.0	4.6
Q3	73.3	5.8	98.8	1.2	95.4	2.9	92.5	4.4	43.8	10.4	80.1	5.4	2.9	2.9	4.4	0.8	145.8	53.1	2.7	2.7
Q4	60.2	6.9	91.9	3.5	76.9	6.4	89.3	4.6	35.3	4.6	87.7	4.5	6.8	4.0	4.1	0.8	87.5	33.2	7.8	4.2
Q5	45.9	8.2	95.4	2.8	83.2	6.9	86.7	5.1	23.7	3.5	91.2	4.6	6.4	4.9	3.7	0.7	214.6	130.2	7.7	4.1
Condition																				
Child-Visit	36.7	9.4	92.9	5.3	96.1	4.0	96.1	3.9	23.2	5.7		0.0	0.0	0.0	4.1	0.8	24.5	4.4	2.7	2.7
Fever	66.5	13.1	95.1	4.9	89.3	7.5	100.0	0.0	26.0	9.5	77.6	11.5	0.0	0.0	4.6	0.9	220.5	157.1	0.0	0.0
Childbirth	36.7	9.2	91.1	4.8	67.1	9.1	78.3	8.3	27.3	5.5		0.0	0.0	0.0	4.4	0.9	26.3	4.0	16.1	7.9
Arthritis																				
Asthma																				
Heart-Disease	79.5	12.1	96.2	3.9	93.0	5.2	96.8	3.2	48.4	7.8	72.3	10.8	0.0	0.0	4.6	1.1	168.5	86.6	0.0	0.0
Injury	46.0	11.7	84.3	8.4	83.8	9.1	93.6	6.3	45.4	9.8	62.2	12.4	8.1	7.8	3.7	0.9	382.8	290.4	12.1	8.5
Minor-Surgery	57.1	6.0	97.1	1.7	89.1	5.0	91.5	3.3	40.1	5.3	85.4	3.8	8.4	3.6	4.0	0.7	119.6	41.3	4.2	2.3
Other	79.8	4.9	93.0	2.8	91.9	3.1	92.0	3.2	52.5	10.0	68.7	5.9	4.5	2.2	4.0	0.7	191.2	128.6	2.8	1.7
Ownership																				
Government	61.9	3.3	94.0	1.5	86.2	2.7	90.6	2.0	41.7	4.1	80.2	2.6	4.9	1.7	4.1	0.6	162.1	48.9	6.0	1.7
Private	73.7	27.4	100.0	0.0	100.0	0.0	100.0	0.0	33.9	7.4	26.3	27.4	0.0	0.0	2.7	1.3	9.5	0.5	0.0	0.0
NGO																				
Other																				
Self-Assessed Health																				
Very-Good	37.1	8.7	88.8	5.3	81.3	7.9	92.9	4.2	30.4	4.4	97.8	2.2	2.6	2.6	4.2	0.9	30.3	6.3	0.0	0.0
Good	49.8	7.2	93.1	3.0	72.2	7.0	89.7	4.7	34.2	5.4	82.5	5.0	5.9	4.2	3.9	0.7	388.9	212.4	14.4	4.8
Moderate	69.6	5.1	93.8	2.5	93.5	2.7	90.4	2.7	46.0	6.7	75.9	4.5	7.7	3.0	4.3	0.7	99.3	35.1	4.8	2.2
Bad	90.6	4.8	98.1	1.9	95.0	3.5	89.7	5.5	43.3	8.6	74.8	7.0	0.0	0.0	4.2	0.8	139.5	43.0	1.6	1.6
Very-Bad	47.6	15.4	100.0	0.0	94.5	5.4	94.6	5.4	70.1	27.9	63.8	13.9	0.0	0.0	4.0	1.1	54.8	11.1	0.0	0.0
TOTAL	62.0	3.3	94.0	1.5	86.3	2.7	90.7	1.9	41.7	4.0	79.7	2.6	4.9	1.6	4.1	0.6	159.5	48.0	5.9	1.7

This table looks at various characteristics of a visit to a hospital inpatient care facility, for those who utilized such services in the past 3 years (Q7200, Q7201 and Q7402). Characteristics of a visit reported here include:

(1) The percent of patients who stayed 6 days or more at an inpatient facility during their last visit (Q7404).

(2) Patients' rating of *skills, equipment, and drug supplies* of the provider as "adequate": percent of patients who reported "Yes" to questions Q7405, Q7406 and Q7407, respectively.

(3) Barriers or facilitators to care access have been reported here for those who utilized inpatient care services in the last 3 years. They include:

(a) *Mean time taken to reach facility*: patient reported times from Q7408 were used to calculate averages across sample sub-groups.

(b) *Patients using private motor vehicles*: percent of patients who reported using a "private car or motorcycle" to get to the facility in Q7409.

(c) *Patients waiting more than a month to be admitted*: percent of patients who reported waiting more than a month to be admitted in Q7410.

(d) *Mean number of patients sleeping in same room*: averages across sample sub-groups have been constructed for numbers reported in Q7417.

(c) *Mean cost of visit*: patient reported costs in Q7411-Q7415 were summed up for an individual and then averaged across sample sub-groups.

(d) *Perceived discrimination*: percent of patients who reported "Yes" to any form of discrimination asked in Q7433-Q7439.

Results are reported for the total WHS sample (category: "TOTAL"), and by the following sample sub-groups: sex, area of residence, age group, years of education, income quintiles, reason for seeking care (condition), ownership (of health facility), and self-assessed health. Mean values and standard errors (SE) are reported for each category.

Sub-groups common to other tables were constructed in the same manner. Common sub-groups include sex (Q1001), area of residence (Q0104), age group (regrouping of reported age in Q1002), years of education (Q1010) and income quintiles. To determine income and subsequently income quintiles, an asset index was constructed for each household using responses to section 0700 on "Permanent Income Indicators" from the WHS household questionnaire.

Ownership, condition and self-assessed health sub-groups were constructed uniquely for the responsiveness section's tables. There are four categories of ownership: "Operated by the government" (Government), "Privately operated" (Private), "NGO" and "Other". To construct the ownership sub-group, information was combined from (a) Q7204, Q7205 and Q7301 for those utilizing ambulatory services, and (b) Q7200, Q7201 and Q7401 for those utilizing hospital inpatient services. The sub-group "Condition" used information from Q7403 ("Which of the following best describes the reason for your [child's] last overnight stay?"). The eight categories of Q7403 include high fever, diarrhoea, or cough; childbirth; arthritis; asthma; heart disease; bodily injury; minor surgery; and other. Self-assessed health was constructed using information from Q2000 ("In general, how would you rate your health today as?") in the WHS. Respondents were asked to select one of the following five categories: "Very good", "Good", "Moderate", "Bad" and "Very bad".

7.5.1 Patient assessment of responsiveness domains for hospital inpatient services: percent reporting "Moderate", "Bad" or "Very bad" - 1

	Prompt Attention				Dignity				Communication				Autonomy			
	Travel Time		Wait Time		Talked Respectfully		Privacy		Clear Explanation		Time for Questions		Treatment Information		Involvement	
	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE
Sex																
Female	47.2	4.8	27.6	3.5	28.5	4.0	33.5	4.2	34.6	4.5	42.5	4.8	55.5	4.9	57.2	4.5
Male	46.0	7.2	21.5	5.2	28.7	5.9	24.8	5.7	35.2	6.3	27.6	5.7	54.5	6.0	54.8	6.2
Area of Residence																
Urban	44.3	5.4	27.7	3.9	26.6	3.6	27.7	4.0	32.5	4.6	35.9	4.4	56.2	4.3	57.7	4.4
Rural	51.3	6.3	21.9	4.0	32.1	6.4	35.8	6.8	38.8	6.2	40.7	7.6	53.3	7.6	54.1	6.7
Age Group																
18-29y	31.9	11.1	25.9	9.4	42.0	11.0	41.1	10.6	57.4	10.6	50.5	11.5	45.8	11.6	70.4	10.5
30-44y	36.5	6.2	29.5	5.4	39.8	6.1	42.8	6.7	43.3	7.2	46.0	7.1	54.2	6.8	55.1	6.8
45-59y	49.2	7.9	28.4	6.4	15.9	5.2	19.0	6.7	24.7	6.4	35.3	7.0	66.1	7.0	54.5	7.3
60-69y	59.8	8.0	18.0	5.5	24.1	7.0	21.0	6.5	23.1	6.3	26.0	6.7	53.5	8.1	57.1	7.8
70+y	53.0	8.8	24.1	6.7	27.5	7.2	34.2	8.2	36.9	8.4	33.7	8.2	47.5	8.1	52.6	8.9
Education Years																
0	91.1	6.8	18.0	12.2	46.6	20.4	42.5	19.8	40.8	19.9	46.9	20.4	68.7	21.4	68.7	21.4
1-5	61.9	8.7	29.1	7.7	19.8	6.1	30.7	7.7	31.4	7.5	40.3	8.4	67.6	8.2	55.1	8.5
6-11	48.2	7.0	21.5	4.3	26.1	6.1	22.4	6.2	24.5	6.6	25.6	6.6	38.8	7.4	48.6	8.8
12+	40.0	5.4	27.5	4.0	30.6	4.0	34.2	4.3	40.5	4.9	42.7	4.7	60.1	4.6	60.0	4.4
Income Quintiles																
Q1	72.2	7.3	29.0	6.5	35.3	7.9	38.2	8.1	38.4	7.1	46.4	8.0	67.9	6.0	60.5	7.7
Q2	70.6	7.2	27.4	8.0	29.0	8.3	30.8	8.9	39.1	8.9	36.9	8.9	59.9	9.4	56.4	9.5
Q3	38.2	7.5	28.9	6.2	20.1	5.2	14.3	5.5	15.1	5.1	19.9	5.5	49.8	7.7	54.4	9.2
Q4	46.1	8.1	18.8	6.0	35.6	8.1	36.7	8.0	44.5	8.4	43.6	8.3	45.7	8.1	57.1	8.4
Q5	28.8	8.0	26.0	6.2	22.3	4.8	31.0	7.0	34.0	7.3	38.1	7.4	58.9	7.6	53.1	7.5
Condition																
Child-Visit	23.3	8.6	37.5	11.5	52.8	12.0	36.0	11.8	32.7	10.4	30.9	11.5	47.6	13.3	62.0	11.8
Fever	25.8	13.4	42.2	13.8	48.4	13.8	37.0	13.6	34.6	12.8	30.9	12.4	59.4	14.2	62.7	13.6
Childbirth	40.5	9.9	20.6	7.9	46.1	9.4	53.6	9.8	60.9	9.6	56.8	9.8	56.5	10.1	68.2	9.0
Arthritis																
Asthma																
Heart-Disease	64.1	14.0	23.2	12.2	17.5	11.8	26.4	14.9	33.4	15.1	32.5	15.1	31.7	13.4	66.4	10.2
Injury	42.7	11.6	26.1	10.8	31.9	11.4	30.1	10.8	44.3	11.8	39.2	13.0	45.2	13.0	57.1	13.7
Minor-Surgery	42.9	6.7	25.0	5.3	21.6	5.0	25.5	5.6	24.5	5.3	28.0	6.1	54.2	6.8	49.4	6.8
Other	55.7	6.7	27.2	5.4	27.0	5.4	26.3	5.5	30.9	5.7	40.6	6.3	62.7	6.4	53.2	6.2
Ownership																
Government	46.5	4.1	25.9	2.7	28.1	3.1	30.2	3.5	34.4	3.8	37.3	3.9	55.0	3.7	56.3	3.6
Private	73.7	27.4	0.0	0.0	73.7	27.4	73.7	27.4	73.7	27.4	73.7	27.4	73.7	27.4	73.7	27.4
NGO																
Other																
Self-Assessed Health																
Very-Good	39.3	8.7	20.8	6.4	42.5	9.2	37.2	8.9	45.5	9.2	30.4	8.7	41.3	9.1	53.2	9.0
Good	39.7	7.1	26.8	6.0	23.7	5.6	38.1	7.2	44.5	7.3	50.0	7.6	58.2	7.0	67.7	6.5
Moderate	50.2	6.4	27.2	4.4	31.8	5.4	24.0	4.9	28.6	4.9	33.7	5.5	57.8	5.7	49.1	5.7
Bad	57.2	9.2	27.3	7.9	23.5	7.3	30.0	7.8	28.7	7.7	34.3	8.4	60.2	9.3	62.9	8.3
Very-Bad	46.3	15.4	16.8	9.0	13.2	8.2	25.5	12.2	22.3	10.8	31.6	13.3	42.6	14.7	41.3	14.4
TOTAL	46.8	4.1	25.6	2.7	28.6	3.2	30.6	3.4	34.8	3.8	37.6	3.9	55.2	3.7	56.4	3.6

The following table reports the percent of people perceiving poor responsiveness in hospital inpatient care facilities, where "poor" is defined as a rating of "Moderate", "Bad" or "Very bad" in questions Q7418-Q7432 which have 5 response options (including "good" and "very good".. Ratings for each of the eight domains of hospital inpatient care responsiveness (including 15 questions) by patients have been presented here. There are two questions each for seven of the eight domains; the domain of choice has only one question. The following questions from the survey have been used to determine patient assessment of each responsiveness domain:

- (1) *Prompt attention*: travel time (Q7418) and wait time (Q7419).
- (2) *Dignity*: talked respectfully (Q7420) and privacy (Q7421).
- (3) *Communication*: clear explanation (Q7422) and time for questions (Q7423).
- (4) *Autonomy*: treatment information (Q7424) and involvement (Q7425).
- (5) *Confidentiality*: talk privately (Q7426) and confidentiality of records (Q7427).
- (6) *Choice of health care provider*: Q7428.
- (7) *Basic amenities*: cleanliness (Q7429) and space (Q7430).
- (8) *Social support*: family visit (Q7431) and external contact (Q7432).

Results are reported for the total WHS sample (category: "TOTAL"), and by the following sample sub-groups: sex, area of residence, age group, years of education, income quintiles, reason for visit, ownership (of health facility), and self-assessed health. Mean values and standard errors (SE) are reported for each category.

Sub-groups common to other tables were constructed in the same manner. Common sub-groups include sex (Q1001), area of residence (Q0104), age group (regrouping of reported age in Q1002), years of education (Q1010) and income quintiles. To determine income and subsequently income quintiles, an asset index was constructed for each household using responses to section 0700 on "Permanent Income Indicators" from the WHS household questionnaire.

Ownership, condition and self-assessed health sub-groups were constructed uniquely for the responsiveness section's tables. There are four categories of ownership: "Operated by the government" (Government), "Privately operated" (Private), "NGO" and "Other". To construct the ownership sub-group, information was combined from (a) Q7204, Q7205 and Q7301 for those utilizing ambulatory services, and (b) Q7200, Q7201 and Q7401 for those utilizing hospital inpatient services. The sub-group "Condition" used information from Q7403 ("Which of the following best describes the reason for your [child's] last overnight stay?"). The eight categories of Q7403 include high fever, diarrhoea, or cough; childbirth; arthritis; asthma; heart disease; bodily injury; minor surgery; and other. Self-assessed health was constructed using information from Q2000 ("In general, how would you rate your health today as?") in the WHS. Respondents were asked to select one of the following five categories: "Very good", "Good", "Moderate", "Bad" and "Very bad".

7.5.2 Patient assessment of responsiveness domains for hospital inpatient services: percent reporting "Moderate", "Bad" or "Very bad" - 2

	Confidentiality				Choice of health care provider		Basic Amenities				Social Support			
	Talk Privately	Confidentiality of records					Cleanliness	Space			Family Visit	External Contact		
	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE
Sex														
Female	46.1	4.5	29.1	4.4	45.4	4.7	43.9	4.5	52.5	4.5	26.7	3.8	32.6	4.2
Male	39.2	6.0	26.4	5.6	47.7	5.8	42.8	6.7	47.7	6.5	24.1	5.4	32.8	7.0
Area of Residence														
Urban	44.7	4.2	27.1	4.1	45.5	4.2	44.6	4.7	54.1	4.7	24.7	3.5	31.6	4.2
Rural	42.3	6.9	29.9	6.9	47.4	7.2	41.6	6.3	45.3	6.1	27.8	5.7	34.6	6.2
Age Group														
18-29y	50.3	11.8	21.5	10.5	54.0	11.4	47.9	10.8	61.2	10.8	18.6	8.0	35.6	10.7
30-44y	45.8	6.9	33.0	7.3	55.2	6.9	52.4	6.8	61.6	6.2	40.3	6.8	43.4	6.7
45-59y	46.7	7.6	31.0	7.1	43.2	8.2	38.2	7.4	42.3	7.0	25.3	6.2	27.0	6.5
60-69y	38.1	7.7	27.9	7.6	39.9	7.1	40.1	7.4	44.1	7.6	16.6	5.4	27.1	7.3
70+y	39.4	8.4	21.0	7.3	38.7	8.6	38.9	8.4	48.9	9.2	18.6	6.6	29.2	7.3
Education Years														
0	45.2	20.2	20.7	14.8	46.3	20.2	31.0	16.0	44.2	19.3	16.3	10.6	48.6	19.8
1-5	36.4	8.5	39.2	9.1	44.7	8.9	31.6	8.1	34.7	8.4	13.6	5.3	21.0	6.5
6-11	40.1	7.4	27.1	6.9	37.8	7.3	34.6	7.1	47.4	8.1	26.6	5.5	30.7	7.1
12+	47.3	4.7	26.5	4.9	50.8	4.9	51.6	4.7	56.8	4.6	28.7	4.3	35.3	4.5
Income Quintiles														
Q1	42.7	7.9	30.5	7.2	53.4	8.1	31.2	7.7	36.4	7.2	22.3	6.1	34.0	7.1
Q2	60.6	9.3	37.9	10.0	59.0	9.4	56.2	9.2	62.1	8.5	38.7	9.4	46.8	9.6
Q3	28.1	6.8	31.3	7.4	37.5	6.6	40.0	7.3	38.2	7.2	16.8	4.8	26.7	5.9
Q4	46.9	8.5	22.4	7.6	46.4	8.6	43.0	8.3	60.4	7.4	23.6	6.2	28.0	6.5
Q5	43.7	7.4	23.6	7.7	40.5	7.4	44.6	7.2	51.4	7.0	27.9	5.5	31.2	6.1
Condition														
Child-Visit	42.9	13.2	39.7	14.4	40.2	12.3	44.6	12.2	55.3	12.4	31.0	10.8	31.4	11.0
Fever	37.6	14.8	43.1	14.2	49.0	14.6	39.2	14.2	51.5	14.5	37.9	14.6	39.7	14.6
Childbirth	57.0	10.0	33.1	10.3	65.4	9.6	59.9	9.6	70.8	8.9	49.4	9.9	55.0	9.9
Arthritis														
Asthma														
Heart-Disease	42.1	15.3	28.3	15.7	45.6	15.5	49.6	15.7	44.7	15.4	21.1	12.0	27.1	13.0
Injury	58.8	12.8	29.1	14.1	52.7	13.0	47.7	11.7	61.7	11.7	15.5	7.9	18.6	9.4
Minor-Surgery	35.9	6.5	19.2	4.7	32.3	6.3	33.5	6.2	39.1	6.2	11.9	3.6	21.6	4.9
Other	43.6	6.3	32.5	6.7	50.3	6.5	46.2	6.5	53.9	6.5	32.1	6.1	37.8	6.4
Ownership														
Government	43.5	3.6	28.4	3.6	46.6	3.8	44.0	3.8	51.4	3.7	26.1	3.0	33.0	3.4
Private	73.7	27.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NGO														
Other														
Self-Assessed Health														
Very-Good	44.1	9.3	28.1	8.7	38.9	8.9	53.6	9.3	50.4	9.6	23.4	7.6	26.2	7.7
Good	52.7	7.2	27.3	6.5	54.4	6.7	46.1	7.5	55.4	7.1	29.9	6.4	34.5	7.0
Moderate	42.5	5.6	26.2	5.4	36.9	5.7	40.0	5.0	49.4	5.4	26.0	4.9	31.1	5.4
Bad	44.2	7.0	30.3	7.9	56.0	7.3	48.3	8.9	43.7	8.4	28.5	7.3	42.2	10.3
Very-Bad	9.6	6.3	37.9	15.7	54.3	16.0	18.2	9.4	61.5	14.3	4.3	3.2	23.0	11.2
TOTAL	43.8	3.6	28.2	3.6	46.2	3.7	43.5	3.7	50.9	3.7	25.9	2.9	32.7	3.4

The following table reports the percent of people perceiving poor responsiveness in hospital inpatient care facilities, where "poor" is defined as a rating of "Moderate", "Bad" or "Very bad" in questions Q7418-Q7432 which have 5 response options (including "good" and "very good".. Ratings for each of the eight domains of hospital inpatient care responsiveness (including 15 questions) by patients have been presented here. There are two questions each for seven of the eight domains; the domain of choice has only one question. The following questions from the survey have been used to determine patient assessment of each responsiveness domain:

- (1) *Prompt attention*: travel time (Q7418) and wait time (Q7419).
- (2) *Dignity*: talked respectfully (Q7420) and privacy (Q7421).
- (3) *Communication*: clear explanation (Q7422) and time for questions (Q7423).
- (4) *Autonomy*: treatment information (Q7424) and involvement (Q7425).
- (5) *Confidentiality*: talk privately (Q7426) and confidentiality of records (Q7427).
- (6) *Choice of health care provider*: Q7428.
- (7) *Basic amenities*: cleanliness (Q7429) and space (Q7430).
- (8) *Social support*: family visit (Q7431) and external contact (Q7432).

Results are reported for the total WHS sample (category: "TOTAL"), and by the following sample sub-groups: sex, area of residence, age group, years of education, income quintiles, reason for visit, ownership (of health facility), and self-assessed health. Mean values and standard errors (SE) are reported for each category.

Sub-groups common to other tables were constructed in the same manner. Common sub-groups include sex (Q1001), area of residence (Q0104), age group (regrouping of reported age in Q1002), years of education (Q1010) and income quintiles. To determine income and subsequently income quintiles, an asset index was constructed for each household using responses to section 0700 on "Permanent Income Indicators" from the WHS household questionnaire.

Ownership, condition and self-assessed health sub-groups were constructed uniquely for the responsiveness section's tables. There are four categories of ownership: "Operated by the government" (Government), "Privately operated" (Private), "NGO" and "Other". To construct the ownership sub-group, information was combined from (a) Q7204, Q7205 and Q7301 for those utilizing ambulatory services, and (b) Q7200, Q7201 and Q7401 for those utilizing hospital inpatient services. The sub-group "Condition" used information from Q7403 ("Which of the following best describes the reason for your [child's] last overnight stay?"). The eight categories of Q7403 include high fever, diarrhoea, or cough; childbirth; arthritis; asthma; heart disease; bodily injury; minor surgery; and other. Self-assessed health was constructed using information from Q2000 ("In general, how would you rate your health today as?") in the WHS. Respondents were asked to select one of the following five categories: "Very good", "Good", "Moderate", "Bad" and "Very bad".

7.6 Importance of different domains of responsiveness: percent reporting "Extremely Important"

	Prompt Attention		Dignity		Communication		Autonomy		Confidentiality		Choice		Basic Amenities		Social Support	
	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE	%	SE
Sex																
Female	44.9	2.8	39.1	2.7	57.3	2.6	34.3	2.6	43.4	2.8	39.2	2.5	43.8	2.4	37.8	2.5
Male	39.6	2.8	33.3	2.6	52.8	3.0	22.5	2.4	35.8	2.9	30.6	2.6	40.6	3.0	29.7	2.7
Area of Residence																
Urban	43.2	2.5	36.4	2.7	57.1	2.5	30.5	2.5	41.4	2.5	39.2	2.5	44.4	2.6	33.5	2.3
Rural	41.6	4.1	37.2	3.7	52.1	4.1	26.9	2.9	37.9	4.0	28.3	3.4	38.5	4.2	36.4	3.7
Age Group																
18-29y	30.5	5.5	24.0	5.1	49.9	6.2	27.1	5.0	40.7	5.8	31.7	5.4	43.4	6.3	34.8	5.7
30-44y	51.2	4.1	35.6	4.0	61.2	3.6	40.0	3.9	49.9	3.7	40.8	3.7	44.0	3.8	39.1	3.7
45-59y	43.8	3.3	39.8	3.5	55.1	3.3	26.7	2.9	40.8	3.4	36.3	3.3	43.6	3.3	31.8	3.1
60-69y	43.2	4.3	40.1	4.0	53.6	4.4	29.3	3.9	31.6	3.9	35.6	4.2	40.3	4.4	31.5	4.1
70+y	38.0	4.7	40.3	4.9	55.3	5.0	20.4	3.9	32.8	4.7	29.2	4.3	38.1	4.8	36.9	4.9
Education Years																
0	17.2	7.8	30.8	12.6	46.7	14.5	10.2	5.6	13.1	6.1	4.4	3.1	13.1	7.5	43.3	12.8
1-5	44.0	5.1	38.8	4.9	47.0	5.0	25.4	4.6	28.3	4.5	33.3	4.8	39.5	5.2	33.4	5.2
6-11	42.1	3.7	37.8	3.6	57.0	3.8	29.8	3.6	38.2	3.4	37.2	3.5	46.0	3.6	35.7	3.3
12+	43.3	2.6	35.8	2.7	56.6	2.7	30.4	2.5	44.6	2.6	36.2	2.6	41.8	2.6	33.7	2.5
Income Quintiles																
Q1	36.0	4.2	39.1	4.8	46.3	4.7	23.7	4.1	28.1	4.5	24.9	4.2	32.7	4.6	35.3	4.3
Q2	35.4	3.9	33.7	4.0	56.7	4.5	25.9	3.5	33.1	4.0	32.6	4.0	35.7	3.9	33.4	4.0
Q3	38.5	4.1	35.8	3.8	53.0	4.4	25.4	3.7	39.9	4.1	35.0	3.8	42.6	4.4	30.1	3.8
Q4	48.6	4.3	38.6	4.2	53.1	4.4	31.5	4.0	43.9	4.4	36.1	4.2	42.2	4.9	32.8	3.9
Q5	49.5	4.2	38.0	4.0	63.3	4.0	37.1	4.3	50.4	4.2	42.8	4.3	52.8	4.0	38.5	4.3
Ownership																
Government	42.1	2.7	37.3	2.7	55.8	2.8	31.1	2.3	41.3	2.9	37.0	2.5	43.6	2.8	32.8	2.3
Private	38.3	4.2	34.4	4.5	58.9	4.6	29.0	4.1	39.9	4.7	36.3	3.9	35.8	4.5	39.0	5.2
NGO																
Other																
Self-Assessed Health																
Very-Good	38.6	4.2	36.6	4.2	54.7	4.5	28.2	3.9	39.6	4.2	33.4	4.1	41.7	4.3	39.3	4.3
Good	45.4	3.5	36.1	3.3	58.6	3.4	30.9	3.2	45.7	3.5	39.3	3.3	44.0	3.4	34.1	3.4
Moderate	40.1	3.3	34.2	3.2	53.6	3.5	30.0	2.9	36.8	3.1	33.4	2.9	42.0	3.4	31.3	3.1
Bad	45.1	4.8	46.1	5.1	57.9	4.9	22.6	4.6	39.8	5.5	35.0	5.0	41.1	5.4	34.3	4.9
Very-Bad	55.9	9.5	33.9	8.8	40.4	9.4	37.9	9.0	25.5	9.8	35.8	9.2	40.9	9.5	36.8	9.3
Type of Care																
Ambulatory-Adult	44.1	2.4	38.6	2.6	57.3	2.4	29.8	2.3	39.7	2.6	37.7	2.4	40.7	2.5	34.6	2.2
Ambulatory-Child	43.5	6.0	24.8	5.4	56.8	6.2	30.9	5.5	48.3	6.0	32.4	5.8	35.9	5.8	30.1	5.4
Inpatient-Adult	43.9	8.0	45.6	7.8	66.0	9.2	45.1	8.5	45.0	7.8	47.6	7.9	62.8	7.8	46.0	8.1
Inpatient-Child	9.1	9.8	9.1	9.8	54.6	27.9	54.6	27.9	54.6	27.9	9.1	9.8	54.6	27.9	9.1	9.8
Non-Users	38.5	3.9	34.0	3.7	47.0	4.2	24.3	3.6	37.8	3.9	28.2	3.8	45.6	4.8	32.8	3.9
TOTAL	42.7	2.0	36.7	2.1	55.5	2.0	29.3	1.9	40.2	2.1	35.6	2.0	42.4	2.1	34.5	1.9

This table shows the percent of people who rated a responsiveness domain as "Extremely Important". All survey respondents were queried on their perception of the importance of each of the eight responsiveness domains in section 7100 of the WHS where each domain was described in detail (Q7100-Q7107).

Respondents were asked to say whether the domain was "Extremely Important", "Very Important", "Moderately Important", "Slightly Important" or "Not

Important".

Results are reported for the total WHS sample (category: "TOTAL"), and by the following sample sub-groups: sex, area of residence, age group, years of education, income quintiles, ownership (of health facility), self-assessed health, and type of care. Mean values and standard errors (SE) are reported for each category.

Sub-groups common to other tables were constructed in the same manner. Common sub-groups include sex (Q1001), area of residence (Q0104), age group (regrouping of reported age in Q1002), years of education (Q1010) and income quintiles. To determine income and subsequently income quintiles, an asset index was constructed for each household using responses to section 0700 on "Permanent Income Indicators" from the WHS household questionnaire.

Ownership, self-assessed health and type of care sub-groups were constructed uniquely for the responsiveness section's tables. There are four categories of ownership: "Operated by the government" (Government), "Privately operated" (Private), "NGO" and "Other". To construct the ownership sub-group, information was combined from (a) Q7204, Q7205 and Q7301 for those utilizing ambulatory services, and (b) Q7200, Q7201 and Q7401 for those utilizing hospital inpatient services. Self-assessed health was constructed using information from Q2000 ("In general, how would you rate your health today as?") in the WHS. Respondents were asked to select one of the following five categories: "Very good", "Good", "Moderate", "Bad" and "Very bad". Type of care is a constructed sample sub-group combining information from Q7000, Q7001 and Q7016. There are five categories of type of care: "Ambulatory adult", "Ambulatory child", "Inpatient adult", "Inpatient child" and "Non users".

8.0 Expenditure Background Indicators (2002)

GDP per capita (\$)	5,051
Total health expenditure per capita (\$)	369
Total population (000)	4,439
Life expectancy at birth (Both sexes)	74.8
Life expectancy at birth (male)	71.0
Life expectancy at birth (female)	78.6
Healthy life expectancy at birth (Both sexes)	66.6
Healthy life expectancy at birth (Male)	63.8
Healthy life expectancy at birth (Female)	69.3
Government funded health expenditure as a percentage of total health expenditure	81.4
Social security funded health expenditure as a percentage of total health expenditure	79.5
Private health insurance premiums as a percentage of total health expenditure	0
Out-of-pocket payment as a percentage of total health expenditure	18.6

8.1 Distribution of health payments across different population groups

	Mean Household expenditure (EXP) in local currency	% Poor	% Impoverished	% Catastrophic	OOP % EXP	OOP % non-subsistence spending	Mean OOP in local currency
Catastrophic							
No	4,425	21.5	1.2		3.1	5.3	142
Yes	4,977	33.4	10.4		38.4	59.6	2053
Poor							
No	5,285		2.0	2.8	4.2	6.7	248
Yes	1,440		0.0	5.0	4.3	8.3	53
Insurance							
No	1,755	69.1	0.0	0.0	4.9	7.0	174
Yes	4,474	21.3	1.6	3.3	4.2	7.1	205
Residence							
rural	3,551	37.1	2.3	1.9	3.1	5.5	135
urban	4,861	14.8	1.2	3.9	4.8	7.8	238
Income_Quintile							
1st(poorest)	1,401	100.0	0.0	5.5	4.3	8.2	52
2nd	2,579	9.1	6.7	1.1	3.6	7.0	98
3rd	3,899	0.0	1.0	1.5	3.0	5.4	102
4th	5,334	0.0	0.0	2.2	4.0	6.6	214
5th(richest)	9,039	0.0	0.0	6.2	6.2	8.2	562
total	4,443	21.9	1.5	3.3	4.2	7.1	205

OOP: Out of pocket

Household consumption expenditure (EXP) comprises both monetary and in-kind payment on all goods and services and the money value of the consumption of home-made products.

Poor - a household is considered poor when its total household expenditure is smaller than its subsistence spending
Impoverishment - a non-poor household is impoverished by health payment when it becomes poor after paying for health services.

Catastrophic health expenditure occurs when a household's total out-of-pocket health payments equals or exceeds 40% of the households capacity to pay or non-subsistence spending.

Out of pocket health payments (OOP) refer to payments made by households at the point they receive health services. It includes doctor's consultation fees, purchases of medication and hospital bills. Spending on alternative and/or traditional medicine is included. Expenditure on health related transportation and special nutrition is excluded. Insurance reimbursements are also excluded.

Subsistence spending - household subsistence spending is the minimum requirement to maintain a basic life in a society. A poverty line is used in the analysis as subsistence spending.

Food expenditure is the amount spent on all foodstuffs by the household plus the value of the family's own food production consumed within the household. It excludes expenditure on alcoholic beverages, tobacco and food consumption outside the home (e.g hotel and restaurants).

Household capacity to pay - is defined as a household's non-subsistence spending.

8.2 Percent distribution of structure of out-of-pocket health payments

	Inpatient	Outpatient	Traditional	Drugs	Other	Total
Catastrophic						
No	2.6	3.5	2.8	43.5	47.6	100
Yes	4.7	1.7	1.7	16.5	75.4	100
Poor						
No	3.0	3.0	2.3	32.4	59.2	100
Yes	8.8	0.5	3.8	71.3	15.6	100
Insurance						
No	0.0	0.0	0.0	44.8	55.2	100
Yes	3.3	2.9	2.4	34.5	56.8	100
Residence						
rural	4.0	1.3	1.6	45.9	47.2	100
urban	3.1	3.3	2.6	31.6	59.3	100
Income_Quintile						
1st(poorest)	9.8	0.5	2.0	72.5	15.2	100
2nd	0.6	1.6	3.7	64.9	29.2	100
3rd	0.0	2.1	2.7	50.0	45.2	100
4th	9.6	4.0	2.1	36.6	47.7	100
5th(richest)	1.4	3.0	2.3	22.2	71.1	100
total	3.3	2.9	2.4	34.6	56.8	100

8.3 Financial sources used by households for paying for health services

	Savings	Sold Items	Borrow from relatives &	Borrow from others	Health insurance	Current Income	Other
OOP%non_subsistence_spending							
less than 10%	1.7	0.6	2.3	1.2	3.0	73.2	2.3
10-20%	5.7	1.6	8.3	2.1	2.8	74.4	3.1
20-40%	5.7	3.3	8.1	1.0	1.1	74.2	3.1
above 40%	15.5	0.0	6.4	2.8	5.2	71.3	3.4
Hospitalization							
No	2.8	1.0	3.6	0.8	2.2	74.1	2.6
Yes	3.6	0.4	3.8	3.0	5.3	70.7	1.9
Insurance							
No	0.0	7.6	18.7	0.0	13.7	32.3	0.0
Yes	3.0	0.8	3.5	1.3	2.8	73.8	2.5
Residence							
rural	2.1	1.8	5.5	2.3	2.9	73.8	2.9
urban	3.4	0.5	2.8	0.8	2.9	73.2	2.3
Income_Quintile							
1st(poorest)	1.3	2.9	4.7	2.4	3.6	62.6	5.9
2nd	0.9	0.4	3.3	0.6	1.7	72.4	2.6
3rd	1.5	0.4	4.5	0.4	2.4	76.3	2.8
4th	4.7	0.4	2.4	1.1	3.2	78.1	0.6
5th(richest)	6.5	0.4	3.4	1.9	3.5	77.5	0.5
total	3.0	0.9	3.6	1.3	2.9	73.4	2.5

8.4 Insurance Coverage

	Insured	SE	Mandatory Insurance	SE	Voluntary Insurance	SE	Insured as dependent	SE	Mandatory and Voluntary	SE
Q1(poorest)	10.1	1.2	10.0	1.2	7.2	1.8	7.2	1.3	7.3	1.8
Q2	16.3	1.4	16.2	1.4	17.0	2.2	14.0	1.8	17.1	2.2
Q3	21.3	1.6	21.4	1.7	21.1	2.1	20.4	2.4	20.9	2.1
Q4	26.3	1.8	26.5	1.8	23.9	2.4	28.6	2.4	24.1	2.4
Q5(richest)	25.9	2.0	25.9	2.0	30.8	2.6	29.8	2.9	30.7	2.6
All	2,879	54	2,862	54	602	28	884	39	598	29

10.1 Inability to control the important things in life - q8000

	Never	SE	Almost never	SE	Sometimes	SE	Fairly often	SE	Very often	SE	Missing	SE	N
Gender													
Male	50.4	2.8	13.0	1.9	29.2	2.3	6.3	1.3	0.2	0.2	0.8	0.4	414
Female	39.6	2.5	15.3	1.8	36.6	2.5	7.0	1.2	0.5	0.3	0.9	0.5	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	45.5	2.5	12.8	1.5	32.8	2.3	7.1	1.2	0.4	0.2	1.3	0.6	665
Rural	41.4	3.6	17.5	2.3	34.8	3.2	6.0	1.7	0.4	0.3	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	38.2	4.5	9.4	2.4	37.7	3.4	11.5	2.8	0.3	0.3	2.7	2.1	116
Q2	46.8	4.0	11.3	2.7	35.5	4.5	5.5	1.6	0.7	0.7	0.3	0.3	166
Q3	43.8	4.4	16.8	3.0	35.5	3.8	2.9	1.1	0.3	0.3	0.7	0.5	205
Q4	46.5	4.5	14.6	3.1	31.1	4.0	7.0	2.3	0.3	0.3	0.5	0.5	242
Q5(richest)	44.3	4.0	16.4	3.2	30.5	3.8	7.8	2.2	0.0	0.0	1.0	1.0	228
M	35.3	9.8	15.6	6.0	34.2	8.7	11.2	5.6	3.7	2.7	0.0	0.0	32
Age													
18-29	48.1	5.4	17.6	4.6	29.4	4.9	3.0	1.5	0.4	0.4	1.6	1.6	146
30-44	39.8	3.7	16.1	2.5	37.0	3.6	6.7	1.7	0.3	0.4	0.0	0.0	218
45-59	43.0	3.4	13.0	2.4	37.3	3.4	6.1	1.5	0.0	0.0	0.5	0.4	333
60-69	52.7	4.7	15.1	3.0	22.0	3.4	9.8	3.8	0.2	0.2	0.3	0.3	163
70-79	42.7	5.1	9.9	3.1	34.0	5.1	7.9	2.1	1.7	1.2	3.8	2.2	104
80+	24.9	6.8	10.5	5.5	48.6	8.9	12.3	7.1	2.2	2.2	1.5	1.5	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	44.1	2.0	14.3	1.3	33.5	1.8	6.7	0.9	0.4	0.2	0.9	0.4	990

10.2 Inability to cope - q8001

	Never	SE	Almost never	SE	Sometimes	SE	Fairly often	SE	Very often	SE	Missing	SE	N
Gender													
Male	40.9	2.8	18.1	1.9	33.0	2.4	5.8	1.4	1.0	0.4	1.2	0.6	414
Female	33.6	2.5	16.4	1.9	38.9	2.6	9.7	1.8	0.3	0.2	1.1	0.5	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	38.2	2.4	16.7	1.6	34.9	2.1	8.4	1.6	0.2	0.1	1.5	0.7	665
Rural	33.4	3.5	17.9	2.4	39.6	3.2	7.4	1.7	1.5	0.5	0.3	0.3	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	32.1	4.3	10.8	2.5	37.2	3.6	15.8	3.2	1.4	0.7	2.7	2.1	116
Q2	37.9	4.1	12.9	2.5	40.9	4.1	6.9	2.0	1.0	0.8	0.3	0.3	166
Q3	34.4	4.2	20.4	3.2	39.0	4.1	5.4	2.2	0.0	0.0	0.7	0.5	205
Q4	38.5	4.3	16.2	3.2	35.9	4.2	7.9	2.3	0.0	0.0	1.4	0.8	242
Q5(richest)	40.4	4.4	21.4	3.2	29.2	3.5	8.0	2.4	0.0	0.0	1.0	1.0	228
M	20.4	8.6	16.7	5.1	50.0	8.8	5.1	3.6	7.8	3.8	0.0	0.0	32
Age													
18-29	45.0	5.6	20.6	4.7	30.6	5.0	2.3	1.4	0.0	0.0	1.6	1.6	146
30-44	33.6	3.4	23.3	3.0	34.8	3.5	7.9	2.0	0.0	0.0	0.4	0.4	218
45-59	37.3	3.4	13.3	2.1	40.5	3.3	7.6	2.0	0.4	0.3	0.9	0.6	333
60-69	40.1	4.5	17.4	3.2	32.3	3.7	9.4	2.9	0.5	0.3	0.3	0.3	163
70-79	28.5	4.7	11.7	3.5	38.5	5.2	14.8	4.0	2.7	1.4	3.8	2.2	104
80+	18.2	6.3	14.4	6.1	49.5	8.2	12.9	5.2	3.6	2.6	1.5	1.5	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	36.7	1.9	17.1	1.4	36.4	1.8	8.1	1.1	0.6	0.2	1.1	0.5	990

10.3 Satisfaction with your health - q8002

	Very dissatisfied	SE	Dissatisfied	SE	Neither satisfied nor dissatisfied	SE	Satisfied	SE	Very Satisfied	SE	Missing	SE	N
Gender													
Male	3.5	1.0	7.4	1.3	19.3	2.1	40.7	2.9	28.3	2.9	0.8	0.4	414
Female	4.2	0.9	11.2	1.7	27.9	2.0	39.2	2.4	16.5	1.8	1.0	0.6	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	4.1	0.8	9.5	1.3	25.7	1.7	36.6	2.1	22.7	2.1	1.4	0.7	665
Rural	3.6	1.0	9.7	2.0	21.5	2.8	46.5	2.9	18.7	2.4	0.0	0.0	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	8.1	2.1	18.9	3.7	27.1	3.9	30.0	3.4	13.2	2.9	2.7	2.1	116
Q2	4.5	1.6	12.5	2.8	26.3	3.4	40.2	4.0	15.8	3.0	0.7	0.5	166
Q3	5.9	2.0	7.6	1.9	31.2	4.0	38.5	3.7	16.1	2.8	0.7	0.5	205
Q4	2.2	1.2	6.7	2.2	24.0	3.7	40.0	4.0	26.5	4.1	0.5	0.5	242
Q5(richest)	1.1	0.6	8.4	2.3	16.6	2.9	44.1	4.1	28.8	4.0	1.0	1.0	228
M	6.0	3.4	4.3	3.1	17.0	6.2	49.1	10.0	23.5	8.2	0.0	0.0	32
Age													
18-29	0.4	0.4	1.8	1.3	5.6	2.1	43.2	5.8	47.4	5.5	1.6	1.6	146
30-44	4.1	1.7	8.9	2.3	24.1	3.1	40.8	3.9	22.0	3.3	0.0	0.0	218
45-59	2.2	0.8	8.4	1.9	26.0	2.6	43.2	3.2	19.5	2.7	0.7	0.4	333
60-69	6.2	2.3	13.5	3.2	32.0	4.4	37.3	4.2	10.8	2.6	0.3	0.3	163
70-79	7.9	2.4	17.8	3.5	34.0	4.8	25.6	4.2	11.0	3.5	3.8	2.2	104
80+	13.4	5.4	16.6	6.0	23.3	7.0	41.9	8.8	3.3	2.4	1.5	1.5	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	3.9	0.6	9.6	1.1	24.3	1.4	39.8	1.7	21.4	1.6	1.0	0.4	990

10.4 Feeling safe when alone at home - q8011

	Completely safe	SE	Very safe	SE	Moderately safe	SE	Slightly safe	SE	Not safe at all	SE	Missing	SE	N
Gender													
Male	35.7	2.8	28.8	2.7	26.1	2.7	4.8	1.1	3.4	1.2	1.2	0.5	414
Female	24.5	2.3	19.5	1.7	34.9	2.3	14.8	1.9	5.1	1.2	1.1	0.5	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	24.9	2.1	24.5	2.1	33.8	2.3	10.2	1.5	4.9	1.1	1.7	0.7	665
Rural	38.0	3.5	21.1	2.5	26.0	3.2	11.4	2.0	3.4	1.1	0.1	0.1	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	37.7	4.4	26.5	3.3	19.3	3.6	8.6	2.0	4.1	1.8	3.7	2.1	116
Q2	32.2	4.0	17.0	3.3	26.2	3.8	17.2	3.4	6.6	1.8	0.7	0.5	166
Q3	24.1	3.7	23.9	3.1	34.3	3.6	10.9	2.4	6.4	2.7	0.4	0.4	205
Q4	34.9	4.2	20.6	3.6	32.6	4.1	8.7	2.4	2.0	1.1	1.2	0.7	242
Q5(richest)	21.7	3.4	27.4	3.9	37.1	3.9	9.5	2.7	3.3	1.6	1.0	1.0	228
M	27.0	7.7	34.7	9.3	28.4	8.7	3.8	1.9	6.2	4.4	0.0	0.0	32
Age													
18-29	28.9	4.9	32.5	5.8	27.7	5.1	8.7	3.2	0.6	0.6	1.6	1.6	146
30-44	24.0	3.0	23.0	3.0	35.8	4.0	12.2	3.0	4.6	1.6	0.4	0.4	218
45-59	28.7	3.1	21.4	2.7	33.9	2.9	9.4	2.2	5.9	1.8	0.7	0.4	333
60-69	38.2	4.1	21.1	3.5	27.4	3.7	10.3	2.7	2.5	1.0	0.5	0.3	163
70-79	29.6	4.8	20.5	3.8	24.8	4.8	13.6	3.2	7.5	3.0	4.1	2.3	104
80+	24.3	7.3	27.8	7.9	27.6	7.5	12.4	4.6	4.7	2.8	3.3	2.4	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	29.2	1.8	23.4	1.6	31.2	1.8	10.6	1.2	4.4	0.8	1.1	0.4	990

10.5 Feeling safe when walking down the street alone after dark - q8012

	Completely safe	SE	Very safe	SE	Moderately safe	SE	Slightly safe	SE	Not safe at all	SE	Missing	SE	N
Gender													
Male	39.0	3.0	27.0	2.4	23.5	2.6	4.7	1.0	3.7	1.2	2.1	0.7	414
Female	21.5	2.0	20.1	1.8	35.8	2.3	12.6	1.6	8.7	1.6	1.3	0.6	576
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Residence													
Urban	24.0	2.1	23.6	1.9	34.4	2.3	8.8	1.2	7.1	1.4	2.1	0.7	665
Rural	38.7	3.6	21.7	2.3	22.9	2.8	10.2	2.1	5.6	1.7	0.8	0.4	325
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Income													
Q1(poorest)	36.0	4.3	23.2	2.9	20.0	3.6	8.5	2.0	6.7	2.0	5.6	2.3	116
Q2	29.7	3.9	21.1	3.5	22.2	3.2	16.4	3.2	9.2	2.4	1.4	0.8	166
Q3	25.4	3.8	21.7	3.0	34.8	3.9	9.0	2.1	8.7	2.8	0.4	0.4	205
Q4	38.1	4.5	16.1	2.7	28.9	3.6	8.2	2.0	7.5	2.5	1.2	0.7	242
Q5(richest)	18.6	3.1	31.1	4.1	40.6	4.2	6.0	2.0	2.0	0.9	1.8	1.2	228
M	23.5	7.3	35.1	9.0	28.8	9.6	7.4	3.8	5.2	3.8	0.0	0.0	32
Age													
18-29	21.8	5.5	28.8	4.5	36.3	5.4	9.2	3.3	2.5	2.1	1.6	1.6	146
30-44	27.5	3.4	26.8	3.0	27.2	3.6	9.7	2.7	7.1	2.2	1.6	1.0	218
45-59	30.5	3.2	22.2	2.6	32.7	3.3	7.9	1.7	6.0	1.8	0.7	0.4	333
60-69	35.7	4.0	21.6	3.6	28.0	3.9	8.0	2.3	6.2	2.4	0.5	0.3	163
70-79	26.3	5.1	10.8	2.8	28.8	4.8	15.5	3.3	12.5	3.6	6.0	2.6	104
80+	25.0	7.6	26.5	7.2	25.0	7.8	5.9	4.2	13.1	4.9	4.6	2.7	26
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
All	28.8	1.8	23.0	1.4	30.6	1.8	9.3	1.1	6.6	1.1	1.7	0.5	990