

SURVEILLANCE OF BOTULISM

FRANCE. — In 1978, botulism was reported in ten instances giving rise to a total of 60 cases. In nine out of ten of the situations the infection was an isolated case or occurred within a family, and was linked:

- on two occasions with the consumption of home-preserved asparagus;
- on six occasions with the consumption of home-prepared ham; and
- on one occasion with the consumption of cheese.

The tenth incident gave rise to the infection of 31 people who all showed signs following the consumption of soft cheese. An epidemiological investigation could not determine whether the infection arose from the cheese itself or the packing used.

SURVEILLANCE DU BOTULISME

FRANCE. — On a enregistré en 1978 dix foyers de botulisme comprenant un total de 60 cas. Dans neuf foyers sur dix la contamination fut isolée ou familiale; elle fut liée:

- deux fois à la consommation de conserves ménagères d'asperges;
- six fois à la consommation de jambon de préparation familiale;
- une fois à la consommation de fromage.

Dans le dixième foyer, la contamination fut massive: 31 sujets présentèrent des signes d'intoxication après avoir tous consommé du fromage à pâte molle. L'enquête épidémiologique n'a pas permis à ce jour de savoir si l'intoxication provenait du lait ou de l'emballage de présentation.

(Based on/D'après: *Bulletin hebdomadaire d'Information épidémiologique*, Ministère de la Santé, France, No. 21, 1979.)