

Proportion of births attended by a skilled health worker 2008 updates

Introduction

The most recent estimates of maternal mortality developed by the World Health Organization (WHO), the United Nations Children's Fund (UNICEF), the United Nations Population Fund (UNFPA) and The World Bank in collaboration with scientists from academia, show that at least half a million women have died due to pregnancy-related causes in 2005 (WHO/UNICEF/UNFPA/The World Bank, 2007). The estimates for the first time analysed the changes in maternal deaths between 1990 and 2005, demonstrating slow and uneven progress towards achievement of the first target (to reduce maternal mortality ratio by three quarters, between 1990 and 2015) of the fifth Millennium Development Goal (MDG). Overall, the global decline in maternal mortality ratio was 5.4%, and the annual decline was less than 1%. It is estimated that an annual decline of 5.5% in global maternal mortality ratios between 1990 and 2015 is required to achieve the target. Important gains have been made in some world regions such as Eastern Asia where the highest annual decline was seen (4.2%), and Northern Africa (3.0%), South-Eastern Asia (2.6%) and Latin America and the Caribbean (2.0%). However, maternal mortality ratio declined annually on an average of only 0.1% in sub-Saharan Africa between 1990 and 2005.

It is recognized that in addition to a range of interventions before, during and after pregnancy, ensuring that all births are attended by a skilled health worker is a key strategy to reduce maternal deaths. On the basis of historical and observational evidence on the association between having a skilled health worker at delivery and reduced maternal mortality (Graham et al., 2001), the proportion of births attended by a skilled health worker,



was selected as a proxy measure to monitor the progress towards the MDG 5 target of reducing maternal mortality.

It was agreed at the special session of the United Nations General Assembly in 1999, which was held for the five-year follow-up to the International Conference on Population and Development (ICPD), that globally 80%, 85% and 90% of all births should be assisted by skilled attendants by 2005, 2010 and 2015 respectively (United Nations, 1999).

Here, the most recent nationally representative data on the births attended by skilled health professionals available to date together with global, regional and sub-regional estimates are presented. In addition, trends in delivering with the help of a skilled health worker were calculated for regions comparing the time period between 1990 and 1999, with that of 2000 and later.

Definitions

“Proportion of births attended by a skilled health worker” represents the percentage of all births attended by a skilled health worker. The term “skilled health worker” refers to “an accredited health professional - such as a midwife, doctor or nurse - who has been educated and trained to proficiency in the skills needed to manage normal (uncomplicated) pregnancies, childbirth and the immediate postnatal period, and in the identification,

The designations employed and the presentation of the material on these pages do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

management and referral of complications in women and newborns" (World Health Organization, 2004). Traditional birth attendants (TBA) either trained or not, are excluded from the category of skilled health workers. In this context, the term TBA refers to traditional, independent (of the health system), non-formally trained and community-based providers of care during pregnancy, child-birth and the postnatal period (World Health Organization, 2004).

Although the definition is quite specific, the use of it in measuring the proportion of births attended by a skilled health worker has been problematic. Many countries where maternal mortality is a big public health problem, have also limitations in the availability of qualified health personnel. Country programmes strive to increase the proportion of births attended by a skilled health worker by providing training to and employing different cadres of personnel to participate in deliveries. The content of such training, however, usually is not standardized across countries and limited information is available on the exact components of such training. For maintaining comparability of individual country figures, the cadres apart from doctors, nurses, midwives and auxiliary midwives reported in surveys are not included in the category of "skilled health worker" unless information existed in relation to the training of such a cadre. In our analysis, attempts have been made to quantify the proportion of births attended by health workers other than doctors, nurses and midwives in order to show the proportion of births conducted by such groups of providers.

Methodology

Nationally representative data on the proportion of births attended by a skilled health worker were collected. Most of the data were obtained from household surveys conducted to assess reproductive and child health status, such as:

- Demographic and Health Surveys (DHS)
- Multiple Indicator Cluster Surveys (MICS)
- Reproductive Health Surveys (RHS)

Where a recent household survey (conducted during or later than 2000) did not exist from

a country, WHO regional office databases and web pages of Ministries of Health were explored. Where necessary, WHO country offices and national statistics offices were contacted. Countries are grouped according to the United Nations classification (United Nations, 1999).

Global, regional and sub-regional estimates were calculated as population-weighted averages of collected country-specific proportions, the weights being the number of live births in each country. The number of live births used was that of the World Population

Prospects, the 2006 Revision (United Nations 2008).

Data for skilled attendant at birth were compiled from the WHO skilled attendant at birth database for two points in time: (i) data for the period 1990 to 1999, and (ii) data from 2000 onwards. The closest data point to year 1999 was chosen if data were available for more than one data point during 1990 to 1999, and the most recent year for the data point after 2000.

Table 1

Global, regional and sub-regional estimates of the proportion of births attended by a skilled health worker

Region/sub-region	% skilled health worker (doctors, nurses, midwives and other cadres)	Coverage of estimates*
World total	65.7	99.2
More developed regions	99.5	93.5
Less developed regions	61.9	99.8
Least developed countries	35.3	100.0
Africa	46.5	99.9
Eastern Africa	33.7	99.9
Middle Africa	55.0	100.0
Northern Africa	70.5	99.8
Southern Africa	89.4	100.0
Western Africa	41.2	100.0
Asia	65.4	99.8
Eastern Asia	98.0	100.0
South-Central Asia	46.9	100.0
South-Eastern Asia	70.1	100.0
Western Asia	79.2	97.1
Europe	99.5	88.4
Eastern Europe	99.6	100.0
Northern Europe	99.2	79.8
Southern Europe	99.2	63.1
Western Europe	99.5	95.9
Latin America & The Caribbean	88.5	99.9
Caribbean	73.1	99.0
Central America	82.5	100.0
South America	92.7	100.0
Northern America	99.5	100.0
Oceania	76.4	98.5
Australia/New Zealand	98.7	100.0
Melanesia	45.6	100.0
Micronesia	87.5	50.9
Polynesia	99.8	83.1

*Proportion of live births for which data on the presence of a skilled birth attendant were obtained.

Findings and interpretation

Globally, nationally representative data on skilled attendance are available for 99.2% of all live births. In America, Africa, Asia and Oceania data are available for virtually all live births (Table 1). Latest available country-level data are shown in Table 2. Wide differences exist among countries in terms of the proportion of births attended by a skilled health worker.

Table 1 depicts regional averages for skilled attendance. World-wide, 65.7% of births were attended by a skilled health worker. Although nearly all births were attended by skilled health personnel in developed country settings, this proportion is 61.9% in less developed countries and only 35.3% in the least developed countries.

In Africa and Asia, only 46.5% and 65.4%, respectively, of women gave birth with professional assistance. In less developed regions, the lowest levels of skilled attendant at birth were in Eastern Africa (33.7%), followed by Western Africa (41.2%) and South-central Asia (46.9%) with the highest levels in Polynesia (99.8%), Eastern Asia (98%) and South America (92.7%). Africa and Asia are lagging behind in terms of the ICPD + 5 target of 85% for 2010. Special and intensive efforts are needed to accelerate progress in these regions.

Figure 1 shows the estimates for regions and sub-regions comparing the two periods

(1990 to 1999 and 2000 to 2006) against the ICPD+5 target of 85 % for 2010. In every sub-region, the use of skilled health workers at births increased, except in Western Africa where it remained stagnant and Oceania where it decreased. Highest increases were seen in Northern and Middle Africa, Central America and all of Asia except Western Asia.

Three issues need consideration in interpretation of these figures. First, the cadres of health workers that fall into the category of skilled birth attendant vary widely between countries. The training received by a particular category of health workers might allow them to fulfill the international definition of "skilled attendant" in some countries, but not in others. In connection to this issue, as discussed above, the country contexts were taken into consideration as much as possible in extracting data from available sources, and, to provide an idea of the country's setting, the percentages of deliveries attended by categories of health cadres other than doctors, nurses and midwives and the percentages are presented wherever data permit. The exact skills of a certain type of health worker considered as a skilled health worker (such as auxiliary midwife) can, however, be identified only through in-depth country assessments.

Second, most of the data are obtained through household surveys that rely on the woman's account of the attendant she had during delivery, which may not always reflect the actual situation (Hussein et al., 2005).

Finally, it should always be remembered that a skilled health worker should have the necessary equipment and adequate referral opportunity in case of need, in order to be effective to reduce maternal deaths. Data presented here do not indicate whether or not these requirements were met for births where a skilled health worker was present.

References

Graham WJ, Bell JS, Bullough CHW. Can skilled attendance at delivery reduce maternal mortality in developing countries? In: *Safe motherhood strategies: a review of the evidence* (eds V De Brouwere and W Van Lerberghe). Antwerp: ITG Press, 2001, pp. 97-129.

Hussein J, Hundley V, Bell J, Abbey M, Asare GQ, Graham W. How do women identify health professionals at birth in Ghana? *Midwifery* 2005; 21: 36-43.

United Nations. *Report of the Ad Hoc Committee of the Whole of the Twenty-first Special Session of the General Assembly*. New York: United Nations, 1 July 1999 (General Assembly document, No. A/S-21/5/Add.1).

United Nations (M/49/Rev.3). *Standard Country or Area Codes for Statistical Use* (Current Information as of 31 March 1996).

United Nations. *World population prospects. The 2006 revision*. New York: Department of Economic and Social Affairs, Population Division, United Nations, 2008.

World Health Organization. *Making pregnancy safer: the critical role of the skilled attendant. A joint statement by WHO, ICM and FIGO*. Geneva: World Health Organization, 2004.

WHO/UNICEF/UNFPA/The World Bank. *Maternal mortality in 2005. Estimates developed by WHO, UNICEF, UNFPA and The World Bank*. Geneva: World Health Organization, 2008.




Table 2

Proportion of births attended by a skilled health worker by country and reference year

Country/region/territories	% skilled health worker (doctors, nurses, midwives and other cadres of health workers)	Cadres of health workers other than doctors, nurses and midwives - reported as "skilled"	Year
Afghanistan ¹	14.3		2003
Albania ²	100		2005
Algeria ³	95.3		2006
American Samoa ⁴	100		2002
Andorra	...		
Angola ⁵	44.7	Includes "auxiliary midwife" (6.9%)	2001
Anguilla ⁶	100		2006
Antigua and Barbuda ⁶	99.9		2006
Argentina ⁶	99.1		2005
Armenia ⁷	97.8		2005
Aruba ⁶	96[a]		2002
Australia ⁴	99.5		2004
Austria	...		
Azerbaijan ⁸	97		2006
Bahamas ⁶	99		2006
Bahrain ⁹	99		2005
Bangladesh ¹⁰	20.1		2006
Barbados ⁶	100		2005
Belarus ¹¹	100	Includes "auxiliary midwife" (0.1%)	2005
Belgium ¹²	99.3[a]		1999
Belize ⁶	90.6[a]		2006
Benin ¹³	74	Excludes "aide soignante" (3.7%)	2006
Bhutan ¹⁴	50.9		2005
Bolivia ¹⁵	60.8	Excludes "partera" (6%)	2003
Bosnia and Herzegovina ¹⁶	99.5	Includes "auxiliary midwife" (0.1%)	2006
Botswana ¹⁷	98.5		2000
Brazil ⁶	96.8[a]		2004
British Virgin Islands ⁶	100[a]		2006
Brunei Darussalam ⁴	99.7		2005
Bulgaria ⁸	99.4		2006
Burkina Faso ¹⁸	54		2006
Burundi ¹⁹	34		2005
Cambodia ²⁰	43.8		2005
Cameroon ²¹	63		2006
Canada ⁶	100		2005
Cape Verde ²²	88.5	Includes "auxiliary enfermeira, parteira" (35.3%)	1998
Cayman Islands ⁶	100		2006
Central African Republic ²³	53.5	Includes "sage femme auxiliaire" (12.1%)	2006
Chad ²⁴	14.4		2004

Country/region/territories	% skilled health worker (doctors, nurses, midwives and other cadres of health workers)	Cadres of health workers other than doctors, nurses and midwives - reported as "skilled"	Year
Channel Islands	...		
Chile ⁶	99.6		2005
China ⁴	97.8[c]		2006
China, Hong Kong SAR ⁴	100		2006
China, Macao SAR ⁴	100		2006
Colombia ²⁵	96.4	Includes "partera" (5.7%)	2005
Comoros ²⁶	61.8	Includes "auxiliary midwife" (14.6%)	2000
Congo ²⁷	83.4	Excludes "matrone, aide-soignante ou agent de santé communautaire" (2.7%)	2005
Cook Islands ⁴	100		2005
Costa Rica ⁶	94.3		2006
Côte d'Ivoire ²⁸	56.8		2006
Croatia ⁸	99.9		2006
Cuba ⁶	99.9		2006
Cyprus ²⁹	100		2003
Czech Republic ⁸	99.9		2006
Democratic People's Republic of Korea ³⁰	97.1		2004
Democratic Republic of the Congo ³¹	60.7	Includes "auxiliary midwife" (37%)	2001
Denmark	...		
Djibouti ³²	93	Includes "sage femme auxiliaire" (14.6%)	2006
Dominica ⁶	99[b]		2005
Dominican Republic ³³	95.6		2006
Ecuador ⁶	80		2005
Egypt ³⁴	74.2		2005
El Salvador ³⁵	69.4[a]		2002-03
Equatorial Guinea ³⁶	63.4	Includes "auxiliary midwife" (10.5%)	2000
Eritrea ³⁷	28.3	Includes "auxiliary midwife" [d]	2002
Estonia ³⁸	99.8		2005
Ethiopia ³⁹	5.7		2005
Faeroe Islands	...		
Falklands Islands (Malvinas)	...		
Fiji ⁴	98.9[a]		2005
Finland ⁴⁰	99.9		2002
France ²⁹	99		1993
French Guiana ⁶	49		2004
French Polynesia ⁴	100		2004
Gabon ⁴¹	85.5		2000
Gambia ⁴²	56.8	Includes "auxiliary midwife" (4.7%)	2006
Georgia ⁴³	92.4[a]		2005

Country/region/territories	% skilled health worker (doctors, nurses, midwives and other cadres of health workers)	Cadres of health workers other than doctors, nurses and midwives - reported as "skilled"	Year
Germany ⁴⁴	100.0[b]		2006
Ghana ⁴⁵	49.7	Includes "auxiliary midwife, community health worker" [d]	2006
Greece	...		
Grenada ⁶	100		2005
Guadeloupe ⁶	99.2		2005
Guam ⁴	87.2[a]		2004
Guatemala ⁴⁶	41.4		2002
Guinea ⁴⁷	38.1	Includes "sage femme auxiliaire, health field worker" (9.4%)	2005
Guinea-Bissau ⁴⁸	38.9	Includes "sage femme auxiliaire" (7.9%)	2006
Guyana ⁶	94		2005
Haiti ⁴⁹	26.1	Includes "auxiliaire" (1.4%)	2005-06
Holy See	...		
Honduras ⁵⁰	66.9	Includes "auxiliar de enfermeria" (0.6%)	2005-06
Hungary ⁸	99.7		2006
Iceland	...		
India ⁵¹	46.6	Includes "auxiliary nurse midwife, lady health visitor, other health professional" (1.1%)	2005-06
Indonesia ⁵²	66.3	Includes "village midwife" (20.3%)	2002-03
Iran (Islamic Republic of) ⁹	97		2005
Iraq ⁵³	88.6		2006
Ireland ⁵⁴	100		2002
Isle of Man	...		
Israel	...		
Italy ⁵⁵	99.0[a]		2003
Jamaica ⁵⁶	96.7	Includes "auxiliary midwife" (8.9%)	2005
Japan ⁴	99.8[a]		2004
Jordan ⁵⁷	99.5		2002
Kazakhstan ⁵⁸	99.9	Includes "auxiliary midwife" (0.8%)	2006
Kenya ⁵⁹	41.6		2003
Kiribati ⁴	89.7		2005
Kuwait ⁹	100		2006
Kyrgyzstan ⁶⁰	97.7	Includes "auxiliary midwife" (0.5%)	2006
Lao People's Democratic Republic ⁶¹	19.4	Includes "auxiliary midwife" (2.7%)	2001
Latvia ³⁸	100		2005
Lebanon ⁹	98		2004
Lesotho ⁶²	55.4		2004

Country/region/territories	% skilled health worker (doctors, nurses, midwives and other cadres of health workers)	Cadres of health workers other than doctors, nurses and midwives - reported as "skilled"	Year
Liberia ⁶³	50.9		2000
Libyan Arab Jamahiriya ⁹	100		2006
Liechtenstein	...		
Lithuania ³⁸	100		2005
Luxembourg ⁶⁴	99.9		2002
Madagascar ⁶⁵	45.3	Excludes trained birth attendant (6.0%)	2003-04
Malawi ⁶⁶	53.6		2006
Malaysia ⁴	100		2005
Maldives ⁶⁷	84		2004
Mali ⁶⁸	40.6	Includes "matrone, sage femme auxiliaire, aide-soignante" (17.9%)	2001
Malta ⁶⁹	100.0[b]		2006
Marshall Island ⁷⁰	95		2002
Martinique ⁵	99.9		2004
Mauritania ⁷¹	53.4	Excludes "matrone, accoucheuse auxiliaire" (3.5%)	2000-01
Mauritius ⁷²	98.9[a]		2005
Mexico ⁶	93.7		2006
Micronesia (Federated States of) ⁷⁰	87.7		2001
Monaco	...		
Mongolia ⁷³	99.2		2005
Montenegro ⁷⁴	98.8	Includes "auxiliary midwife" (11.6%)	2005
Montserrat ⁶	100		2006
Morocco ⁷⁵	62.6		2003-04
Mozambique ⁷⁶	47.7	Includes "parteira ou enfermeira do SMI" (44.7%)	2003
Myanmar ⁷⁷	57		2001
Namibia ⁷⁸	75.5		2000
Nauru ⁷⁰	100[b]		2003
Nepal ⁷⁹	18.7		2006
Netherlands ⁸⁰	100		2006
Netherlands Antilles	...		
New Caledonia ⁴	92		2005
New Zealand ⁴	95.3[a]		2004
Nicaragua ⁸¹	66.9		2001
Niger ⁸²	17.7		2006
Nigeria ⁸³	35.2	Includes "auxiliary midwife" (1.0%)	2003
Niue ⁴	100		2006
Northern Mariana Island ⁷⁰	99.6		2000
Norway	...		
Occupied Palestinian Territory ⁸⁴	98.9		2006
Oman ⁹	98		2006

Country/region/territories	% skilled health worker (doctors, nurses, midwives and other cadres of health workers)	Cadres of health workers other than doctors, nurses and midwives - reported as "skilled"	Year
Pakistan ⁸⁵	54		2005-06
Palau ⁴	100		2006
Panama ⁶	91.1		2005
Papua New Guinea ⁴	38.2		2005
Paraguay ⁸⁶	77.2		2004
Peru ⁸⁷	73.4	Includes "sanitario/promotora" (2.3%)	2004
Philippines ⁸⁸	59.8		2003
Pitcairn	...		
Poland ⁸	99.9		2006
Portugal ⁸⁹	99.9		2001
Puerto Rico ⁶	99.8		2005
Qatar ⁹	100		2006
Republic of Korea ⁴	100		2006
Republic of Moldova ⁹⁰	99.5		2005
Reunion	...		
Romania ⁹¹	98.9		2004
Russian Federation ⁸	99.5		2006
Rwanda ⁹²	28.4		2005
Saint Kitts and Nevis ⁶	100		2005
Saint Lucia ⁶	100[a]		2005
Saint Vincent and the Grenadine ⁶	100		2005
Samoa ⁴	100		2004
San Marino	...		
Sao Tome and Principe ⁹³	81		2006
Saudi Arabia ⁹	96		2004
Senegal ⁹⁴	51.9	Includes "sage femme auxiliaire" (7.5%)	2005
Serbia ⁹⁵	99	Includes "auxiliary midwife" (10.1%)	2005
Seychelles	...		
Sierra Leone ⁹⁶	43.2	Includes "auxiliary midwife" (3.2%)	2005
Singapore ⁴	99.7[a]		2006
Slovakia ⁸	99.5		2006
Slovenia ⁸	99.9		2006
Solomon Islands ⁴	43[a]		2003
Somalia ⁹⁷	33		2006
South Africa ⁹⁸	92		2003
Spain	...		
Sri Lanka ⁹⁹	96.6		2000
St. Helena	...		
Sudan ⁹	49.2		2006
Suriname ¹⁰⁰	70.9	Includes "auxiliary midwife" (9.3%)	2000

Country/region/territories	% skilled health worker (doctors, nurses, midwives and other cadres of health workers)	Cadres of health workers other than doctors, nurses and midwives - reported as "skilled"	Year
Swaziland ¹⁰¹	74		2002
Sweden	...		
Switzerland ¹⁰²	100.0[b]		2006
Syrian Arab Republic ¹⁰³	93.1	Includes "auxiliary midwife" (1.6%)	2006
Tajikistan ¹⁰⁴	83.3	Includes "auxiliary midwife" (0.9%)	2005
TFYR Macedonia ¹⁰⁵	98.1	Includes "auxiliary midwife" (0.3%)	2005
Thailand ¹⁰⁶	97.2	Includes "auxiliary midwife" (0.3%)	2005-06
Timor-Leste ¹⁰⁷	19		2003
Togo ¹⁰⁸	62	Includes "sage femme auxiliaire" (9.6%)	2006
Tokelau ⁴	100		1999
Tonga ⁴	99		2004
Trinidad and Tobago ¹⁰⁹	98		2006
Tunisia ¹¹⁰	89.8		2000
Turkey ¹¹¹	83		2003
Turkmenistan ¹¹²	100		2006
Turks and Caicos Islands ⁵	100		2006
Tuvalu ⁷⁰	100		2002
Uganda ¹¹³	42.2		2006
Ukraine ¹¹⁴	100		2005
United Arab Emirates ⁹	100		2005
United Kingdom ²⁹	99		1998
United Republic of Tanzania ¹¹⁵	43.4		2004-05
United States of America ⁵	99.5		2004
United States Virgin Islands ⁶	98.7		2004
Uruguay ⁶	99.5		2005
Uzbekistan ¹¹⁶	99.9	Includes "auxiliary midwife" (0.3%)	2006
Vanuatu ⁴	92		2005
Venezuela ⁶	95		2003
Viet Nam ¹¹⁷	87.7	Includes "auxiliary midwife" (3.9%)	2006
Wallis and Futuna Islands	...		
Western Sahara	...		
Yemen ¹¹⁸	19.6[a]		2003
Zambia ¹¹⁹	43.4		2001-02
Zimbabwe ¹²⁰	68.5		2005-06

... data not available


a. Institutional birth

b. Estimate

c. Excludes Hong Kong and Macao SARs

d. Disaggregation of cadres not possible

Publications



Maternal mortality in 2005: estimates developed by WHO, UNICEF, UNFPA and The World Bank

The 2005 estimates of maternal mortality provide an up-to-date indication of the extent of the maternal mortality problem globally and its evolution since 1990. They strongly indicate a need both for improved action for maternal mortality reduction and for increased efforts for the generation of robust data to provide better estimates in the future.

Also available in French, Spanish and Russian.

Coming soon: Arabic and Chinese.


These publications are accessible through the WHO web site: www.who.int/reproductive-health



National-level monitoring of the achievement of universal access to reproductive health

A technical consultation was convened in Geneva, Switzerland, from 13 to 15 March 2007. This consultation was jointly organized by WHO/RHR and UNFPA to consider national-level monitoring of progress towards the achievement of universal access to sexual and reproductive health.

Building on earlier work and informed by increasing knowledge on both dimensions of sexual and reproductive health and the concept of “universal access”, the consultation sought to recommend, within a clearly specified framework, a set of indicators to monitor progress towards the goal of universal access to sexual and reproductive health at country level.



Reproductive health indicators. Guidelines for their generation, interpretation and analysis for global monitoring

This document is intended for national public health administrators and health programme managers. It briefly reviews theoretical and practical considerations of indicators, followed by a discussion of the definition, data sources, collection methods, periodicity of collection, disaggregation, use, limitations and common pitfalls for each of the shortlisted indicators. It is hoped that the document will contribute towards a consistent global monitoring and evaluation of reproductive health.

Data Sources

1. *Afghanistan Multiple Indicator Cluster Survey 2003. Detail Table*. Central Statistics Office, Transitional Islamic Government of Afghanistan and United Nations Children's Fund (UNICEF), 2003. (<http://www.childinfo.org/MICS2/natIMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
2. *Albania Multiple Indicator Cluster Survey 2005. Global Database on Delivery Care*. United Nations Children's Fund (UNICEF) Monitoring the Situation of Children and Women, 2007. (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
3. *Algeria Multiple Indicator Cluster Survey 2006. Global Database on Delivery Care*. United Nations Children's Fund (UNICEF) Monitoring the Situation of Children and Women, 2007. (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
4. *Statistical Tables 2007*. Manila, World Health Organization Regional Office for the Western Pacific, 2007. (<http://www.wpro.who.int/countries/countries.htm>, accessed 28 March 2008).
5. *Angola Multiple Indicator Cluster Survey 2001. Detail Table*. República de Angola, Instituto Nacional de Estatística and United Nations Children's Fund (UNICEF), 2002. (<http://www.childinfo.org/MICS2/natIMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
6. *Health Situation in the Americas. Basic Indicators 2007*. Washington, DC, Health Analysis and Statistics, Pan American Health Organization, Regional Office of the World Health Organization, 2007. (http://www.paho.org/english/dd/ais/BI_2007_ENG.pdf, accessed 28 March 2008).
7. *Armenia Demographic and Health Survey 2005*. Calverton, MD, USA, National Statistical Service, Armenia Ministry of Health and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
8. *TransMONEE Database 2008. Preliminary Data*. Florence, United Nations Children's Fund (UNICEF) Innocenti Research Centre, 2008. (Personal communication, 25 January 2008).
9. *Country Profiles 2007*. Cairo, Egypt, World Health Organization Regional Office for the Eastern Mediterranean, (<http://www.emro.who.int/emrinfo/>, accessed 28 March 2008).
10. *Bangladesh Multiple Indicator Cluster Survey 2006. Volume I Technical Report*. Bangladesh Bureau of Statistics, Government of the People's Republic of Bangladesh and United Nations Children's Fund (UNICEF), 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
11. *Republic of Belarus Multiple Indicator Cluster Survey 2005. Final Report*. Ministry of Statistics and Analysis of the Republic of Belarus and United Nations Children's Fund (UNICEF), 2005. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
12. Belgium Ministry of Health, 2008. (Personal communication, 14 January 2008).
13. *Enquête Démographique et de Santé (EDSB-III) Bénin 2006*. Calverton, MD, USA, Institut National de la Statistique et de l'Analyse Économique and ORC Macro, 2007. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
14. *Population and Housing Census of Bhutan 2005*. Thimphu, Office of the Census Commissioner, 2007. (http://www.bhutancensus.gov.bt/census_results_1.htm, accessed 28 March 2008).
15. Sardán MG, Ochoa LH and Guerra WC, *Bolivia Encuesta Nacional de Demografía y Salud (ENDSA) 2003*. Calverton, MD, USA, Instituto Nacional de Estadística and ORC Macro, 2004. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
16. *Bosnia and Herzegovina Multiple Indicator Cluster Survey 2006*. Ministry of Health of the Federation of Bosnia and Herzegovina and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
17. *Botswana Multiple Indicator Survey 2000*. Republic of Botswana Central Statistics Office and United Nations Children's Fund (UNICEF), 2001. (<http://www.childinfo.org/MICS2/natIMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
18. *Burkina Faso Multiple Indicator Cluster Survey 2006. Global Database on Delivery Care*. United Nations Children's Fund (UNICEF) Monitoring the Situation of Children and Women, 2007. (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
19. *Burundi Multiple Indicator Cluster Survey 2005. Global Database on Delivery Care*. United Nations Children's Fund (UNICEF) Monitoring the Situation of Children and Women, 2007. (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
20. *Cambodia Demographic and Health Survey 2005*. Phnom Penh, Cambodia and Calverton, MD, USA, National Institute of Public Health, National Institute of Statistics and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
21. *Cameroon Multiple Indicator Cluster Survey 2006. Global Database on Delivery Care*. United Nations Children's Fund (UNICEF) Monitoring the Situation of Children and Women, 2007. (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
22. *Cape Verde Inquérito Demográfico e de Saúde Reprodutiva 1998*. Praia, Cape Verde and Atlanta, GA, USA, Instituto Nacional de Estatística and Department of Health and Human Services, Centers for Disease Control and Prevention, 1998.
23. *République Centrafricaine Suivi de la Situation des Enfants et des Femmes 2006. Rapport Préliminaire*. Ministère de l'Économie, du Plan et de la Coopération Internationale and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
24. Ouagadjió B et al., *Enquête Démographique et de Santé Tchad 2004*. Calverton, MD, USA, INSEED and ORC Macro, 2005. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
25. Ojeda G, Ordóñez M and Ochoa LH, *Colombia Salud Sexual y Reproductiva. Encuesta Nacional de Demografía y Salud 2005*. Calverton, MD, USA, Bogotá Profamilia and ORC Macro, 2005. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
26. *Republique Federale Islamique des Comores Enquête à Indicateurs Multiples (MICS) 2000*. Direction Generale du Plan, 2001. (<http://www.childinfo.org/MICS2/natIMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).

27. *Enquête Démographique et de Santé du Congo 2005*. Calverton, MD, USA, Centre National de la Statistique et des Études Économiques et ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
28. *Côte d'Ivoire Enquête à Indicateurs Multiples 2006. Rapport Final*. Institut National de la Statistiques and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
29. *European Health for all Database*. Copenhagen, World Health Organization Regional Office for Europe. (<http://www.euro.who.int/hfadb>, accessed 28 March 2008).
30. *Democratic People's Republic of Korea (DPRK) National Nutrition Assessment 2004. Report of Survey Results*. DPRK Central Bureau of Statistics and Institute of Child Nutrition, 2005. (<http://www.nautilus.org/napsnet/sr/2005/0587Nutrition.pdf>, accessed 28 March 2008).
31. *République Démocratique du Congo Enquête Nationale sur la Situation des Enfants et des Femmes (MICS2) 2001. Rapport d'analyse Volume II*. Kinshasa, Democratic Republic of the Congo and United Nations Children's Fund (UNICEF), 2002. (<http://www.childinfo.org/MICS2/natiMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
32. *Enquête Djiboutienne à Indicateurs Multiple (EDIM) 2006. Rapport Préliminaire*. Ministère de l'a Santé and United Nations Children's Fund (UNICEF), 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
33. *República Dominicana Encuesta Nacional de Hogares de Propósitos Múltiples (ENHOGAR) 2006*. Oficina Nacional de Estadística and United Nations Children's Fund (UNICEF), 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
34. El-Zanaty F and Way A, *Egypt Demographic and Health Survey 2005*. Cairo, Egypt, Ministry of Health and Population, National Population Council, El-Zanaty and Associates and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
35. *El Salvador Encuesta Nacional de Salud Familiar (FESAL) 2002-03. Informe Final*. San Salvador, El Salvador and Atlanta, GA, USA, Asociación Demográfica Salvadoreña and Centers for Disease Control and Prevention, 2004. (<http://www.cdc.gov/reproductivehealth/Surveys/index.htm>, accessed 28 March 2008).
36. *Equatorial Guinea Multiple Indicator Cluster Survey 2000*. United Nations Children's Fund (UNICEF), 2002. (Personal communication, 24 January 2008).
37. *Eritrea Demographic and Health Survey 2002*. Calverton, MD, USA, Eritrea National Statistics and Evaluation Office and ORC Macro, 2003. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
38. *TransMONEE Database 2007*. Florence, United Nations Children's Fund (UNICEF) Innocenti Research Centre, 2008. (<http://www.unicef-irc.org/databases/transmonee/#TransMONEE>, accessed 28 March 2008).
39. *Ethiopia Demographic and Health Survey 2005*. Addis Ababa, Ethiopia and Calverton, MD, USA, Ethiopia Central Statistical Agency and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
40. Finland Ministry of Health, information obtained through country consultation by the Evidence and Information for Policy Cluster, World Health Organization, Geneva, 2003.
41. *Enquête Démographique et de Santé Gabon 2000*. Calverton, MD, USA, Gabon Direction Générale de la Statistique et des Études Économiques, United Nations Population Fund (UNFPA) and ORC Macro, 2001. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
42. *The Gambia Multiple Indicator Cluster Survey 2005/2006. Preliminary Report*. Gambia Bureau of Statistics and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
43. Serbanescu F et al., *Georgia Reproductive Health Survey 2005. Final Report*. Atlanta, GA, USA, Georgia Ministry of Labor, Health and Social Affairs and Division of Reproductive Health, Centers for Disease Control and Prevention, 2007.
44. Statistisches Bundesamt, Bonn, Germany. (Personal communication, 7 February 2007).
45. *Ghana Multiple Indicator Cluster Survey 2006. Preliminary Report*. Ghana Statistical Service and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
46. *Guatemala Encuesta Nacional de Salud Materno Infantil 2002*. Guatemala City, Guatemala and Atlanta, GA, USA, Instituto Nacional de Estadística de Guatemala, Ministerio de Salud Pública y Asistencia Social and Centers for Disease Control and Prevention, 2003.
47. *Enquête Démographique et de Santé Guinée 2005*. Calverton, MD, USA, Guinée Direction Nationale de la Statistique and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
48. *Guinea-Bissau Multiple Indicator Cluster Survey 2000*. Guinea-Bissau General Direction of Planning, National Institute of Statistics and Census and United Nations Children's Fund (UNICEF), 2000. (<http://www.childinfo.org/MICS2/natiMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
49. Cayemites, M et al., *Haïti Enquête Mortalité, Morbidité et Utilisation des Services 2005-06*. Calverton, MD, USA, Ministère de la Santé Publique et de la Population, Institut Haïtien de l'Enfance et ORC Macro, 2007. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
50. *Honduras Encuesta Nacional de Salud y Demografía (ENDESA) 2005-06*. Tegucigalpa, Honduras and Calverton, MD, USA, Secretaría de Salud, Instituto Nacional de Estadística and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
51. *India National Family Health Survey (NHFS-3) 2005-06. Volume I*. Mumbai, International Institute for Population Sciences and ORC Macro, 2007. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
52. *Indonesia Demographic and Health Survey 2002-03*. Calverton, MD, USA, Badan Pusat Statistik-Statistics Indonesia and ORC Macro, 2003. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).

53. *Iraq Multiple Indicator Cluster Survey 2006. Volume I Final Report.* Central Organisation for Statistics & Information Technology, Kurdistan Regional Statistics Office and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
54. Ireland Ministry of Health, information obtained through country consultation by the Evidence and Information for Policy Cluster, World Health Organization, Geneva, 2003.
55. Boldrini R and Di Cesare M, *Certificato di assistenza al parto. Analisi dell'evento nascita Anno 2003.* Giugno, Ufficio di Direzione Statistica, Direzione Generale Sistema Informativo, Ministero della Salute, 2005. (http://www.ministerosalute.it/resources/usabile/documenti_nuovo_portale/inEvidenza_343_480_allegato.pdf, accessed 28 March 2008).
56. *Jamaica Multiple Indicator Cluster Survey 2005.* Statistical Institute of Jamaica and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
57. *Jordan Population and Family Health Survey 2002.* Calverton, MD, USA, Jordan Department of Statistics and ORC Macro, 2003. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
58. *Kazakhstan Multiple Indicator Cluster Survey 2006.* Agency of the Republic of Kazakhstan on Statistics and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
59. *Kenya Demographic and Health Survey 2003.* Calverton, MD, USA, Central Bureau of Statistics, Kenya Ministry of Health and ORC Macro, 2004. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
60. *Kyrgyz Republic Multiple Indicator Cluster Survey 2006. Final Report.* Bishkek, Kyrgyzstan, National Statistical Committee of the Kyrgyz Republic and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
61. *Lao People's Democratic Republic Multiple Indicator Cluster Survey 2000. Preliminary Report.* State Planning Committee, National Statistical Center and United Nations Children's Fund (UNICEF), 2000. (<http://www.childinfo.org/MICS2/natiMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
62. *Lesotho Demographic and Health Survey 2004.* Calverton, MD, USA, Lesotho Ministry of Health and Social Welfare, Bureau of Statistics and ORC Macro, 2005. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
63. *Liberia Demographic and Health Survey 1999-00. Analytical Report. National Report.* Liberia Ministry of Health and Social Welfare, 2005.
64. Luxembourg Ministry of Health, information obtained through country consultation by the Evidence and Information for Policy Cluster, World Health Organization, Geneva, 2003.
65. *Enquête Démographique et de Santé de Madagascar 2003-04.* Calverton, MD, USA, Institut National de la Statistique and ORC Macro, 2005. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
66. *Malawi Multiple Indicator Cluster Survey 2006. Preliminary Report.* Malawi National Statistical Office and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
67. *Maldives Reproductive Health Research Survey 2004.* Health Information and Research Unit, Maldives Ministry of Health and United Nations Population Fund (UNFPA), 2004. (http://www.unicef.org/maldives/RH_SURVEY_REPORT_2004.pdf, accessed 28 March 2008).
68. *Enquête Démographique et de Santé au Mali 2001.* Calverton, MD, USA, Cellule de Planification et de Statistique du Ministère de la Santé, Direction Nationale de la Statistique et de l'Informatique and ORC Macro, 2002. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
69. Department of Health Information, G'Mangia, Malta. (Personal communication, 22 March 2007).
70. *Core Indicators 2005. Health Situation in the South-East Asia and Western Pacific Regions.* Manila, Philippines, World Health Organization Regional Offices for South-East Asia and Western Pacific, 2005. (http://www.wpro.who.int/information_sources/databases/core_indicators/, accessed 28 March 2008).
71. *Enquête Démographique et de Santé Mauritanie 2000-01.* Calverton, MD, USA, Mauritanie Office National de la Statistique and ORC Macro, 2001. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
72. *Annual Digest of Statistics 2005.* Central Statistics Office, Mauritius Ministry of Finance and Economic Development, 2006. (<http://www.gov.mu/portal/goc/cso/report/natacc/annual05/toc.htm>, accessed 28 March 2008).
73. *Mongolia Child and Development Survey (MICS-3) 2005. Final Report.* Ulaanbaatar, Mongolia, National Statistics Office and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
74. *Montenegro Multiple Indicator Cluster Survey 2005. Final Report.* Podgorica, Statistical Office of Montenegro, Strategic Marketing Research Agency and United Nations Children's Fund (UNICEF), 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
75. *Maroc Enquête sur la Population et la Santé Familiale (EPSF) 2003-04.* Calverton, MD, USA, Maroc Ministère de la Santé, Ligue des États Arabes and ORC Macro, 2005. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
76. *Moçambique Inquérito Demográfico e de Saúde 2003.* Calverton, MD, USA, Instituto Nacional de Estatística, Moçambique Ministério da Saúde and ORC Macro, 2005. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
77. *Myanmar Fertility and Reproductive Health Survey 2001.* Department of Population, Ministry of Immigration and Population and United Nations Population Fund (UNFPA), 2003.
78. *Namibia Demographic and Health Survey 2000.* Windhoek, Namibia, Ministry of Health and Social Services, 2003. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
79. *Nepal Demographic and Health Survey 2006.* Kathmandu, Nepal and Calverton, MD, USA, Nepal Ministry of Health and Population, New ERA and ORC Macro, 2007. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
80. *Perinatale Zorg in Nederland 2006.* Bilthoven, Stichting Perinatale Registratie Nederland, 2008. (Personal communication, 14 January 2008).

81. *Encuesta Nicaragüense de Demografía y Salud 2001*. Calverton, MD, USA, Instituto Nacional de Estadísticas y Censos, Ministerio de Salud and ORC Macro, 2002. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
82. *Enquête Démographique et de Santé et à Indicateurs Multiples du Niger 2006*. Calverton, MD, USA, Institut National de la Statistique and ORC Macro 2007. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
83. *Nigeria Demographic and Health Survey 2003*. Calverton, MD, USA, Nigeria National Population Commission and ORC Macro, 2004. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
84. *Palestinian Family Health Survey 2006. Preliminary Report*. Ramallah-Palestine, Palestinian Central Bureau of Statistics, 2007. (<http://www.papfam.org/papfam/Docs/PLSRepEn.pdf>, accessed 28 March 2008).
85. *Pakistan Social and Living Standards Measurement Survey 2005-06*. Islamabad, Government of Pakistan Statistics Division, Federal Bureau of Statistics, 2006. (http://www.statpak.gov.pk/depts/fbs/statistics/pslm2005_06/pslm2005_06.html, accessed 28 March 2008).
86. *Paraguay Encuesta Nacional de Demografía y Salud Sexual y Reproductiva 2004. Informe Final*. Asunción, Paraguay and Atlanta, GA, USA, Centro Paraguayo de Estudios de Población and Centers for Disease Control and Prevention, 2005. (<http://www.cdc.gov/reproductivehealth/Surveys/SurveyList.htm#Paraguay2004>, accessed 28 March 2008).
87. *Perú Encuesta Demográfica y de Salud Familiar 2004*. Lima, Perú and Calverton, MD, USA, Instituto Nacional de Estadística e Informática and ORC Macro, 2005. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
88. *Philippines National Demographic and Health Survey 2003*. Calverton, MD, USA, Philippines National Statistical Office and ORC Macro, 2004. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
89. *Elementos Estatísticos. Informação Geral. Saúde 2001*. Lisboa, Direcção-Geral da Saúde, 2004. (<http://www.dgs.pt/>, accessed 12 February 2007).
90. *Moldova Demographic and Health Survey 2005*. Calverton, MD, USA, National Scientific and Applied Center for Preventive Medicine, Moldova Ministry of Health and Social Protection and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
91. *Romania Reproductive Health Survey 2004*. Romanian Ministry of Health and United Nations Population Fund, 2005. (<ftp://ftp.unfpa.ro/unfpa/RHSE2004.pdf>, accessed 28 March 2008).
92. *Rwanda Demographic and Health Survey 2005*. Calverton, MD, USA, Institut National de la Statistique du Rwanda and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
93. *São Tomé and Príncipe Enquête de Grappes à Indicateurs Multiples (MICS) 2000. Rapport d'analyse*. United Nations Children's Fund (UNICEF), 2000. (<http://www.childinfo.org/MICS2/natIMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
94. Ndiaye S et Mohamed Ayad, *Enquête Démographique et de Santé au Sénégal 2005*. Calverton, MD, USA, Sénégal Centre de Recherche pour le Développement Humain and ORC Macro, 2006. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
95. *Republic of Serbia Multiple Indicator Cluster Survey 2005. Final Report*. Belgrade, Statistical Office of the Republic of Serbia and Strategic Marketing Research Agency, 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
96. *Sierra Leone Multiple Indicator Cluster Survey 2005. Preliminary Report*. Statistics Sierra Leone and United Nations Children's Fund (UNICEF), 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
97. *Somalia Multiple Indicator Cluster Survey 2005*. United Nations Children's Fund (UNICEF), 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
98. *South Africa Demographic and Health Survey 2003. Preliminary Report. National Report*. Pretoria, South Africa, Department of Health and ORC Macro, 2004. (<http://www.doh.gov.za/facts/index.html>, accessed 28 March 2008).
99. *Demographic and Health Survey Sri Lanka 2000. National Report*. Colombo, Department of Census and Statistics and Ministry of Health, Nutrition and Welfare, 2001.
100. *Suriname Multiple Indicator Cluster Survey 2000. Final Report*. United Nations Children's Fund (UNICEF), 2001. (<http://www.childinfo.org/MICS2/natIMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
101. UNICEF Global Database on Delivery Care citing Swaziland Community Health Survey, 2002 (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
102. Bundesamt für Statistik SG, Neuchâtel, Switzerland. (Personal communication, 6 February 2007).
103. *Syrian Arab Republic Multiple Indicator Cluster Survey 3 2006. Preliminary Report*. Central Bureau of Statistics, Pan-Arab project for Family Health Unit and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
104. *Tajikistan Multiple Indicator Cluster Survey 2005. Preliminary Report*. Tajikistan State Committee on Statistics and United Nations Children's Fund (UNICEF), 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
105. *Republic of Macedonia Multiple Indicator Cluster Survey 2005-06. Final Report*. Skopje, State Statistical Office of the Republic of Macedonia and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
106. *Thailand Multiple Indicator Cluster Survey December 2005 - February 2006. Final Report*. Bangkok, Thailand, National Statistical Office, 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
107. *Timor-Leste Demographic and Health Survey 2003. National Report*. Dili, Timor Leste, Ministry of Health and National Statistics Office, 2004.

108. *Togo Enquête Nationale à Indicateurs Multiples 2006. Rapport Final*. Direction Generale de la Statistique et de la Comptabilite Nationale and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
109. *Trinidad and Tobago Multiple Indicator Cluster Survey 2006. Global Database on Delivery Care*. United Nations Children's Fund (UNICEF) Monitoring the Situation of Children and Women, 2007. (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
110. *Tunisia Multiple Indicator Cluster Survey 2000*. United Nations Children's Fund (UNICEF), 2002. (<http://www.childinfo.org/MICS2/natIMICSrepz/MICSnatrep.htm>, accessed 28 March 2008).
111. *Turkey Demographic and Health Survey 2003*. Ankara, Hacettepe University Institute of Population Studies, Ministry of Health General Directorate of Mother and Child Health and Family Planning and European Union, 2004. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
112. *Turkmenistan Multiple Indicator Cluster Survey 2006. Global Database on Delivery Care*. United Nations Children's Fund (UNICEF) Monitoring the Situation of Children and Women, 2007. (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
113. *Uganda Demographic and Health Survey 2006*. Calverton, MD, USA, Uganda Bureau of Statistics and ORC Macro, 2007. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
114. *Ukraine Multiple Indicator Cluster Survey 2005. Global Database on Delivery Care*. United Nations Children's Fund (UNICEF) Monitoring the Situation of Children and Women, 2007. (<http://www.childinfo.org/areas/deliverycare/countrydata.php>, accessed 28 March 2008).
115. *Tanzania Demographic and Health Survey 2004-05*. Dar es Salaam, Tanzania, National Bureau of Statistics and ORC Macro, 2005. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
116. *Uzbekistan Multiple Indicator Cluster Survey 2006. Final Report*. Tashkent, State Statistical Committee of the Republic of Uzbekistan and United Nations Children's Fund (UNICEF), 2007. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
117. *Viet Nam Multiple Indicator Cluster Survey 2006. Final Report*. Viet Nam General Statistics Office and United Nations Children's Fund (UNICEF), 2006. (<http://www.childinfo.org/mics/mics3/surveys.php>, accessed 28 March 2008).
118. *Yemen Family Health Survey 2003*. Yemen Ministry of Health and Population, Central Statistical Office and the Pan Arab Project for Family Health (PAPFAM), 2005.
119. *Zambia Demographic and Health Survey 2001-02*. Calverton, MD, USA, Zambia Central Statistical Office, Central Board of Health and ORC Macro, 2003. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).
120. *Zimbabwe Demographic and Health Survey 2005-06*. Calverton, MD, USA, Zimbabwe Central Statistical Office and ORC Macro, 2007. (<http://www.measuredhs.com/countries/>, accessed 28 March 2008).

For more information contact:

Department of Reproductive Health and
Research

World Health Organization

Avenue Appia 20, 1211 Geneva 27

Switzerland

Fax: +41 22 791 4171

E-mail: reproductivehealth@who.int

www.who.int/reproductive-health